



NASA SP-7011 (342)
November 1990

(NASA-SP-7011(342)) AEROSPACE MEDICINE AND BIOLOGY: A CONTINUING BIBLIOGRAPHY WITH INDEXES (SUPPLEMENT 342) (NASA) 81 p

CSCL 06E

Unclass

00/52 0317931

00/52 0317931

Aerospace Medicine & Biology
space Medicine & Biology Aero
e Medicine & Biology Aerospace
edicine & Biology Aerospace Me
ne & Biology Aerospace Medic
Biology Aerospace Medicine &
gy Aerospace Medicine & Biolo
erospace Medicine & Biology A
pace Medicine & Biology Aeros
Medicine & Biology Aerospace
cine & Biology Aerospace Med
& Biology Aerospace Medicine

ACCESSION NUMBER RANGES

Accession numbers cited in this Supplement fall within the following ranges.

STAR (N-10000 Series) N90-25072 — N90-26789

IAA (A-10000 Series) A90-42520 — A90-45844

AEROSPACE MEDICINE AND BIOLOGY

A CONTINUING BIBLIOGRAPHY WITH INDEXES

(Supplement 342)

A selection of annotated references to unclassified reports and journal articles that were introduced into the NASA scientific and technical information system and announced in October 1990 in

- *Scientific and Technical Aerospace Reports (STAR)*
- *International Aerospace Abstracts (IAA).*



National Aeronautics and Space Administration
Office of Management
Scientific and Technical Information Division
Washington, DC

1990

This supplement is available from the National Technical Information Service (NTIS), Springfield, Virginia 22161, price code A05.

INTRODUCTION

This Supplement to *Aerospace Medicine and Biology* lists 208 reports, articles and other documents announced during October 1990 in *Scientific and Technical Aerospace Reports (STAR)* or in *International Aerospace Abstracts (IAA)*. The first issue of the bibliography was published in July 1964.

In its subject coverage, *Aerospace Medicine and Biology* concentrates on the biological, physiological, psychological, and environmental effects to which man is subjected during and following simulated or actual flight in the Earth's atmosphere or in interplanetary space. References describing similar effects on biological organisms of lower order are also included. Such related topics as sanitary problems, pharmacology, toxicology, safety and survival, life support systems, exobiology, and personnel factors receive appropriate attention. In general, emphasis is placed on applied research, but references to fundamental studies and theoretical principles related to experimental development also qualify for inclusion.

Each entry in the bibliography consists of a bibliographic citation accompanied in most cases by an abstract. The listing of the entries is arranged by *STAR* categories 51 through 55, the Life Sciences division. The citations, and abstracts when available, are reproduced exactly as they appeared originally in *IAA* or *STAR*, including the original accession numbers from the respective announcement journals. The *IAA* items will precede the *STAR* items within each category.

Seven indexes — subject, personal author, corporate source, foreign technology, contract, report number, and accession number — are included.

An annual index will be prepared at the end of the calendar year covering all documents listed in the 1990 Supplements.

Information on the availability of cited publications including addresses of organizations and NTIS price schedules is located at the back of this bibliography.

TABLE OF CONTENTS

	Page
Category 51 Life Sciences (General)	267
Category 52 Aerospace Medicine Includes physiological factors; biological effects of radiation; and effects of weightlessness on man and animals.	276
Category 53 Behavioral Sciences Includes psychological factors; individual and group behavior; crew training and evaluation; and psychiatric research.	287
Category 54 Man/System Technology and Life Support Includes human engineering; biotechnology; and space suits and protective clothing.	290
Category 55 Space Biology Includes exobiology; planetary biology; and extraterrestrial life.	303
Subject Index	A-1
Personal Author Index	B-1
Corporate Source Index	C-1
Foreign Technology Index	D-1
Contract Number Index	E-1
Report Number Index	F-1
Accession Number Index	G-1

TYPICAL REPORT CITATION AND ABSTRACT

NASA SPONSORED
ON MICROFICHE
CORPORATE SOURCE

ACCESSION NUMBER → N90-10571* Virginia Univ., Charlottesville. Dept. of Environmental Sciences.

TITLE → **A SIMPLE, MASS BALANCE MODEL OF CARBON FLOW IN A CONTROLLED ECOLOGICAL LIFE SUPPORT SYSTEM**

AUTHOR AND PUBLICATION DATE → JAY L. GARLAND Mar. 1989 37 p Prepared in cooperation with Bionetics Corp., Cocoa Beach, FL

CONTRACT NUMBER → (Contract NAS10-10285)

REPORT NUMBERS → (NASA-TM-102151; NAS 1.15:102151) Avail: NTIS HC A03/MF A01

COSATI CODE → CSCL 05/8

AVAILABILITY SOURCE
PRICE CODE

Internal cycling of chemical elements is a fundamental aspect of a Controlled Ecological Life Support System (CELSS). Mathematical models are useful tools for evaluating fluxes and reservoirs of elements associated with potential CELSS configurations. A simple mass balance model of carbon flow in CELSS was developed based on data from the CELSS Breadboard project at Kennedy Space Center. All carbon reservoirs and fluxes were calculated based on steady state conditions and modelled using linear, donor-controlled transfer coefficients. The linear expression of photosynthetic flux was replaced with Michaelis-Menten kinetics based on dynamical analysis of the model which found that the latter produced more adequate model output. Sensitivity analysis of the model indicated that accurate determination of the maximum rate of gross primary production is critical to the development of an accurate model of carbon flow. Atmospheric carbon dioxide was particularly sensitive to changes in photosynthetic rate. The small reservoir of CO₂ relative to large CO₂ fluxes increases the potential for volatility in CO₂ concentration. Feedback control mechanisms regulating CO₂ concentration will probably be necessary in a CELSS to reduce this system instability.

Author

TYPICAL JOURNAL ARTICLE CITATION AND ABSTRACT

NASA SPONSORED
CORPORATE SOURCE

ACCESSION NUMBER → A90-11091* Krug International, San Antonio, TX.

TITLE → **DETERMINING A BENDS-PREVENTING PRESSURE FOR A SPACE SUIT**

AUTHORS → R. W. KRUTZ, JR., J. T. WEBB (Krug International, Technology Services Div., San Antonio, TX), and G. A. DIXON (USAF, School of Aerospace Medicine, Brooks AFB, TX) **AUTHORS' AFFILIATION**

PUBLICATION DATE → Fall 1989, p. 20-24. Research sponsored by USAF. refs (Contract NASA ORDER T-82170) **JOURNAL TITLE**

Copyright

Research conducted to determine the proper pressure for preventing bends during EVA without preoxygenation is examined. Male and female subjects with different breathing gas mixtures and pressures are studied in order to define the pressure. Visual and auditory Doppler ultrasonic signals are utilized to monitor intravascular gas bubbles. The workload, which simulates EVA, consists of a handturned bicycle ergometer, a torque wrench operation, and a rope pull. The experimental data reveal that the minimum space suit pressure needed to prevent decompression sickness is 9.5 psi.

I.F.

AEROSPACE MEDICINE AND BIOLOGY

A Continuing Bibliography (Suppl. 342)

NOVEMBER 1990

51

LIFE SCIENCES (GENERAL)

A90-43369

DNH DEOXYRIBONUCLEOHELICATES - SELF ASSEMBLY OF OLIGONUCLEOSIDIC DOUBLE-HELICAL METAL COMPLEXES
ULRICH KOERT, MARGARET M. HARDING, and JEAN-MARIE LEHN (Strasbourg I, Université, France) *Nature* (ISSN 0028-0836), vol. 346, July 26, 1990, p. 339-342. Research supported by CNRS, Fonds der Chemischen Industrie, and Collège de France. refs
Copyright

A class of artificial systems called the nucleohelicates is presented which combine the double helical structure of the double-stranded metal complexes called helicate with the selective interaction features of nucleic-acid bases. These functionalized species allow the study of structural effects on the formation of the double helix and on binding to other entities, in particular to nucleic acids. C.D.

A90-43457#

RESPONSES OF RATS TO 3-WEEK CENTRIFUGAL ACCELERATIONS

MASAMICHI SUDOH and SACHIO IKAWA (Tokyo Jikeikai University, Japan) *Japanese Journal of Aerospace and Environmental Medicine* (ISSN 0387-0723), vol. 25, Sept. 1988, p. 69-74. In Japanese, with abstract in English. refs

The effects of gravity on physiological changes in rats exposed to three-week centrifugal accelerations are studied. Twelve female rats are exposed to 1 G, 1.6 G or 3 G. Body weight, urine volume, food and water intake, and water balance are measured and analyzed. The data reveal that body weight and daily food and water intake decrease due to acute exposure to hypergravity, and that gravity intensity affects the rate of the decrease. I.F.

A90-43458#

CHANGES OF BLOOD CELLS AFTER HYPER-GRAVITY EXPOSURE

SHINJI WAKAMATSU, ISAMU SUGIE, TADASHI OKADA, YOSHIHIRO NAKAMURA, TAKASHI MORISHITA (Aichi Medical University, Japan) et al. *Japanese Journal of Aerospace and Environmental Medicine* (ISSN 0387-0723), vol. 25, Sept. 1988, p. 75-83. In Japanese, with abstract in English. refs

The effects of 2 G, 3 G, and 10 G exposure on blood cells are examined. The erythrocytes, platelets, leukocytes, corpuscular hemoglobin, erythropoietin, and eosinophiles of male hamsters are analyzed. It is observed that exposure to 10 G causes a decrease in leukocyte counts, but does not influence erythrocyte and platelet counts. The data reveal (1) that hypergravity does not affect hemoglobin; (2) that it causes variable changes in the frequency size distribution of erythrocytes; and (3) that blood erythropoietin concentrations and eosinophiles decrease. The size of platelets and collagen-induced platelet aggregation increase due to hypergravity, and 10 G exposure results in deformation of the platelets. I.F.

A90-43459#

THE MITOCHONDRIAL VOLUME AND FIBER TYPE TRANSITION OF SKELETAL MUSCLE AFTER SUSPENSION HYPOKINESIA IN RAT

TOSHITADA YOSHIOKA, HISASHI SAIKI (Saint Marianna University, Kawasaki, Japan), HIROAKI TAKEKURA, and YOSHINOBU OHIRA (National Institute of Fitness and Sports, Kanoya, Japan) *Japanese Journal of Aerospace and Environmental Medicine* (ISSN 0387-0723), vol. 25, Dec. 1988, p. 87-96. In Japanese, with abstract in English. refs

The effects of hypokinesia on the structural and biochemical properties of the slow and fast skeletal muscles and of three types of muscle fibers were investigated in rats subjected to body-suspension hypokinesia. The analyses of oxidative- and glycolytic-enzyme activities were performed in slow and fast muscles (the soleus and the extensor digitorum longus, respectively) from suspended rats and in electrically stimulated muscles. It was found that a 15-day-long suspension led to decreases in activities of succinate dehydrogenase and malate dehydrogenase in the soleus, which did not return to the initial level even after the stimulation by 50 Hz. The activities of lactate dehydrogenase and phosphofructokinase of the extensor digitorum longus (but not of the soleus) also decreased. Both the suspended and the stimulated muscles exhibited degenerative features, such as myofibrillar disruption and enlarged extracellular spaces. I.S.

A90-43480

LIFE SCIENCES STRATEGY

HARRY C. HOLLOWAY (Uniformed Services University of the Health Sciences, Bethesda, MD) IN: *The 21st century in space; Proceedings of the Thirty-fifth Annual AAS Conference*, Saint Louis, MO, Oct. 24-26, 1988. San Diego, CA, Univelt, Inc., 1990, p. 335-345.

(AAS PAPER 88-227) Copyright

NASA's life sciences strategy is discussed. The way that the priority programs are developed and promoted in government is examined. The positioning of the various life sciences programs within the NASA organization itself is discussed. C.D.

A90-43481

LIFE SCIENCES ROLE IN SYSTEMS ENGINEERING OF SPACE PROGRAMS

WILLIAM C. SCHNEIDER (Development Computer Sciences Corp., Silver Spring, MD) IN: *The 21st century in space; Proceedings of the Thirty-fifth Annual AAS Conference*, Saint Louis, MO, Oct. 24-26, 1988. San Diego, CA, Univelt, Inc., 1990, p. 347-350.

(AAS PAPER 88-228) Copyright

The role of life science experimentation in determining the systems engineering of spacecraft is briefly addressed. The effect of life science findings on the design of life support systems is emphasized. The problem of acclimating living bodies to a long-term existence in a low-gravity environment is discussed. C.D.

A90-44250

DIFFERENTIAL INTERACTION OF CHIRAL BETA-PARTICLES WITH ENANTIOMERS

A. S. GARAY and J. A. AHLGREN-BECKENDORF (Texas A & M University, College Station) *Nature* (ISSN 0028-0836), vol. 346, Aug. 2, 1990, p. 451-453. Research supported by Texas Agricultural

Experiment Station and CNRS. refs

Copyright

Pulse-height spectroscopy was used to examine the Cerenkov radiation emitted as beta-particles pass through liquid chiral enantiomers. The results show that helical electrons do distinguish between molecules of opposite chirality, complementing results reported in earlier publications in which differential decay, positron annihilation, scattering, or other interactions were observed. C.D.

A90-44274* Medical Coll. of Wisconsin, Milwaukee.

RAT LIMB UNLOADING - SOLEUS HISTOCHEMISTRY, ULTRASTRUCTURE, AND ELECTROMYOGRAPHY

D. A. RILEY, G. R. SLOCUM, J. L. W. BAIN, F. R. SEDLAK, T. E. SOWA (Wisconsin, Medical College, Milwaukee) et al. Journal of Applied Physiology (ISSN 0161-7567), vol. 69, July 1990, p. 58-66. refs

(Contract NAG2-460; NAG2-552)

Copyright

The effects of hindlimb unloading on rat-soleus histochemistry, ultrastructure, and electromyogram (EMG) activity were investigated. It was found that, after 14 days of tail suspension, the area of type I and type IIa muscle fibers decreased by 63 and 47 percent, respectively, mainly due to the degradation of subsarcolemmal mitochondria and myofibrils. After 10 days, 3 percent of type IIa fibers exhibited segmental necrosis. After four days, video monitoring revealed abnormal plantar flexion of the hindfeet, which shortened the soleus working range. The EMG activity shifted from tonic to phasic, and aggregate activity decreased drastically after only seven days. The results indicate that the pathological changes in the soleus resulted from unloaded contractions, reduced use, compromised blood flow, and shortened working length. I.S.

A90-44577#

STUDY OF BRAIN SUPRA-SLOW ENCEPHALOFLECTUOGRAPH OF RABBIT DURING SIMULATED WEIGHTLESSNESS

XIANYUN SHEN (Institute of Aerospace Medico-Engineering, Beijing, People's Republic of China) et al. Chinese Space Science and Technology (ISSN 1000-758X), vol. 9, Aug. 1989, p. 59-65. In Chinese, with abstract in English. refs

The changes of brain supraslow encephaloflectuograph of a rabbit were significant during head-down 20 deg suspension for 15 days. Some of 16 spectra sections, the structures of S1-S8 spectra, the S spectra harmonic oscillation, and the power ratio were changed. These changes indicate the brain function of the rabbit was influenced by the suspension. The result showed that the brain supraslow encephaloflectuograph technology can be used to study the brain function of astronauts during weightlessness.

Author

A90-44776#

THERMOREGULATORY RESPONSES TO +3GZ IN RATS AT DIFFERENT TIME OF DAY

YOSHIAKI ISOBE, TOSHIKO MAKINO, and KOKICHI OHARA (Nagoya City University, Japan) Japanese Journal of Aerospace and Environmental Medicine (ISSN 0387-0723), vol. 26, Sept. 1989, p. 65-71. refs

To determine the thermoregulatory mechanism in a hyper-gravitational field, rats were exposed to +3Gz (achieved by centrifugation) for 15 minutes, and the responses of their skin (tail) and body (rectal) temperatures were studied. Prior to +3Gz exposure, diurnal changes of skin and body temperatures of the test animals were examined as control. Then the response to +3Gz at 24 C was compared in the same animal during different time of day - 21:00 (dark) and 09:00 (light). Decrease in body temperature was greater during the light period than during the dark period, while increase in skin temperature was smaller during the light than during the dark. The thermoregulatory mechanism during different times of the day at +3Gz (non-thermal stress) is found to be the same as that for thermal stress. Author

N90-25453*# National Aeronautics and Space Administration. John F. Kennedy Space Center, Cocoa Beach, FL.

CARBON DIOXIDE AND WATER EXCHANGE RATES BY A WHEAT CROP IN NASA'S BIOMASS PRODUCTION CHAMBER: RESULTS FROM AN 86-DAY STUDY (JANUARY TO APRIL 1989)

R. M. WHEELER (Bionetics Corp., Cocoa Beach, FL.) and J. C. SAGER Jan. 1990 30 p

(NASA-TM-102788; NAS 1.15:102788) Avail: NTIS HC A03/MF A01 CSCL 06C

Gas exchange measurements were taken for a 20 sq m wheat stand grown from seed to harvest in NASA's Biomass Production Chamber. Respiration of the wheat stand caused the CO2 concentrations to rise an average of 440 ppm during the 4-h dark period each day, or 7.2 umol/sq m/sec. Dark period respiration was sensitive to temperature changes and could be increased 70 to 75 percent by raising the temperature from 16 C to 24 C. Stand photosynthesis (measured from the rate of CO2 drawdown immediately after the lights came on each day) peaked at 27 umol/sq m/sec at 25 days after planting and averaged 15 umol/sq m/sec throughout the study. By combining the average light period photosynthesis and average dark period respiration, a net of 860 g or 470 liters of CO2 were fixed per day. Stand photosynthetic rates showed a linear increase with increasing irradiance (750 umol/sq m/sec PPF the highest level tested), with an average light compensation point after day 30 of 190 umol/sq m/sec. Stand photosynthesis decreased slightly when CO2 levels were decreased from 2200 to 800 ppm, but dropped sharply when CO2 was decreased below 700 to 800 ppm. Water production from stand transpiration peaked at 120 L/day near 25 days and averaged about 90 L/day, or 4.5 L/sq m/day throughout the study. Author

N90-25454# Southwest Foundation for Biomedical Research, San Antonio, TX.

PROGRAM REVIEW: THE LIFETIME EFFECTS OF SPACE RADIATION IN RHESUS MONKEYS Final Report, Mar. - Jul. 1989

THOMAS M. BUTLER Mar. 1990 29 p

(Contract F33615-87-D-0627; AF PROJ. 7757)

(AD-A221127; USAFSAM-TR-90-3) Avail: NTIS HC A03/MF A01 CSCL 06/18

Findings are summarized from a select panel of scientists charged with reviewing the quality and productivity of the USAFSAM 24-year in-house study of the lifetime effects of space radiation in the rhesus monkey. The panel also had the responsibility of assessing the value of the study in both military and civilian scientific applications and making recommendations for maximizing the yield of relevant data as the animals near the end of their life span. The panelists reviewed results presented by project scientists during a 2-day conference. They were unanimous in their endorsement of the study as a uniquely important resource of information on the late effects of space radiation and the interaction of late effects with the normal aging process. In asserting that the study should be continued for at least another 5 years, the panel made specific recommendations for additional work to be carried out in collaboration with scientists at other laboratories who could provide the breadth of technical expertise required to fully exploit the potential of this project. The scientific proceedings of the conference will be published as separate journal articles. GRA

N90-25455*# Bionetics Corp., Cocoa Beach, FL.

UTILIZATION OF THE WATER SOLUBLE FRACTION OF WHEAT STRAW AS A PLANT NUTRIENT SOURCE

C. L. MACKOWIAK and J. L. GARLAND (Virginia Univ., Charlottesville.) Jun. 1990 27 p

(Contract NAS10-11624)

(NASA-TM-103497; NAS 1.15:103497) Avail: NTIS HC A03/MF A01 CSCL 06/3

Recovery of water soluble, inorganic nutrients from the inedible portion of wheat was found to be an effective means of recycling nutrients within hydroponic systems. Through aqueous extraction (leaching), 60 percent of the total inorganic nutrient weight was

removed from wheat straw and roots, although the recovery of individual nutrients varied. Leaching also removed about 20 percent of the total organic carbon from the biomass. In terms of dry weight, the leachate was comprised of approximately 60 percent organic and 40 percent inorganic compounds. Direct use of wheat straw leachate in static hydroponic systems had an inhibitory effect on wheat growth, both in the presence and absence of microorganisms. Biological treatment of leachate either with a mixed microbial community or the oyster mushroom *Pleurotus ostreatus* L., prior to use in hydroponic solutions, significantly reduced both the organic content and the inhibitory effects of the leachate. The inhibitory effects of unprocessed leachate appear to be a result of rapidly acting phytotoxic compounds that are detoxified by microbial activity. Leaching holds considerable promise as a method for nutrient recycling in a Controlled Ecological Life Support System (CELSS). Author

N90-25456*# National Aeronautics and Space Administration. John F. Kennedy Space Center, Cocoa Beach, FL.
SYSTEM DEVELOPMENT AND EARLY BIOLOGICAL TESTS IN NASA'S BIOMASS PRODUCTION CHAMBER
 R. M. WHEELER, C. L. MACKOWIAK, T. W. DRESCHER, J. C. SAGER, R. P. PRINCE, W. M. KNOTT, C. R. HINKLE, and R. F. STRAYER (Bionetics Corp., Cocoa Beach, FL.) Mar. 1990 30 p
 (NASA-TM-103494; NAS 1.15:103494) Avail: NTIS HC A03/MF A01 CSCL 06/3

The Biomass Production Chamber at Kennedy Space Center was constructed to conduct large scale plant growth studies for NASA's CELSS program. Over the past four years, physical systems and computer control software have been continually upgraded and the degree of atmospheric leakage from the chamber has decreased from about 40 to 5 percent of the total volume per day. Early tests conducted with a limited degree of closure showed that total crop (wheat) growth from the best trays was within 80 percent of reported optimal yields for similar light levels. Yields from subsequent tests under more tightly closed conditions have not been as good—up to only 65 percent of optimal yields. Yields appear to have decreased with increasing closure, yet potential problems exist in cultural techniques and further studies are warranted. With the ability to tightly seal the chamber, quantitative data were gathered on CO₂ and water exchange rates. Results showed that stand photosynthesis and transpiration reached a peak near 25 days after planting, soon after full vegetative ground cover was established. In the final phase of testing when atmospheric closure was the highest, ethylene gas levels in the chamber rose from about 10 to nearly 120 ppb. Evidence suggests that the ethylene originated from the wheat plants themselves and may have caused an epinastic rolling of the leaves, but no apparent detrimental effects on whole plant function. Author

N90-25457* Lockheed Engineering and Sciences Co., Washington, DC.
USSR SPACE LIFE SCIENCES DIGEST, ISSUE 27
 LYDIA RAZRAN STONE, ed., RONALD TEETER, ed., VICTORIA GARSHNEK, ed., and JOSEPH ROWE, ed. (Library of Congress, Washington, DC.) Washington NASA Jul. 1990 87 p
 (Contract NASW-4292)
 (NASA-CR-3922(32); NAS 1.26:3922(32)) Avail: NTIS HC A06/MF A01 CSCL 06/2

This is the twenty-fifth issue of NASA's Space Life Sciences Digest. It contains abstracts of 30 journal papers or book chapters published in Russian and of 2 Soviet monographs. Selected abstracts are illustrated with figures and tables from the original. The abstracts in this issue have been identified as relevant to 18 areas of space biology and medicine. These areas include: adaptation, aviation medicine, biological rhythms, biospherics, botany, cardiovascular and respiratory systems, endocrinology, enzymology, exobiology, habitability and environmental effects, hematology, immunology, metabolism, musculoskeletal system, neurophysiology, radiobiology, and space medicine. A Soviet book review of a British handbook of aviation medicine and a description

of the work of the division on aviation and space medicine of the Moscow Physiological Society are also included. Author

N90-25458*# Jet Propulsion Lab., California Inst. of Tech., Pasadena.
ECUT: ENERGY CONVERSION AND UTILIZATION TECHNOLOGIES PROGRAM. BIOCATALYSIS PROJECT
Annual Report, FY 1989
 May 1990 85 p Prepared in cooperation with Department of Energy, Washington, DC
 (Contract NAS7-918; DE-A101-86CE-90239)
 (NASA-CR-186866; NAS 1.26:186866; DOE/CS-66001/13)
 Avail: NTIS HC A05/MF A01 CSCL 06/2

The Biocatalysis Project is a mission-oriented, applied research and exploratory development activity directed toward resolution of the major generic technical barriers that impede the development of biologically catalyzed commercial chemical production. The approach toward achieving project objectives involves an integrated participation of Universities, Industrial Companies and Government Research Laboratories. The Project's technical activities were organized into three work elements: molecular modeling and applied genetics; bioprocess engineering; and bioprocess design and assessment. Author

N90-26452*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.
THE US EXPERIMENTS FLOWN ON THE SOVIET BIOSATELLITE COSMOS 1887 Final Reports
 JAMES P. CONNOLLY, ed., RICHARD E. GRINDELAND, ed., and RODNEY W. BALLARD, ed. Feb. 1990 501 p
 (NASA-TM-102254; A-90013; NAS 1.15:102254) Avail: NTIS HC A22/MF A03 CSCL 06/3

Cosmos 1887, a biosatellite containing biological and radiation experiments from the Soviet Union, the United States and seven other countries, was launched on September 29, 1987. One Rhesus monkey's feeder stopped working two days into the flight and a decision was made to terminate the mission after 12 1/2 days. The biosatellite returned to Earth on October 12, 1987. A system malfunction, during the reentry procedure, caused the Cosmos 1887 spacecraft to land approximately 1800 miles beyond the intended landing site and delayed the start of the postflight procedures by approximately 44 hours. Further information on the conditions at landing and postflight activities is included in the Mission Operations portion of this document. U.S. and U.S.S.R. specialists jointly conducted 26 experiments on this mission, including the postflight transfer of data, hardware and biosamples to the U.S.

N90-26453*# Medical Coll. of Wisconsin, Milwaukee. Dept. of Anatomy and Cellular Biology.
EFFECTS OF MICROGRAVITY ON RAT MUSCLE
 D. A. RILEY In NASA, Ames Research Center, The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 p 45-49 Feb. 1990
 Avail: NTIS HC A22/MF A03 CSCL 06/3

It is well known that humans exposed to long term spaceflight experience undesirable progressive muscle weakness and increased fatigability. This problem has prompted the implementation of inflight exercise programs because most investigators believe that the major cause of diminished muscle performance is a combination of disuse and decreased workload. Inflight exercise has improved muscle health, but deficits have persisted, indicating that either the regimens utilized were suboptimal or there existed additional debilitating factors which were not remedied by exercise. Clarification of this question requires an improved understanding of the cellular and molecular basis of spaceflight-induced muscle deterioration. To this end, multiple investigations have been performed on the muscles from rats orbited 5 to 22 days in Cosmos biosatellites and Spacelab-3 (2,4,5,8,10 to 14,16,18,19,21 to 23,25,27,28). The eight Cosmos 1887 investigations examined the structural and biochemical changes in skeletal and cardiac muscles of rats exposed to microgravity for 12.5 days and returned to terrestrial gravity 2.3

days before tissues were collected. Even though interpretation of these results was complicated by the combination of inflight and postflight induced alterations, the consensus is that there is marked heterogeneity in both degree and type of responses from the whole muscle level down to the molecular level. Collectively, the muscle investigations of Cosmos 1887 clearly illustrate the wide diversity of muscle tissue responses to spaceflight. Judging from the summary report of this mission, heterogeneity of responses is not unique to muscle tissue. Elucidating the mechanism underlying this heterogeneity holds the key to explaining adaptation of the organism to prolonged spaceflight. Author

N90-26454*# Columbia Univ., New York, NY. School of Oral and Dental Surgery.

EFFECTS OF MICROGRAVITY ON RAT BONE, CARTLAGE AND CONNECTIVE TISSUES

S. DOTY *In* NASA, Ames Research Center, The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 p 51-56 Feb. 1990

Avail: NTIS HC A22/MF A03 CSCL 06/3

The response to hypogravity by the skeletal system was originally thought to be the result of a reduction in weight bearing. Thus a reduced rate of new bone formation in the weight-bearing bones was accepted, when found, as an obvious result of hypogravity. However, data on non-weight-bearing tissues have begun to show that other physiological changes can be expected to occur to animals during spaceflight. This overview of the Cosmos 1887 data discusses these results as they pertain to individual bones or tissues because the response seems to depend on the architecture and metabolism of each tissue under study. Various effects were seen in different tissues from the rats flown on Cosmos 1887. The femur showed a reduced bone mineral content but only in the central region of the diaphysis. This same region in the tibia showed changes in the vascularity of bone as well as some osteocytic cell death. The humerus demonstrated reduced morphometric characteristics plus a decrease in mechanical stiffness. Bone mineral crystals did not mature normally as a result of flight, suggesting a defect in the matrix mineralization process. Note that these changes relate directly to the matrix portion of the bone or some function of bone which slowly responds to changes in the environment. However, most cellular functions of bone are rapid responders. The stimulation of osteoblast precursor cells, the osteoblast function in collagen synthesis, a change in the proliferation rate of cells in the epiphyseal growth plate, the synthesis and secretion of osteocalcin, and the movement of water into or out of tissues, are all processes which respond to environmental change. These rapidly responding events produced results from Cosmos 1887 which were frequently quite different from previous space flight data. Author

N90-26455*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

EXPERIMENT K-6-01. DISTRIBUTION AND BIOCHEMISTRY OF MINERAL AND MATRIX IN THE FEMURS OF RATS

S. ARNAUD, G. MECHANIC, P. BUCKENDAHL, T. BROMAGE, A. BOYDE, J. ELLIOTT, E. KATZ, and G. DURNOVA (Institute of Biomedical Problems, Moscow, USSR) *In its* The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 p 63-84 Feb. 1990

Avail: NTIS HC A22/MF A03 CSCL 06/3

Previous analyses of the composition of mineral and matrix in the bone of young rats following space flight has revealed deficits in calcium, phosphorus, and osteocalcin, a non-collagenous protein, without an associated decrease in collagen. To characterize the location and nature of this mineralization defect in a weight bearing long bone, the femur, researchers attempted to relate the spatial distribution of mineral *in situ* in the proximal, central and distal thirds of the femoral diaphysis to the biochemical composition of bone from the same area. Biochemical analyses revealed lower concentrations of calcium, phosphorus and osteocalcin but not collagen only in the central third of the diaphysis of the flight animals (F) compared to synchronous controls (S). Collagen concentration was reduced only in the proximal third of the

diaphysis, where all 3 crosslinks, expressed as nM/mol collagen were higher in F than S. A new technique, x ray microtomography, with a resolution of 26 microns, was used to obtain semi-quantitative data on mineral distribution in reconstructed sections of wet whole bone. To improve the resolution of the mineral density distribution, images of the surfaces of cut sections were analyzed by backscattered electrons in a scanning electron microscope (BSE). There was good agreement between the results of the two stereochemical techniques which revealed distinct patterns of mineralization in transverse and longitudinal directions of the diaphysis. The novel methodology developed for this flight experiment shows considerable promise in elucidating the biochemical nature of what appear to be regional alterations in the mineralization of long bones of animals exposed to spaceflight. Author

N90-26456*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

EXPERIMENT K-6-02. BIOMEDICAL, BIOCHEMICAL AND MORPHOLOGICAL ALTERATIONS OF MUSCLE AND DENSE, FIBROUS CONNECTIVE TISSUES DURING 14 DAYS OF SPACEFLIGHT

A. VAILAS, R. ZERNICKE, R. GRINDELAND, and A. KAPLANSKI (Institute of Biomedical Problems, Moscow, USSR) *In its* The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 p 85-112 Feb. 1990

Avail: NTIS HC A22/MF A03 CSCL 06/3

Findings on the connective tissue response to short-term space flight (12 days) are discussed. Specifically, data regarding the biochemical, biomechanical and morphological characteristics of selected connective tissues (humerus, vertebral body, tendon and skeletal muscle) of growing rats is given. Results are given concerning the humerus cortical bone, the vertebral bone, nutritional effects on bone biomechanical properties, and soft tissue fiber connective tissue response. Author

N90-26457*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

EXPERIMENT K-6-03. GRAVITY AND SKELETAL GROWTH, PART 1. PART 2: MORPHOLOGY AND HISTOCHEMISTRY OF BONE CELLS AND VASCULATURE OF THE TIBIA; PART 3: NUCLEAR VOLUME ANALYSIS OF OSTEOBLAST HISTOGENESIS IN PERIODONTAL LIGAMENT CELLS; PART 4: INTERVERTEBRAL DISC SWELLING PRESSURE ASSOCIATED WITH MICROGRAVITY

E. HOLTON, A. HARGENS, M. GONSALVES, D. BERRETTA, S. DOTY, W. ROBERTS, L. GARETTO, A. KAPLANSKY, G. DURNOVA, S. GOTT (California Univ., San Diego.) et al. *In its* The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 p 113-149 Feb. 1990

Avail: NTIS HC A22/MF A03 CSCL 06/3

Bone area, bone electrophysiology, bone vascularity, osteoblast morphology, and osteoblast histogenesis were studied in rats associated with Cosmos 1887. The results suggest that the synchronous animals were the only group with a significantly larger bone area than the basal group, that the bone electrical potential was more negative in flight than in the synchronous rats, that the endosteal osteoblasts from flight rats had greater numbers of transitional Golgi vesicles but no difference in the large Golgi saccules or the alkaline phosphatase activity, that the periosteal vasculature in the shaft of flight rats often showed very dense intraluminal deposits with adjacent degenerating osteocytes as well as lipid accumulations within the lumen of the vessels and sometimes degeneration of the vascular wall (this change was not present in the metaphyseal region of flight animals), and that the progenitor cells decreased in flight rats while the preosteoblasts increased compared to controls. Many of the results suggest that the animals were beginning to recover from the effects of spaceflight during the two day interval between landing and euthanasia; flight effects, such as the vascular changes, did not appear to recover. Author

N90-26458*# California Univ., San Francisco. Dept. of Radiology.

EXPERIMENT K-6-04. TRACE ELEMENT BALANCE IN RATS DURING SPACEFLIGHT

C. E. CANN, P. PATTERSON-BUCKENDAH, G. DURNOVA, and A. KAPLANSKY (Institute of Biomedical Problems, Moscow, USSR) *In* NASA, Ames Research Center, The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 p 151-155 Feb. 1990

Exposure to microgravity causes alterations in the skeletal and mineral homeostatic systems. Little is known about the effects of flight in an older skeleton; limited data suggest that bone resorption is increased after 5 days but no data are available about other metabolic effects. The response of a more slowly-growing skeleton to microgravity may be different than that of a younger animal, similar to the different responses seen in adolescents and adult humans to immobilization. This experiment was designed to investigate changes occurring in skeletal and mineral homeostasis in these older rats flown for two weeks in space. We may expect that the two portions of the rat vertebra, the vertebral body and the posterior elements, will show different responses to spaceflight. The results of the analyses from this study confirm major differences between portions of the vertebra. The posterior bone is more highly mineralized, evidenced by increased concentration (per unit weight of bone) of calcium (5 percent), phosphorus (6 percent) and osteocalcin (37 percent), similar to the differences seen between proximal and mid humerus in previous studies. The major increase in osteocalcin content indicates the presence of mature, low-turnover bone. The difference between flight and control animals were minimal in these older, slower-growing rats. Mass of whole vertebrae increased 6.2 percent in synchronous rats compared to less than 2 percent in flight rats over the 16 days when compared to basal controls, suggesting a decreased rate of bone growth in flight. Compared to young rats in which vertebral mass increased over 40 percent in 10 days in controls and 20 percent in flight rats, this may be a clear indication that even in the older skeleton bone growth will slow in microgravity. Author

N90-26459*# Texas Univ., Galveston. Dept. of Surgery.

EXPERIMENT K-6-05. THE MATURATION OF BONE AND DENTIN MATRICES IN RATS FLOWN ON COSMOS 1887

D. SIMMONS, M. GRYPAS, G. ROSENBERG, and G. DURNOVA (Institute of Biomedical Problems, Moscow, USSR) *In* NASA, Ames Research Center, The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 p 157-168 Feb. 1990
 Avail: NTIS HC A22/MF A03 CSCL 06/3

The chemistry, hydroxyapatite crystal size, and maturation of the bone and dentin is characterized in rats exposed to microgravity for 12.5d in a Soviet Biosatellite (Cosmos-1887). Calvarial and vertebral bone ash was subnormal, but contained a normal percent composition of Ca, P, and Mg. These tissues varied from the norm by having lower Ca/P and higher Ca/Mg ratios than any of their age-matched controls (Vivarium and Synchronous Groups). Gradient density analyses (calvaria) indicated a strong shift to the lower sp.gr. fractions which was commensurate with impaired rates of matrix-mineral maturation. X-ray diffraction data were confirmatory. Bone hydroxyapatite crystal growth in flight rats was preferentially altered in a way to reduce the dimension of their C-axis. Flight rat dentin was normal with respect to age-matched control Ca, P, Mg, and Zn concentrations and their Ca/P and Ca/Mg ratios. These observations affirm the concept that microgravity adversely affects the maturation of newly formed matrix and mineral moieties in bone. Author

N90-26460*# Texas Univ. Health Science Center, Houston.

EXPERIMENT K-6-06. MORPHOMETRIC AND EM ANALYSES OF TIBIAL EPIPHYSEAL PLATES FROM COSMOS 1887 RATS

P. J. DUKE, D. MONTUFAR-SOLIS, and G. DURNOVA (Institute of Biomedical Problems, Moscow, USSR) *In* NASA, Ames Research Center, The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 p 169-182 Feb. 1990
 Avail: NTIS HC A22/MF A03 CSCL 06/3

Light and electron microscopy studies were carried out on decalcified tibial epiphyseal plates of rats flown aboard Cosmos 1887 (12.5d flight plus 53.5h recovery). Analysis of variance showed that the proliferative zone of flight animals was significantly higher than that of synchronous controls, while the hypertrophic/calcification zone was significantly reduced. Flight animals had more cells than synchronous controls in the proliferative zone, and less in the hypertrophic/calcification region. The total number of cells, however, was significantly higher in flight animals. No differences were found for perimeter or shape factor of growth plates, but area was significantly lower in flight animals in comparison to synchronous controls. Collagen fibrils in flight animals were shorter and wider than in synchronous controls. The time required for a cell to cycle through the growth plate is 2 to 3 days, so most of the cells and matrix present were formed after the animals had returned to 1 g, and probably represent stages of recovery from microgravity exposure, which in itself is an interesting question. Author

N90-26461*# California Univ., Los Angeles. Dept. of Kinesiology.

EXPERIMENT K-6-07. METABOLIC AND MORPHOLOGIC PROPERTIES OF MUSCLE FIBERS AFTER SPACEFLIGHT

R. EDGERTON, B. MIU, THOMAS P. MARTIN, R. ROY, J. MARINI, J. J. LEGER, V. OGANOV, and E. ILYINA-KAKUEVA (Institute of Biomedical Problems, Moscow, USSR) *In* NASA, Ames Research Center, The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 p 183-205 Feb. 1990
 Avail: NTIS HC A22/MF A03 CSCL 06/3

The present study demonstrates that the general capability of skeletal muscle to maintain its proteins decreases rapidly in response to space flight. The present findings suggest further that the magnitude of enzymatic and cell volumes changes in response to space flight depend on several factors including the muscle and its fiber type composition. It appears that in order to associate physiological relevance to the observed enzymatic changes, cell volume should be considered also. Although it remains unclear as to the stimulus, or lack of stimulus, that triggers the rapid changes in muscle proteins in response to space flight, ground-based models of muscle atrophy suggest that the reduction in mechanical loading of muscle may be more important than the total amount of activation over a 24-hr period. Author

N90-26462*# Louisville Univ., KY. Dept. of Physiology and Biophysics.

EXPERIMENT K-6-08. BIOCHEMICAL AND HISTOCHEMICAL OBSERVATIONS OF VASTUS MEDIALIS

X. J. MUSACCHIA, J. M. STEFFEN, R. D. FELL, and V. S. OGANOV (Institute of Biomedical Problems, Moscow, USSR) *In* NASA, Ames Research Center, The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 p 207-214 Feb. 1990
 Avail: NTIS HC A22/MF A03 CSCL 06/3

Muscles of the hindlimb in the rat have been used to demonstrate the effects of unloading in weightlessness and in animal models used to mimic weightlessness. The vastus medialis (VM) is discussed here. Samples were obtained from rats exposed to weightlessness for 12 days in Cosmos 1887 (Experiment K-6-08, coordinated by Dr. V.S. Oganov). The principal objective of this study was to ascertain if the vastus medialis responded to 12 days of microgravity exposure. The loss in muscle mass is greatest, -43 percent, when comparing F vs B, and least, -13 percent, when comparing F vs. V. Taken at face value these differences may be misleading. Due to the variability of the muscle weight in the basal group, these muscle mass losses may be exaggerated. In terms of percent water, there were no differences between the flight and the control groups. In spite of the limited sample, researchers conclude that muscle mass changes in the VM are not significant. Although some of the morphological parameters suggest a small degree of atrophy in the vastus medialis, the biochemical analyses (protein, RNA and DNA) suggest that these may be minimal and functionally nonsignificant. The relatively similar CS and LDH activities of VM from F and various control groups, as well as the lack of difference in LPL activity between F and S

rats, suggests that there is little or no effect on the oxidative or glycolytic function of this muscle. Since the VM is chiefly a mixed fast twitch muscle, these metabolic indices of energy production are relatively unchanged. The results of VM studies are in agreement with previous observations of another type II fast twitch muscle, the EDL, from SL-3 rats which did not respond markedly to weightlessness and whole body suspension. Author

N90-26463*# Medical Coll. of Wisconsin, Milwaukee. Dept. of Anatomy and Cellular Biology.

EXPERIMENT K-6-09. MORPHOLOGICAL AND BIOCHEMICAL INVESTIGATION OF MICROGRAVITY-INDUCED NERVE AND MUSCLE BREAKDOWN. PART 1: INVESTIGATION OF NERVE AND MUSCLE BREAKDOWN DURING SPACEFLIGHT; PART 2: BIOCHEMICAL ANALYSIS OF EDL AND PLT MUSCLES

D. A. RILEY, S. ELLIS, J. BAIN, F. SEDLAK, G. SLOCUM, and V. OGANOV (Institute of Biomedical Problems, Moscow, USSR) / In NASA, Ames Research Center, The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 p 215-261 Feb. 1990
 Avail: NTIS HC A22/MF A03 CSCL 06/3

The present findings on rat hindlimb muscles suggest that skeletal muscle weakness induced by prolonged spaceflight can result from a combination of muscle fiber atrophy, muscle fiber segmental necrosis, degeneration of motor nerve terminals and destruction of microcirculatory vessels. Damage was confined to the red adductor longus (AL) and soleus muscles. The midbelly region of the AL muscle had more segmental necrosis and edema than the ends. Macrophages and neutrophils were the major mononucleated cells infiltrating and phagocytosing the cellular debris. Toluidine blue-positive mast cells were significantly decreased in Flight AL muscles compared to controls; this indicated that degranulation of mast cells contributed to tissue edema. Increased ubiquitination of disrupted myofibrils may have promoted myofilament degradation. Overall, mitochondria content and SDH activity were normal, except for a decrease in the subsarcolemmal region. The myofibrillar ATPase activity shifted toward the fast type in the Flight AL muscles. Some of the pathological changes may have occurred or been exacerbated during the 2 day postflight period of readaptation to terrestrial gravity. While simple atrophy should be reversible by exercise, restoration of pathological changes depends upon complex processes of regeneration by stem cells. Initial signs of muscle and nerve fiber regeneration were detected. Even though regeneration proceeds on Earth, the space environment may inhibit repair and cause progressive irreversible deterioration during long term missions. Muscles obtained from Flight rats sacrificed immediately (within a few hours) after landing are needed to distinguish inflight changes from postflight readaptation. Author

N90-26464*# California Univ., Irvine. Dept. of Physiology and Biophysics.

EXPERIMENT K-6-10. EFFECTS OF ZERO GRAVITY ON MYOFIBRIL PROTEIN CONTENT AND ISOMYOSIN DISTRIBUTION IN RODENT SKELETAL MUSCLE

K. BALDWIN, R. HERRICK, and V. OGANOV (Institute of Biomedical Problems, Moscow, USSR) / In NASA, Ames Research Center, The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 p 263-273 Feb. 1990
 Avail: NTIS HC A22/MF A03 CSCL 06/3

The purpose of this experiment was to investigate the effects of 12 days of zero gravity (0G) exposure (Cosmos 1887 Biosputnik) on the enzymatic properties, protein content, and isomyosin distribution of the myofibril fraction of the slow-twitch vastus intermedius (VI) and the fast-twitch vastus lateralis (VL) muscles of adult male rats. Measurements were obtained on three experimental groups (n=5 each group) designated as flight-group (FG), vivarium-control (VC), and synchronous-control (SC). Body weight of the FG was significantly lower than the two control groups (p less than 0.05). Compared to the two control groups, VI weight was lower by 23 percent (p less than 0.10); whereas no such reduction was observed for the VL muscle. Myofibril yields (mg protein/g of muscle) in the VI were 35 percent lower in the FG compared to the controls (p less than 0.05); whereas, no

such pattern was apparent for the VL muscle. When myofibril yields were expressed on a muscle basis (mg/g x muscle weight), the loss of myofibril protein was more exaggerated and suggests that myofibril protein degradation is an early event in the muscle atrophy response to 0G. Analysis of myosin isoforms indicated that slow-myosin was the primary isoform lost in the calculated degradation of total myosin. No evidence of loss of the fast isomyosins was apparent for either muscle following space flight. Myofibril ATPase activity of the VI was increased in the FG compared to controls, which is consistent with the observation of preferential slow-myosin degradation. These data suggest that muscles containing a high percent of slow-twitch fibers undergo greater degrees of myofibril protein degradation than do muscles containing predominantly fast-twitch fibers in response to a relatively short period of 0G exposure, and the primary target appears to be the slow-myosin molecule. Author

N90-26465*# Texas Univ. Health Science Center, Houston. Dept. of Physiology and Cell Biology.

EXPERIMENT K-6-11. ACTIN MRNA AND CYTOCHROME C MRNA CONCENTRATIONS IN THE TRICEPS BRACHIA MUSCLE OF RATS

F. W. BOOTH, P. R. MORRISON, D. B. THOMASON, and V. S. OGANOV (Institute of Biomedical Problems, Moscow, USSR) / In NASA, Ames Research Center, The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 p 275-278 Feb. 1990
 (Contract NAG2-239)

Avail: NTIS HC A22/MF A03 CSCL 06/3

It is well known that some skeletal muscles atrophy as a result of weightlessness (Steffen and Musacchia 1986) and as a result of hindlimb suspension (Tischler et al., 1985, Thomason et al., 1987). Because the content of protein is determined by the rates of protein synthesis and degradation, a decrease in protein synthesis rate, or an increase in the protein degradation, or changes in both could produce the atrophy. Indeed, an increased protein degradation (Tischler et al., 1985) and a decreased protein synthesis (Thomason et al., 1988) have been observed in skeletal muscles of suspended hindlimbs of rats. Any decrease in protein synthesis rate could be caused by decreases in mRNA concentrations. Such decreases in the concentration and content of alpha-actin mRNA and cytochrome c mRNA have been noted in skeletal muscles of hindlimb suspended rats (Babji and Booth, 1988). From these findings researchers hypothesized that alpha-actin mRNA and cytochrome c mRNA would decrease in the triceps brachia muscle of Cosmos 1887 rats. Author

N90-26466*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

EXPERIMENT K-6-12. MORPHOMETRIC STUDIES OF ATRIAL OR GRANULES AND HEPATOCYTES. PART 1: MORPHOMETRIC STUDY OF THE LIVER; PART 2: THE ATRIAL GRANULAR ACCUMULATIONS

L. M. KRAFT, L. C. KEIL, and I. A. POPOVA (Institute of Biomedical Problems, Moscow, USSR) / In The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 p 279-296 Feb. 1990
 Avail: NTIS HC A22/MF A03 CSCL 06/3

The livers of flight, F, rats from the Cosmos 1887 mission were markedly paler and heavier than those of the synchronous, S, and vivarium, V, controls. In the F group, microscopic study revealed extensive hepatocytic intracytoplasmic vacuolization which was moderate in the S and minimal in the V groups. The vacuoles were not sudanophilic and therefore were regarded as glycogenic in origin. To obtain objective data concerning the extent of the vacuolization, livers were examined by computer assisted morphometry. Measurements of profile area and perimeter of the hepatocyte nuclei and vacuoles were evaluated according to stereological principles. Results indicated that the volume density of the nuclei was less in the F group than in the S (p equal less than 0.0002) and V (p equal less than 0.001) groups. Mean volume of individual nuclei did not differ. Volume density of the vacuoles was greater in the F than in the V group (p equal less than 0.02) while their mean diameter was less (p equal less than 0.05). To ascertain the relationship between increase in liver weight of the

flight animals and the results of this study, an assumption was made that the specific gravity of the vacuolar contents was similar to the other extranuclear components of the hepatocyte. On that basis, calculations showed that the elevated vacuolar volume density in the flight group did not cause the increased liver weight in those animals, but that the non-nuclear, non-vacuolar parenchymal compartment did contribute significantly. Factors that may have played a causal role in liver weight and vacuolar compartment increases are discussed. Author

N90-26467*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

EXPERIMENT K-6-13. MORPHOLOGICAL AND BIOCHEMICAL EXAMINATION OF HEART TISSUE. PART 1: EFFECTS OF MICROGRAVITY ON THE MYOCARDIAL FINE STRUCTURE OF RATS FLOWN ON COSMOS 1887. ULTRASTRUCTURE STUDIES. PART 2: CELLULAR DISTRIBUTION OF CYCLIC AMP-DEPENDENT PROTEIN KINASE REGULATORY SUBUNITS IN HEART MUSCLE OF RATS FLOWN ON COSMOS 1887

D. E. PHILPOTT, K. KATO, J. STEVENSON, JAIME MIQUEL, M. I. MEDNIEKS, W. SAPP, I. A. POPOVA, and L. V. SEROVA (Institute of Biomedical Problems, Moscow, USSR) *In its* The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 p 297-329 Feb. 1990

Avail: NTIS HC A22/MF A03 CSCL 06/3

The left ventricle of hearts from rats flown on the Cosmos 1887 biosatellite for 12.5 days was compared to the same tissue of synchronous and vivarium control animals maintained in a ground based laboratory. The volume density of the mitochondria in the myocardium of the space-flown animals was statistically less (p equal less than 0.01) than that of the synchronous or vivarium control rats. Exposure to microgravity resulted in a certain degree of myocardial degeneration manifested in mitochondrial changes and accumulation of myeloid bodies. Generalized myofibrillar edema was also observed. Author

N90-26468*# Emory Univ., Atlanta, GA. Dept. of Biochemistry. **EXPERIMENT K-6-14. HEPATIC FUNCTION IN RATS AFTER SPACEFLIGHT**

A. MERRILL, JR., M. HOEL, E. WANG, D. JONES, J. HARGROVE, R. MULLINS, and I. POPOVA (Institute of Biomedical Problems, Moscow, USSR) *In NASA, Ames Research Center, The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 p 331-343 Feb. 1990*

Avail: NTIS HC A22/MF A03 CSCL 06/3

To determine the possible biochemical consequences of prolonged weightlessness on liver function, tissue samples from rats that had flown aboard Cosmos 1887 were analyzed for hepatic protein, glycogen and lipids as well as the activities of a number of key enzymes involved in metabolism of these compounds and xenobiotics. Among the parameters measured, the major differences were elevations in the hepatic glycogen content and HMG-CoA reductase activities of the rats flown on Cosmos 1887, and a decrease in the amount of microsomal cytochrome P sub 450 and the activity of aniline hydroxylase, a cytochrome P sub 450-dependent enzyme. Decreases in these two indices of the microsomal mixed-function oxidase system indicated that spaceflight may compromise the ability of liver to metabolize drugs and toxins. The higher HMG-CoA reductase correlated with elevated levels of serum cholesterol. Other changes included somewhat higher blood glucose, creatinine, SGOT, and much greater alkaline phosphatase and BUN. These results generally support the earlier observation of changes in these parameters (Merrill et al., *Am. J. Physiol.* 252:R22-R226, 1987). The importance of these alterations in liver function is not known; however, they have the potential to complicate long-term spaceflight. Author

N90-26469*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

EXPERIMENT K-6-16. MORPHOLOGICAL EXAMINATION OF RAT TESTES. THE EFFECT OF COSMOS 1887 FLIGHT ON SPERMATOGONIAL POPULATION AND TESTOSTERONE LEVEL IN RAT TESTES

D. E. PHILPOTT, K. KATO, J. STEVENSON, M. VASQUES, W. SAPP, C. WILLIAMS, I. A. POPOVA, and L. V. SEROVA (Institute of Biomedical Problems, Moscow, USSR) *In its* The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 p 345-358 Feb. 1990

Avail: NTIS HC A22/MF A03 CSCL 06/3

Testes from rats flown on Cosmos 1887 for twelve and a half days were compared to basal control, synchronous control and vivarium maintained rats. When the mean weights of flight testes, normalized for weight/100 gms, were compared to the vivarium controls they were 6.7 percent lighter. Although the flight testes were lighter than the synchronous, the difference is not significant. Counts of spermatogonial cells from 5 animals in each group revealed a 4 percent decrease in flight compared to vivarium controls. In both cases the t-Test significance was less than 0.02. The serum testosterone levels of all animals (flight, synchronous and vivarium) were significantly below the basal controls. Author

N90-26470*# Colorado State Univ., Fort Collins. Coll. of Veterinary Medicine and Biomedical Sciences.

EXPERIMENT K-6-17. STRUCTURAL CHANGES AND CELL TURNOVER IN THE RATS SMALL INTESTINE INDUCED BY SPACEFLIGHT

R. W. PHILLIPS, H. R. SAWYER, and K. V. SMIRNOV (Institute of Biomedical Problems, Moscow, USSR) *In NASA, Ames Research Center, The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 p 359-363 Feb. 1990*

Avail: NTIS HC A22/MF A03 CSCL 06/3

The purpose of this project was to test the hypothesis that the generalized, whole body decrease in synthetic activity associated with microgravity conditions of space flight as evidenced by negative nitrogen balance and muscle atrophy (Nicogossian and Parker, 1982; Oganov, 1981), as well as inhibited lymphocyte proliferation (Bechler and Cogoli, 1986), would be evident in cells characterized by a rapid rate of turnover. As a model, researchers chose to study the turnover of mucosal cells lining the jejunum of the small intestine, since these cells are among the most rapidly proliferating in the body. Under normal conditions, epithelial cells that line the small intestine are continually produced in the crypts of Lieberkuhn. These cells migrate out of the crypts onto intestinal villi, are progressively pushed up the villus as new crypt cells are formed, and ultimately reach the tip of villi where they are then desquamated. In rats, the entire process, from initial proliferation in crypts to desquamation, takes approximately 2 days (Cairnie et al., 1965; Lipkin, 1973). In this study, researchers determined the mitotic index for mucosal cells lining the proximal, middle, and distal regions of the jejunum in rats from three treatment groups (synchronous control, vivarium control and flight), and measured the depth of the crypts of Lieberkuhn and the length of villi present in each of the three jejunal regions sampled. Author

N90-26471*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

EXPERIMENT K-6-18. STUDY OF MUSCARINIC AND GABA (BENZODIAZEPINE) RECEPTORS IN THE SENSORY-MOTOR CORTEX, HIPPOCAMPUS AND SPINAL CORD

N. DAUNTON, F. DAMELIO, and I. KRASNOV (Institute of Biomedical Problems, Moscow, USSR) *In its* The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 p 365-370 Feb. 1990

Avail: NTIS HC A22/MF A03 CSCL 06/3

Frontal lobe samples of rat brains flown aboard Cosmos 1887 were processed for the study of muscarinic (cholinergic) and GABA (benzodiazepine) receptors and for immunocytochemical localization of the neurotransmitter gamma-aminobutyric acid (GABA) and glial fibrillary acidic protein (GFAP). Although radioactive labeling of both muscarinic cholinergic and GABA (benzodiazepine) receptors proved to be successful with the techniques employed, distinct receptor localization of individual laminae of the frontal neocortex was not possible since the sampling of the area was different in the various groups of animals. In spite of efforts made for proper orientation and regional identification of laminae, it was found that a densitometric

(quantitation of autoradiograms) analysis of the tissue did not contribute to the final interpretation of the effects of weightlessness on these receptors. As to the immunocytochemical studies the use of both markers, GFAP and GABA antiserum, confirmed the suitability of the techniques for use in frozen material. However, similar problems to those encountered in the receptor studies prevented an adequate interpretation of the effects of micro-G exposure on the localization and distribution of GABA and GFAP. This study did, however, confirm the feasibility of investigating neurotransmitters and their receptors in future space flight experiments. Author

N90-26472*# San Jose State Univ., CA. Dept. of Biological Sciences.

EXPERIMENT K-6-19. PINEAL PHYSIOLOGY IN MICROGRAVITY: RELATION TO RAT GONADAL FUNCTION

D. HOLLEY, M. R. I. SOLIMAN, F. KADDIS, C. MARKLEY, and I. KRASNOV (Institute of Biomedical Problems, Moscow, USSR) *In NASA, Ames Research Center, The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 p 371-385 Feb. 1990*
 Avail: NTIS HC A22/MF A03 CSCL 06/3

One of the most interesting concomitants to spaceflight and exposure to microgravity has been the disturbing alteration in calcium metabolism and resulting skeletal effects. It was recognized as early as 1685 (cited in Kitay and Altschule, 1954) that the pineal of humans calcified with age. However, little can be found in the literature relating calcification and pineal function. Given the link between exposure to microgravity and perturbation of calcium metabolism and the fact that the pineal is apparently one of the only soft tissues to calcify, researchers examined pineal calcium content following the spaceflight. Researchers concluded that the spaceflight resulted in a stress response as indicated by adrenal hypertrophy, that gonadal function was compromised, and that the pineal may be linked as part of the mechanism of the responses noted. Author

N90-26473*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

EXPERIMENT K-6-20. THE EFFECT OF SPACEFLIGHT ON PITUITARY OXYTOCIN AND VASOPRESSIN CONTENT OF RATS

L. KEIL, J. EVANS, R. GRINDELAND, and I. KRASNOV (Institute of Biomedical Problems, Moscow, USSR) *In its The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 p 387-392 Feb. 1990*
 Avail: NTIS HC A22/MF A03 CSCL 06/3

Pituitary levels of oxytocin (OT) and vasopressin (AVP) were measured in rats exposed to 12.5 days of spaceflight (FLT) as well as ground-based controls, one group synchronously maintained in flight-type cages with similar feeding schedules (SYN), and one group in vivarium cages (VIV). Flight rats had significantly less (p less than 0.05) pituitary OT and AVP (1.10 plus or minus 0.04 and 1.69 plus or minus 0.07 micron g, $n=5$) than either the SYN (1.60 plus or minus 0.08 and 2.11 plus or minus 0.04 micron g, $n=5$) or VIV (1.54 plus or minus 0.03 and 2.10 plus or minus 0.09 micron g, $n=5$) control groups, respectively. Because the FLT group mean body weight was significantly less (p less than 0.05) than either control group, the pituitary hormone content was also calculated on the basis of posterior pituitary protein content. When calculated in this manner, pituitary OT in the FLT rats (5.09 plus or minus 0.15 micron g/mg protein) was significantly less (p less than 0.05) than SYN (7.66 plus or minus 0.39 micron g/mg protein) or VIV controls (8.11 plus or minus 0.64 micron g/mg protein). Pituitary AVP was also less in the FLT animals (7.80 plus or minus 0.13 micron g/mg protein) compared to either SYN (9.84 plus or minus 0.51, p less than 0.05) or VIV controls (11.01 plus or minus 0.76, p less than 0.05). The reduced levels of pituitary OT and AVP may have resulted from increased hormone secretion resulting from the combined effects of water deprivation and the stress of the novel microgravity environment. Author

N90-26474*# Washington Univ., Saint Louis, MO.

EXPERIMENT K-6-21. EFFECT OF MICROGRAVITY ON 1) METABOLIC ENZYMES OF TYPE 1 AND TYPE 2 MUSCLE FIBERS AND ON 2) METABOLIC ENZYMES, NEUTRANSITTER AMINO ACIDS, AND NEUROTRANSMITTER ASSOCIATED ENZYMES IN MOTOR AND SOMATOSENSORY CEREBRAL CORTEX. PART 1: METABOLIC ENZYMES OF INDIVIDUAL MUSCLE FIBERS; PART 2: METABOLIC ENZYMES OF HIPPOCAMPUS AND SPINAL CORD

O. LOWRY, D. MCDUGAL, JR., PATTI M. NEMETH, M.-Y. CHI MAGGIE, M. PUSATERI, J. CARTER, J. MANCHESTER, BEVERLY NORRIS, and I. KRASNOV (Institute of Biomedical Problems, Moscow, USSR) *In NASA, Ames Research Center, The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 p 393-418 Feb. 1990*

Avail: NTIS HC A22/MF A03 CSCL 06/3

The individual fibers of any individual muscle vary greatly in enzyme composition, a fact which is obscured when enzyme levels of a whole muscle are measured. The purpose of this study was therefore to assess the changes due to weightless on the enzyme patterns composed by the individual fibers within the flight muscles. In spite of the limitation in numbers of muscles examined, it is apparent that: (1) that the size of individual fibers (i.e., their dry weight) was reduced about a third, (2) that this loss in dry mass was accompanied by changes in the eight enzymes studied, and (3) that these changes were different for the two muscles, and different for the two enzyme groups. In the soleus muscle the absolute amounts of the three enzymes of oxidative metabolism decreased about in proportion to the dry weight loss, so that their concentration in the atrophic fibers was almost unchanged. In contrast, there was little loss among the four enzymes of glycogenolysis - glycolysis so that their concentrations were substantially increased in the atrophic fibers. In the TA muscle, these seven enzymes were affected in just the opposite direction. There appeared to be no absolute loss among the oxidative enzymes, whereas the glycogenolytic enzymes were reduced by nearly half, so that the concentrations of the first metabolic group were increased within the atrophic fibers and the concentrations of the second group were only marginally decreased. The behavior of hexokinase was exceptional in that it did not decrease in absolute terms in either type of muscle and probably increased as much as 50 percent in soleus. Thus, there was a large increase in concentration of this enzyme in the atrophied fibers of both muscles. Another clear-cut finding was the large increase in the range of activities of the glycolytic enzymes among individual fibers of TA muscles. This was due to the emergence of TA fibers with activities for enzymes of this group extending down to levels as low as those found in control soleus muscles. It would be interesting to know if this represents a transition stage, and whether with prolonged weightlessness most of the fibers would be transformed into a low glycogenolytic type. Author

N90-26475*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

EXPERIMENT K-6-22. GROWTH HORMONE REGULATION, SYNTHESIS AND SECRETION IN MICROGRAVITY. PART 1: SOMATOTROPH PHYSIOLOGY. PART 2: IMMUNOHISTOCHEMICAL ANALYSIS OF HYPOTHALAMIC HORMONES. PART 3: PLASMA ANALYSIS

R. GRINDELAND, W. VALE, W. HYMER, P. SAWCHENKO, M. VASQUES, I. KRASNOV, A. KAPLANSKI, and I. VICTOROV (Brain Research Inst., Moscow, USSR) *In its The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 p 419-470 Feb. 1990*

Avail: NTIS HC A22/MF A03 CSCL 06/3

The objectives of the 1887 mission were: (1) to determine if the results of the SL-3 pituitary gland experiment (1) were repeatable; and (2) to determine what effect a longer mission would have on the rat pituitary gland growth hormone (GH) system. In the 1887 experiment two issues were considered especially important. First, it was recognized that cells prepared from individual rat pituitary glands should be considered separately so that the

data from the 5 glands could be analyzed in a statistically meaningful way. Second, results of the SL-3 flight involving the hollow fiber implant and HPLC GH-variant experiments suggested that the biological activity of the hormone had been negatively affected by flight. The results of the 1887 experiment documented the wisdom of addressing both issues in the protocol. Thus, the reduction in secretory capacity of flight cells during subsequent extended cell culture on Earth was documented statistically, and thereby established the validity of the SL-3 result. The results of both flight experiments thus support the contention that there is a secretory lesion in pituitary GH cells of flight animals. The primary objective of both missions was a clear definition of the effect of spaceflight on the GH cell system. There can no longer be any reasonable doubt that this system is affected in microgravity. One explanation for the reason(s) underlying the better known effects of spaceflight on organisms, viz. changes in bone, muscle and immune systems may very well rest with such changes in bGH. In spite of the fact that rats in the Cosmos 1887 flight were on Earth for two days after flight, the data show that the GH system had still not recovered from the effects of flight. Many questions remain. One of the more important concerns the GRF responsiveness of somatotrophs after flight. This will be tested in an upcoming experiment. Author

N90-26476*# National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

EXPERIMENT K-6-23. EFFECT OF SPACEFLIGHT ON LEVELS AND FUNCTION OF IMMUNE CELLS

A. D. MANDEL, G. SONNENFELD, W. BERRY, G. TAYLOR, S. R. WELLHAUSEN, I. KONSTANTINOVA, A. LESNYAK, and B. FUCHS (Institute of Human Morphology, Moscow, USSR) *In its* The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 p 471-480 Feb. 1990

Avail: NTIS HC A22/MF A03 CSCL 06/3

Two different immunology experiments were performed on samples received from rats flown on Cosmos 1887. In the first experiment, rat bone marrow cells were examined in Moscow for their response to colony stimulating factor-M. In the second experiment, rat spleen and bone marrow cells were stained in Moscow with a variety of antibodies directed against cell surface antigenic markers. These cells were preserved and shipped to the United States where they were subjected to analysis on a flow cytometer. The results of the studies indicate that bone marrow cells from flown rats showed a decreased response to colony stimulating factor than did bone marrow cells from control rats. There was a higher percentage of spleen cells from flown rats staining positively for pan-T-cell, suppressor-T-cell and innate interleukin-2 receptor antigens than from control animals. In addition, a higher percentage of cells that appeared to be part of the myelogenous population of bone marrow cells from flown rats stained positively for surface immunoglobulin than did equivalent cells from control rats. Author

N90-26477*# San Francisco Univ., CA. Physics Research Lab. **EXPERIMENT K-6-24, K-6-25, K-6-26. RADIATION DOSIMETRY AND SPECTROMETRY**

E. V. BENTON, A. FRANK, E. R. BENTON, V. DUDKIN, and A. MARENYYI (Institute of Biomedical Problems, Moscow, USSR) *In* NASA, Ames Research Center, The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 p 483-511 Feb. 1990 (Contract NCC2-521; NAG9-235)

Avail: NTIS HC A22/MF A03 CSCL 06/3

Radiation experiments flown by the University of San Francisco on the Cosmos 1887 spacecraft were designed to measure the depth dependence of both total dose and heavy particle flux, dose and dose equivalent, down to very thin shielding. Three experiments were flown and were located both inside and outside the Cosmos 1887 spacecraft. Tissue absorbed dose rates of 264 to 0.028 rad d(-1) under shielding of 0.013 to 3.4 g/sq cm of (7)LiF were found outside the spacecraft and 0.025 rad d(-1) inside. Heavy particle fluxes of 3.43 to 1.03 x 10 to the minus 3rd power cm -2 sub s -1 sub sr -1 under shielding of 0.195 to 1.33 g/sq cm plastic were found outside the spacecraft and 4.25 times 10

to the minus 4th power cm -2 sub s -1 sub sr -1 inside (LET infinity H2O greater than or equal to 4 keV/micron m). The corresponding heavy particle dose equivalent rates outside the spacecraft were 30.8 to 19.8 mrem d(-1) and 11.4 mrem d(-1) inside. The large dose and particle fluxes found at small shielding thicknesses emphasize the importance of these and future measurements at low shielding, for predicting radiation effects on space materials and experiments where shielding is minimal and on astronauts during EVA. The Cosmos 1887 mission contained a variety of international radiobiological investigations to which the measurements apply. The high inclination orbit (62 degrees) of this mission provided a radiation environment which is seldom available to U.S. investigators. The radiation measurements will be compared with those of other research groups and also with those performed on the Shuttle, and will be used to refine computer models employed to calculate radiation exposures on other spacecraft, including the Space Station. Author

N90-26478*# San Francisco Univ., CA. Dept. of Radiology. **EXPERIMENT K-6-27. ANALYSIS OF RADIOGRAPHS AND BIOSAMPLES FROM PRIMATE STUDIES**

C. CANN, A. RAKHMANOV, and V. KAROLKOV (Institute of Biomedical Problems, Moscow, USSR) *In* NASA, Ames Research Center, The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 p 513-519 Feb. 1990

Avail: NTIS HC A22/MF A03 CSCL 06/3

Serial high-contrast radiographs were obtained of both arms and the right leg of two flight and four control monkeys for the period L-60 to S+16. Longitudinal growth of the tibia, radius and ulna was linear over this period in the control monkeys. In the flight monkey for whom the feeder malfunctioned, there were significant decreases in growth of the long bones. There were also hypermineralized growth arrest lines produced in the distal radial and ulnar metaphyses following resumption of growth. In the other flight monkey, there was a suggestion of decreased long bone growth during flight and immediate postflight periods, but this recovered by the end of the postflight control experiment. There was also an increase in intracortical resorption, indicative of skeletal activation. No major changes in cortical thickness or other parameters were noted, but modification of the techniques to obtain very high quality radiographs in further studies should allow subtle changes in these processes to be quantified. Author

N90-26479*# Florida Univ., Gainesville. Dept. of Aerospace Engineering, Mechanics and Engineering Science.

IMPLEMENTATION OF SENSOR AND CONTROL DESIGNS FOR BIOREGENERATIVE SYSTEMS Final Report

PEDRO R. RODRIGUEZ, ed. May 1990 118 p

(Contract NASW-4435)

(NASA-CR-186655; NAS 1.26:186655) Avail: NTIS HC A06/MF A01 CSCL 06/2

The goal of the Spring 1990 EGM 4001 Design class was to design, fabricate, and test sensors and control systems for a closed loop life support system (CLSS). The designs investigated were to contribute to the development of NASA's Controlled Ecological Life Support System (CELSS) at Kennedy Space Center (KSC). Designs included a seed moisture content sensor, a porous medium wetness sensor, a plant health sensor, and a neural network control system. The seed group focused on the design and implementation of a sensor that could detect the moisture content of a seed batch. The porous medium wetness group concentrated on the development of a sensor to monitor the amount of nutrient solution within a porous plate incorporating either infrared reflectance or thermal conductance properties. The plant health group examined the possibility of remotely monitoring the health of the plants within the Biomass Production Chamber (BPC) using infrared reflectance properties. Finally, the neural network group concentrated on the ability to use parallel processing in order to control a robot arm and analyze the data from the health sensor to detect regions of a plant. Author

N90-26480* National Aeronautics and Space Administration. John F. Kennedy Space Center, Cocoa Beach, FL.
PROXIMATE COMPOSITION OF SEED AND BIOMASS FROM SOYBEAN PLANTS GROWN AT DIFFERENT CARBON MONOXIDE (CO₂) CONCENTRATIONS
 R. M. WHEELER, C. L. MACKOWIAK (Bionetics Corp., Cocoa Beach, FL.), and J. C. SAGER May 1990 30 p
 (Contract NAS10-11624)
 (NASA-TM-103496; NAS 1.15:103496) Avail: NTIS HC A03/MF A01 CSCL 06/2

Soybean plants were grown for 90 days at 500, 1000, 2000, and 5000 ubar (ppm) carbon dioxide (CO₂) and compared for proximate nutritional value. For both cultivars (MC and PX), seed protein levels were highest at 1000 (39.3 and 41.9 percent for MC and PX) and lowest at 2000 (34.7 and 38.9 percent for MC and PX). Seed fat (oil) levels were highest at 2000 (21.2 and 20.9 percent for MC and PX) and lowest at 5000 (13.6 and 16.6 percent for MC and PX). Seed carbohydrate levels were highest at 500 (31.5 and 28.4 percent for MC and PX) and lowest at 2000 (20.9 and 20.8 percent for MC and PX). When adjusted for total seed yield per unit growing area, the highest production of protein and carbohydrate occurred with MC at 1000, while equally high amounts of fat were produced with MC at 1000 and 2000. Seed set and pod development at 2000 were delayed in comparison to other CO₂ treatments; thus the proportionately high fat and low protein at 2000 may have been a result of the delay in plant maturity rather than CO₂ concentration. Stem crude fiber and carbohydrate levels for both cultivars increased with increased CO₂. Leaf protein and crude fiber levels also tended to rise with increased CO₂ but leaf carbohydrate levels decreased as CO₂ was increased. The results suggest that CO₂ effects on total seed yield out-weighed any potential advantages to changes in seed composition.

Author

N90-26481# Wisconsin Univ., Madison. Dept. of Botany.
GAS EXCHANGE CHARACTERISTICS AS INDICATORS OF THE BASIC LIMITING FACTORS IN PHOTOSYNTHESIS
Cumulative Report, 1987 - May 1989
 THOMAS D. SHARKEY 1989 8 p
 (Contract DE-FG02-87ER-13785)
 (DE90-012399; DOE/ER-13785/3) Avail: NTIS HC A02/MF A01

Photosynthesis provides essentially all of the primary productivity on Earth. The rate of photosynthesis varies widely between and even within species. The basic processes are similar in most C₃ plant species and so the differences in the rate of photosynthesis must be governed by feedback mechanisms regulating the rate of photosynthesis to meet the needs of the plant. Understanding these feedback mechanisms may allow us to modify them to adapt photosynthesis to the needs of humans. Researchers have concentrated on one feedback mechanism. This feedback mechanism comes into play when the capacity for starch and sucrose synthesis cannot keep pace with the chloroplast's ability to produce triose phosphate. Researchers have demonstrated that this type of feedback can occur under natural conditions and that both electron transport and Rubisco (RuBP) carboxylase are reduced in activity during this feedback. It is demonstrated that the reduced activity of RuBP carboxylase is caused by reduced carbamylation. These studies have led researcher to speculate that the role of RuBP carboxylase decarbamylation (deactivation) is to regulate the pool of free phosphate inside the chloroplast stroma. In these and other ways this research has contributed to our understanding of how the rate of photosynthesis is established in plants and how that rate might be modified in the future.

DOE

N90-26482# Illinois Univ., Urbana.
PHOTOSYNTHESIS IN INTACT PLANTS Progress Report
 1990 36 p
 (Contract DE-FG02-86ER-13594)
 (DE90-013699; DOE/ER-13594/3) Avail: NTIS HC A03/MF A01

Progress in the two years since the last renewal application has been excellent. The approach of basing the field work on a sound foundation of laboratory studies has enabled is to use

methods which provide unambiguous assays of well characterized reactions. Excellent progress was made in several laboratory studies which will have direct applications in future field work, and have introduced to the laboratory a range of molecular genetics techniques which will allow the exploration of new options in the attempt to understand function at the level of molecular structure.

DOE

N90-26483# University of Southern California, Los Angeles. Dept. of Chemistry.
COMPUTER SIMULATION OF CHEMICAL REACTIONS IN SYNTHETIC MODEL COMPOUNDS AND GENETICALLY ENGINEERED ACTIVE SITES Final Report, 1 Jul. 1989 - 30 Jun. 1990

ARIEH WARSHEL 23 May 1990 6 p
 (Contract N00014-87-K-0507)

(AD-A222611) Avail: NTIS HC A02/MF A01 CSCL 06/1

The main objective of this project is to advance our understanding of the principles of biological recognition and specificity by using computer simulation approaches. Such approaches are expected to be essential for detailed elucidation of the origin of the enormous power of biological catalysts and to help in exploiting the resulting insight in designing a new generation of highly specific molecular systems. Our computer simulation models have progressed to the level where we can reproduce the effect of genetic modifications of enzymes on its catalytic power in a semiquantitative way. We are also able to estimate in a reasonable way the overall catalytic effect of some enzymes. In three years of this contract we have tried to exploit the fast accumulation of experimental information about genetically modified enzymes in developing clearer design principles.

GRA

52

AEROSPACE MEDICINE

Includes physiological factors; biological effects of radiation; and effects of weightlessness on man and animals.

A90-43382#
AGE RELATED CHANGES IN PHYSICAL PERFORMANCE AND PHYSIOLOGICAL FUNCTIONS OF JASDF PILOTS

YOSHINORI KURIHARA Japan Air Self Defense Force, Aeromedical Laboratory, Reports (ISSN 0023-2858), vol. 30, Sept. 1989, p. 45-64. In Japanese, with abstract in English. refs

A study of age-related changes in the physical functions of JASDF pilots using such variables as visual acuity and hearing threshold level, blood pressure, and physical performance is presented. Some of the general results obtained include: (1) physical performance levels of the pilots were gradually deteriorated with increasing age; (2) systolic blood pressure was maintained relatively low up to 40 years of age, and then increased with age, while diastolic pressure was elevated progressively with age; (3) visual accommodation showed a constant reduction with age; and (4) deterioration of hearing ability and increase in individual differences at 4000 Hz or higher frequencies were typical.

R.E.P.

A90-43453*# National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, TX.
AN OVERVIEW OF THE SPACE MEDICINE PROGRAM AND DEVELOPMENT OF THE HEALTH MAINTENANCE FACILITY FOR SPACE STATION

SAM LEE POOL (NASA, Johnson Space Center, Houston, TX) Japanese Journal of Aerospace and Environmental Medicine (ISSN 0387-0723), vol. 25, March 1988, p. 1-12. refs

Because the prolonged stay on board the Space Station will increase the risk of possible inflight medical problems from that on Skylab missions, the Health Maintenance Facility (HMF) planned for the Space Station is much more sophisticated than the small

clinics of the Skylab missions. The development of the HMF is directed by the consideration of three primary factors: prevention, diagnosis, and treatment of injuries and illnesses that may occur in flight. The major components of the HMF include the clinical laboratory, pharmacy, imaging system, critical-care system, patient-restraint system, data-management system, exercise system, surgical system, electrophysiologic-monitoring system, intravenous-fluid system, dental system, and hyperbaric-treatment-support system. I.S.

A90-43454#

AUTONOMIC NERVOUS SYSTEM PARTIALLY CONTROLS MUSCULAR ACTIVITY IN MAN

FUKIKO MATSUMOTO, KINJI UCHINO (Yokohama National University, Japan), and MASAOKI HATTORI (Hokkaido Tokai University, Sapporo, Japan) Japanese Journal of Aerospace and Environmental Medicine (ISSN 0387-0723), vol. 25, March 1988, p. 13-18. refs

The effect of voluntary muscle contraction on the excitability of a single motor unit during tonic vibration reflex (TVR) was investigated by measuring the spike intervals (SIs) of action potentials of a single motor unit of human m. vastus medialis, as an index of its excitability during TVRs induced by a mechanical vibrator. The SI and heart-rate measurements were obtained during the 5-percent maximum voluntary contraction (MVC) period and for 30 sec after TVR reached a plateau phase. In order to observe effects of autonomous nervous system excitation on the excitability of alpha motoneuron, the Valsalva maneuver and the Aschner's test were performed during TVR. Results suggest that a single motor activity stimulated during TVR may be potentiated by central command required for a particular muscular action, as well as by stimulating the autonomous nerves. I.S.

A90-43455#

SLEEP AND FATIGUE OF FLIGHT CREW IN LONG-HAUL AVIATION

YUKO KUROSAKI, MITUO SASAKI (Japan Air Lines, Flight Crew Medical Service Dept., Tokyo, Japan), HIROSHI ITOH, and TUKASA KABASHIMA (Tokyo Jikeikai University, Japan) Japanese Journal of Aerospace and Environmental Medicine (ISSN 0387-0723), vol. 25, June 1988, p. 29-36. In Japanese, with abstract in English. refs

The effect of the sleep-pattern disturbance of B747 flight crew, during and after an 11-hr flight across multiple time-zones, on the physical well-being and the recordings of physiological-function detectors were investigated in 18 subjects. The results, obtained during the outbound flight, the 24-hr layover, and the return flight, showed that subjective fatigue scores and the Stanford Sleepiness Scales increased significantly 2 hrs after the take-off on the outgoing flight, and remained high throughout the return flight. During the layover, the subjects had more awakenings and longer wake periods after sleep onset than they had before the flight. I.S.

A90-43456#

RELATIONSHIP BETWEEN +GZ TOLERANCE AND PHYSICAL CHARACTERISTICS DURING GRADUAL AND RAPID ONSET RUNS

CHIEKO MIZUMOTO (Air Self-Defense Force, Aeromedical Laboratory, Tachikawa, Japan) Japanese Journal of Aerospace and Environmental Medicine (ISSN 0387-0723), vol. 25, June 1988, p. 37-47. refs

The relationship between the +Gz tolerance (evaluated at the point of losing peripheral vision) of pilots and the characteristics of the body built parameters of the pilot was investigated in 123 JASDF F-15 pilots during gradual-onset and rapid-onset runs (GORs and RORs, respectively) in a human-centrifuge. Results showed a significant difference between the two types of tests. In the GOR tests, the +Gz tolerance was found to correlate significantly with the eye-heart distance and the upper-body dimensions (such as the chest and the arm circumferences), indicating that the GOR tolerance is affected by the hydrostatic effect of +Gz. In the ROR tests, the +Gz tolerance correlated

with the abdominal strength, the body fat ratio, and the skin-fold thickness, suggesting that the ROR tolerance is affected by the orthostatic effect of +Gz. I.S.

A90-44275

THYROARYTENOID MUSCLE ACTIVITY DURING HYPOXIA, HYPERCAPNIA, AND VOLUNTARY HYPERVENTILATION IN HUMANS

GIUSEPPE INSALACO, SAMUEL T. KUNA, FABIO CIBELLA, and REGINALD D. VILLEPONTEAUX (Texas, University, Galveston; CNR, Istituto di Fisiopatologia Respiratoria, Palermo, Italy) Journal of Applied Physiology (ISSN 0161-7567), vol. 69, July 1990, p. 268-273. Research supported by the Moody Foundation and CNR. refs

(Contract NIH-HL-27520; NIH-HL-20122; NIH-RR-73)

Copyright

The effects of progressive isocapnic hypoxia, hyperoxic hypercapnia, and voluntary hyperventilation in humans on the intramuscular electromyographic (EMG) activity of the thyroarytenoid (TA) muscle were investigated. It was found that both phasic and tonic TA activity decreased progressively with increasing hypoxia or hypercapnia, although, at comparable tidal volume increments, the relative decrease in phasic TA activity was greater under hypoxia than under hypercapnia. During voluntary isocapnic hyperventilation, phasic TA activity decreased without a significant change in tonic activity. The results suggest that vocal cord position depends on the net balance of counteracting forces, both during quiet breathing and during involuntary and voluntary hyperpnea. I.S.

A90-44582#

HYPOTHESIS ON BUBBLE VOLUME OF ALTITUDE DECOMPRESSION SICKNESS AND RELATION BETWEEN O2 PREBREATHING TIME AND PRESSURE IN SPACE SUITS

GUOLIN XU and RUGUO ZHANG (Institute of Space Medico-Engineering, Beijing, People's Republic of China) Chinese Space Science and Technology (ISSN 1000-758X), vol. 9, Oct. 1989, p. 46-51. In Chinese, with abstract in English. refs

Suppose that the increase of the gas bubble volume is bound to be followed by the increase of the incidence of decompression sickness (DS). It can be deduced that relative volume of gas bubble in the tissue (the ratio between the bubble volume and the tissue volume, V_b/V) has linear relation to the ratio of N_2 tension in the tissue before decompression and that after decompression. The N_2 tension after decompression equals the sum of environmental pressure and synthetic pressure (P_s). P_s depends on activity level. When the activity level increases, P_s decreases, V_b/V increases, and the incidence of DS increases. In accordance with this hypothesis and experimental data on DS, the curves of the relation between O_2 prebreathing time and the pressure in space suits are obtained. Author

A90-44626* National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, TX.

THRESHOLD ALTITUDE RESULTING IN DECOMPRESSION SICKNESS

K. V. KUMAR, JAMES M. WALIGORA (NASA, Johnson Space Center, Houston, TX), and DICK S. CALKINS (Krug International Corp., Technology Life Sciences Div., Houston, TX) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 61, Aug. 1990, p. 685-689. refs

Copyright

A review of case reports, hypobaric chamber training data, and experimental evidence indicated that the threshold for incidence of altitude decompression sickness (DCS) was influenced by various factors such as prior denitrogenation, exercise or rest, and period of exposure, in addition to individual susceptibility. Fitting these data with appropriate statistical models makes it possible to examine the influence of various factors on the threshold for DCS. This approach was illustrated by logistic regression analysis on the incidence of DCS below 9144 m. Estimations using these regressions showed that, under a norebreathe, 6-h exposure, simulated EVA profile, the threshold for symptoms occurred at

approximately 3353 m; while under a norebreathe, 2-h exposure profile with knee-bends exercise, the threshold occurred at 7925 m. Author

A90-44627**TRANSPORT AIRCRAFT CREW AND DECOMPRESSION HAZARDS - STUDY OF A POSITIVE PRESSURE SCHEDULE**

H. MAROTTE, C. TOURE, G. FLORENCE, D. LEJEUNE, and M. KERGUEN (Centre d'Essais en Vol, Laboratoire de Medecine Aerospatiale, Bretigny-sur-Orge, France) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 61, Aug. 1990, p. 690-694. refs

Copyright

The protection of the transport aircraft crew against cabin decompression hazards at high altitude (Z less than 13,700 m) is achieved by positive-pressure breathing (PPB). Currently, many PPB schedules are used. The present research was performed to propose a PPB schedule, using the hypothesis of a decompression at high altitude, including a stay at the flight level and an emergency descent at the rate of 75 m/sec. The measures were arterial oxygen saturation, heart rate, speech capabilities, and psychomotor performance. It is shown that the best protection at 13,700 m is afforded when the PPB is included between 2 and 2.5 kPa.

Author

A90-44628**SUSTAINED PERIPHERAL VASOCONSTRICTION WHILE WORKING IN CONTINUOUS INTENSE NOISE**

KEITH MILLAR (Glasgow, University, Scotland) and MARK J. STEELS (Nottingham, University, England) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 61, Aug. 1990, p. 695-698. refs

Copyright

The study examined the effects of exposure to continuous noise on pulse volume (vasoconstriction) and rate, as well as four-choice serial reaction time. There were two separate groups of 12 subjects that performed the 20-min task during simultaneous monitoring of their physiological response to continuous 93-dBA white noise or 70-dBA quiet control conditions. Pulse volume showed marked reduction, implying increased arousal, in the first 3-min exposure to noise. Although some habituation of the vasoconstriction response then occurred, pulse volume continued to remain significantly higher than in quiet throughout the work period. Serial choice performance was unaffected by noise. The results confirm that there is a physiological cost incurred when working in noise, justifying concern for long-term effects on noise-exposed people.

Author

A90-44630**GENERALIZATION OF TOLERANCE TO MOTION ENVIRONMENTS**

THOMAS G. DOBIE (U.S. Navy, Naval Biodynamics Laboratory, New Orleans, University, LA) and JAMES G. MAY (New Orleans, University, LA) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 61, Aug. 1990, p. 707-711. refs

(Contract N00205-88-M-E058)

Copyright

The aim was to determine to what extent training tolerance to one motion stimulus would generalize other motion experiences. Twenty subjects prone to motion sickness were selected and assigned to one of four groups after pretesting in a Dichgans and Brandt drum to determine their susceptibility to visually-induced apparent motion. They were also pretested with a VDT display of an expanding surface, and on a revolving/tilting chair. Subjects in the first group served as controls and received only cognitive counseling regarding their ability to tolerate motion environments. Subjects in the other groups received the same counseling coupled with incremental exposures to the drum, chair, or VDT, respectively. Posttests on each apparatus revealed that the treatments involving the chair and the drum provided specific increases in tolerance to the device used during treatment, and that the treatment involving the chair provided a generalized tolerance to visually-induced

motion. These results support the notion that there are both specific and general components in learning to tolerate motion environments. Author

A90-44631* Pennsylvania State Univ., University Park. THE EFFECTS OF FIXATION AND RESTRICTED VISUAL FIELD ON VECTION-INDUCED MOTION SICKNESS

ROBERT M. STERN, SENQI HU, RICHARD B. ANDERSON, HERSCHEL W. LEIBOWITZ, and KENNETH L. KOCH (Pennsylvania State University, University Park and Hershey) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 61, Aug. 1990, p. 712-715. refs

(Contract NAG9-118)

Copyright

Approximately 60 percent of healthy human subjects experience motion sickness when exposed to a rotating optokinetic drum. Here, the effects of certain visual factors on susceptibility to motion sickness were determined. Vection data (illusory self-motion), horizontal eye movement recordings, subjective motion sickness report, and a measure of gastric myoelectric activity were obtained from 45 subjects, who were randomly divided into the following three groups: a control group that observed the entire visual field with no fixation, a group that fixated on a central target, and a third group that had a visual field restricted to 15 deg. The experimental session was divided into three 12-min periods: baseline, drum rotation, and recovery. The results showed that fixation greatly reduced nystagmus and slightly reduced vection. The restricted visual field slightly reduced nystagmus and greatly reduced vection. Both of these manipulations significantly reduced symptoms of motion sickness and abnormal gastric myoelectric activity.

Author

A90-44632**THE ELECTROCARDIOGRAPHIC RESPONSE TO HIGH +GZ CENTRIFUGE TRAINING**

JAMES E. WHINNERY (U.S. Navy, Naval Air Development Center, Warminster, PA) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 61, Aug. 1990, p. 716-721. refs

Copyright

The responses of 59 asymptomatic healthy flight surgeons to the acceleration profiles included in current USAF and USN high-G centrifuge training programs are documented. EKG dysrhythmias were frequently observed during exposure to both gradual and rapid-onset training profiles. Short self-limited episodes of ventricular tachycardia occurred in five subjects. Advanced Low grade ventricular ectopy occurred in 13 subjects. The results suggest that significant ectopy frequently occurs during exposure to centrifuge training profiles. Since aircrew are expected to undergo high +Gz as part of their usual flying duties, EKG monitoring during high-G centrifuge training has not universally been a required part of the training exposures. Aircrew have not always accepted EKG monitoring during centrifuge training, fearing detection of certain cardiac dysrhythmias, which current aeromedical standards consider disqualifying for continued flying duties without clinical aeromedical evaluation. Based on the results of this study, EKG monitoring might be considered appropriate to ensure optimum medical safety during high-G centrifuge training.

Author

A90-44633* California Univ., Davis.**THE EFFECT OF HYPERDYNAMIC FIELDS ON THE OXIDATIVE METABOLISM OF THE PARAVENTRICULAR NUCLEUS**

DEAN M. MURAKAMI and CHARLES A. FULLER (California, University, Davis) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 61, Aug. 1990, p. 722-724. refs

(Contract NAG2-349)

Copyright

An important issue in space biology and medicine is understanding the effect of gravitational changes on the mechanisms that regulate fluid homeostasis. The results of this study show that, following 7-d exposure to a 2 G or 3 G hyperdynamic field, rats exhibited a linear increase in the

cytochrome oxidase staining of neurons in the paraventricular nucleus (PVN). The elevated oxidative metabolism in the PVN suggests that there was an increase in the manufacturing and release of vasopressin into the plasma in response to a perceived hypovolemic condition caused by increased hydrostatic pressure and redistribution of fluid to the periphery. Since vasopressin also has widespread cardiovascular effects, it will be important to understand the relationship between vasopressin and altered gravitational fields. Author

A90-44634* Kansas State Univ., Manhattan.

BINDING OF ALPHA-FETOPROTEIN BY IMMOBILIZED MONOCLONAL ANTIBODIES DURING EPISODES OF ZERO-GRAVITY OBTAINED BY PARABOLIC FLIGHT

BRIAN S. SPOONER, JAMES A. GUIKEMA (Kansas State University, Manhattan), and GRADY BARNES (Abbott Laboratories, North Chicago, IL) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 61, Aug. 1990, p. 725-728. refs (Contract NAGW-1197)

Copyright

Alpha-fetoprotein (AFP), a single-chain polypeptide which is synthesized by the liver and yolk sac of the human fetus, provided a model ligand for assessing the effects of microgravity on ligand binding to surface-immobilized model receptor molecules. Monoclonal antibodies, used as receptors for AFP, were immobilized by covalent attachment to latex microparticles. Zero gravity environment was obtained by parabolic flight aboard NASA 930, a modified KC-135 aircraft. During the onset of an episode of zero gravity, ligand and receptor were mixed. Timed incubation (20 s) was terminated by centrifugation, the supernatant removed, and microparticles were assessed for bound AFP by immunochemical methods. The extent of binding was not influenced by microgravity, when compared with 1-G controls, which suggests that aberrant cellular activities observed in microgravity are not the simple expression of altered macromolecular interactions. Author

A90-44635

MEDICINAL PROTECTION WITH CHINESE HERB-COMPOUND AGAINST RADIATION DAMAGE

RUIJUN ZHANG, JINKANG QIAN, GUANGHUA YANG, BAOZHEN WANG, and XIULAN WEN (Institute of Space Medico-Engineering, Beijing, People's Republic of China) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 61, Aug. 1990, p. 729-731. refs

Copyright

Experiments were carried out on mice and on subjects irradiated for cancer therapy to evaluate the protective efficacy of a Chinese medicinal-herb-compound (CMHC). The lethality and the degree of leucopenia caused by radiation in mice medicated with CMHC were significantly less in comparison with control mice (p less than 0.01 and p less than 0.001, respectively). CMHC significantly improved the WBC and the thrombocytes in irradiated workers (p less than 0.01 and p less than 0.001, respectively). The WBC count of 40 patients under radiotherapy while treated with CMHC recovered from $3450 \pm 77/c\text{ mm}$ to $5425 \pm 264/c\text{ mm}$ (p less than 0.001); whereas, in the control group, without any medication, the WBC count dropped significantly (p less than 0.001). Author

A90-44636

PRESENT STATUS OF RADIAL KERATOTOMY MYOPIA SURGERY - AEROSPACE CONSIDERATIONS

STANLEY DIAMOND Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 61, Aug. 1990, p. 732-734. refs Copyright

Radial keratotomy (RK) is one of several corneal surgery operations recently developed to change the refraction of the eye. RK consists of four to eight deep radial incisions extending from the coronal edge to a small central optical zone, which flattens when the corneal scars heal. This decreases the myopia, or excess corneal dioptric power by 2.00 to 6.00 diopters. The drawbacks of RK for aviators consists of the following problems and side effects:

(1) several ocular surgical complications, which may cause loss of vision; (2) glare and dazzle in flight effects; (3) imprecise and unpredictable results; (4) diurnal change of refraction and vision; (5) residual regular and irregular astigmatism; (6) a decrease of best corrected vision; (7) late progressive hyperopia; and (8) greater susceptibility to aggravated ocular trauma. RK presently appears to be fraught with intrinsic hazards and is imprudent and inadvisable for pilots or aircrew, in whom long-term stable nonfluctuating asymptomatic keen vision is required in both bright and dim light. Author

A90-44637

FITNESS OF CIVIL AVIATION PASSENGERS TO FLY AFTER EAR SURGERY

MICHAEL MOSER (Graz, Universitaet, Austria) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 61, Aug. 1990, p. 735-737. refs

Copyright

Movements of the tympanic membrane caused by changes in air pressure are conducted to the ossicles of the middle ear. The gliding mechanism of the malleus-incus articulation converts in-and-out movements of the eardrum into up-and-down movements of the stapes, thereby protecting the inner ear from static pressures. In certain ear operations, the replacement of a middle ear ossicle by a prosthesis disjoints the malleus-incus articulation or makes it rigid. Pressure is then transmitted in unattenuated form from the eardrum through the oval window to the inner ear. Impairment of pressure equilibrium, for example due to obstructed eustachian tubes, can lead to prosthesis displacement with severe injury to the vestibulocochlear apparatus. Thus patients should be advised to begin equilibration of pressure at the beginning of descent of commercial airlines or civil aviation flights, and to repeat it at brief intervals. Author

A90-44638

RENAL CALCULI IN ARMY AVIATORS

JOSEPH Y. CLARK (U.S. Army Aeromedical Center, Fort Rucker, AL) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 61, Aug. 1990, p. 744-747. refs

Copyright

A study of U.S. Army active duty aviators was done using the Aeromedical Epidemiology Data Repository (AEDR) for the period of January 1984 through December 1987 to determine the incidence of renal calculi in this population. Age-specific rates were found to be highest in the 30-54-year age group. The overall annual incidence was determined to be 4.7/1000 population of white male aviators. After standardization to the 1960 U.S. white population, the incidence in aviators was found to be 2.2/1000, almost double that of a Rochester, MN male population (1.2/1000). The aviation environment may predispose Army aviators to dehydration and play an etiologic role in the genesis of renal calculi. Medical evaluation, treatment, and administrative disposition of Army aviators with renal calculi are also briefly discussed. Author

A90-44639

HIGH G TRAINING AND SUPERFICIAL PHLEBITIS - A CASE REPORT

FRANCIS X. SPEIDEL (U.S. Navy, Marine Corps Aircraft Station, Cherry Point, NC) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 61, Aug. 1990, p. 748, 749.

Copyright

This is a report of bilateral phlebitis in an otherwise healthy 37-year-old male, occurring approximately 96 h post G-tolerance training. Of interest is an episode of significant physical activity occurring between the G-tolerance training and the onset of symptoms of phlebitis. Health care professionals seeing patients post G training need to be aware of unusual possible sequelae, especially vascular in origin. Further information is needed before a causal relationship between G-tolerance training and superficial phlebitis can be demonstrated. Author

A90-44652

GLC - A PRACTICAL DISCUSSION

ROBERT PATCH (USAF, Holloman AFB, NM) Aeromedical and Training Digest (ISSN 0001-9275), vol. 4, Jan. 1990, p. 7, 8.

Copyright

Observations made during nine months of centrifuge training at Holloman Air Force Base in New Mexico are summarized. The L-1 anti-G straining maneuver which emphasizes a closed glottis, three-second strain with a 2.5 to 3.5 sec window, quick air exchange, and good muscle tensing is described. Common problems with this maneuver are listed including short strain, insufficient muscle tensing, long strains, and poor physical conditioning. Tips for troubleshooting in an effort to prevent G-induced loss of consciousness (GLOC) are provided. L.K.S.

A90-44653

DOING IT BETTER IN THE DARK

RICK MASON (U.S. Navy, Yuma, AZ) Aeromedical and Training Digest (ISSN 0001-9275), vol. 4, Jan. 1990, p. 14-18.

Copyright

Night vision goggles (NVG) image intensification systems capabilities and limitations are presented and subsequent ground based training is discussed. NVG technology is detailed, focusing on the functions and operations of the image intensifier and the microchannel plate. Significant limitations of NVG include a reduction in field of view and in resolution capability. Inflight physioptic issues are discussed, such as factors which determine whether an object is visible or not, accuracy of depth perception and distance estimation, and problems with contrast and dark adaptation. Postflight physioptic issues such as color sensitivity and near depth perception are also addressed. It is pointed out that numerous mishaps involving NVG occur due to lack of a solid knowledge base on either the night environment or NVG capabilities and limitations. The U.S. Marine Nite Imaging and Threat Evaluation Lab, designed to demonstrate different learning objectives, is detailed. Suggestions for improving performance are offered. L.K.S.

A90-44654

USAF SPATIAL DISORIENTATION TRAINING

MIKE BOEHME (USAF, Langley AFB, VA) Aeromedical and Training Digest (ISSN 0001-9275), vol. 4, Jan. 1990, p. 19, 20.

Copyright

The USAF's spatial disorientation training program is described, pointing out that the pilot's perception of orientation is the backdrop for all aspects of flight. A solid background in the physiological aspects involved in spatial orientation and disorientation is provided to pilots in order to illustrate how disorientation occurs, and three specific types of spatial disorientation are detailed. Classical types of spatial disorientation and special areas of concern such as focus trapping, empty field myopia, and aircraft design are also discussed with students followed by a presentation on prevention, recognition, and recovery procedures. It is pointed out that modern USAF aircraft mishap statistics reveal that, because of improvements in aircraft design and maintenance, human factors now play the leading role in fatal aircraft accidents. Recommendations for a maximum effective academic program are provided. L.K.S.

A90-44655

SPATIAL DISORIENTATION IN FLIGHT - SCOPE AND LIMITATIONS OF TRAINING

ALAN J. BENSON (RAF, Institute of Aviation Medicine, Farnborough, England) Aeromedical and Training Digest (ISSN 0001-9275), vol. 4, Jan. 1990, p. 20-23.

Copyright

Aspects of training intended to reduce likelihood of in-flight disorientation and to enhance pilot ability to address such a problem are reviewed. Overall aviator training objectives include acquisition of both adequate knowledge concerning etiology and manifestations of spatial orientation and of skills necessary to cope with such a problem in flight. It is suggested that complementary ground and air instruction may be used to achieve

specific training objectives. Methods for effective ground-based training are discussed and different devices for spatial disorientation training are mentioned, including a hand-propelled rotating chair and a centrifuge with gimbaled cab. It is pointed out that, while some closed-loop simulator flying time is useful for identification and resolution of inappropriate sensory cues, and for development of optimal control strategies, there is little substitute for actual in-flight training. The importance of instrument flying training is emphasized. L.K.S.

A90-44657

CLINICAL HYPERBARIC MEDICINE

ERIC P. KINDWALL (Wisconsin, Medical College, Milwaukee) Aeromedical and Training Digest (ISSN 0001-9275), vol. 4, Jan. 1990, p. 26-31. refs

Copyright

Non-pressure-related uses of the hyperbaric chamber in clinical medicine are discussed. The Committee on Hyperbaric Oxygenation of the Undersea and Hyperbaric Medical Society has approved 14 disorders for treatment in the chamber, including gas gangrene, carbon monoxide poisoning, refractory osteomyelitis, skin grafts and flaps, exceptional blood loss anemia, crush injury, radiation necrosis, mixed aerobic and anaerobic infection, and thermal burns. Advantages of hyperbaric treatment of these disorders are outlined and research areas meriting further investigation are listed and discussed. Potential exists for application of hyperbaric medicine in areas such as carbon tetrachloride poisoning, hydrogen sulfide poisoning, sickle cell crisis, spinal cord injury, closed head injury, purpura fulminans, intra-abdominal and intra-cranial abscesses, mesenteric thrombosis, central retinal artery occlusion, cystoid macular edema, Bell's palsy, and leprosy. L.K.S.

A90-44660

ADVERSE EFFECT OF NEGATIVE GZ ON SUBSEQUENT HIGH POSITIVE GZ - A NEED FOR RESEARCH AND EDUCATION

RONALD W. DIEDRICHS Aeromedical and Training Digest (ISSN 0001-9275), vol. 4, Jan. 1990, p. 36-38.

Copyright

The effects of an immediate transition from a sustained zero or negative Gz environment to a high sustained positive Gz are discussed. It is noted that, while it is believed that a virtual mirror image exists of the baroreceptor reflex portion of the G-time tolerance curve, the curve may be much worse than this due to high negative Gz hydrostatic pressures. Anecdotal evidence supports the suggestion that negative Gz has a deleterious effect on positive Gz performance and may therefore be a significant contributing factor in G-LOC statistics and may also negate much of the virtue of a G-awareness or G-warmup maneuver. L.K.S.

A90-44661

PULMONARY CONSIDERATIONS OF HIGH SUSTAINED +GZ ACCELERATION AND G PROTECTION

DAVID H. GLAISTER (RAF, Institute of Aviation Medicine, Farnborough, England) Aeromedical and Training Digest (ISSN 0001-9275), vol. 4, Jan. 1990, p. 39-43. refs

Copyright

The physiological effects of sustained acceleration on the lung are discussed and positive pressure breathing (PPB) is compared and contrasted with the pressure breathing during G (PBG). Theoretical pressure-flow relationships for a human lung during +Gz acceleration are provided, and pulmonary ventilation, ventilation/perfusion ratio, and occurrence of acceleration atelectasis are discussed in detail. L.K.S.

A90-44777#

EFFECT OF JET LAG ON THE CIRCADIAN RHYTHM OF PLASMA MELATONIN

YUMIKO FUJITA, ICHIRO ASUKATA, HIROFUMI OHKOSHI, MIKIO UEMATSU, AKIRA SASAKI (Japan Airlines, Tokyo, Japan) et al. Japanese Journal of Aerospace and Environmental Medicine (ISSN 0387-0723), vol. 26, Sept. 1989, p. 73-79. In Japanese, with abstract in English. refs

Plasma melatonin circadian profiles were investigated for 8 days

in a group of 3 subjects while they underwent an eastward 8-h time shift by jet flight. On each day, samples were collected at 7, 15, and 23 o'clock and plasma melatonin was measured by radioimmunoassay. In the basal study, 6 subjects (3 of which underwent the eastward 8-h time shift) were investigated for 3 days. The plasma melatonin profile was characterized by nocturnal elevation with the maximum value measured at 7 o'clock. A significant increase (a factor of 4) in the daytime melatonin level was observed on the first day after the eastward trip. In 2 out of 3 cases, the shifts in the acrophase were observed on day 5. Resynchronization of the plasma melatonin circadian profiles took 5-7 days. These data suggest that melatonin secretion rhythm is generated not only by light-dark or sleep-wake cycles but by other biological mechanisms. Author

A90-44863* National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.

GAIN, NOISE, AND CONTRAST SENSITIVITY OF LINEAR VISUAL NEURONS

ANDREW B. WATSON (NASA, Ames Research Center, Moffett Field, CA) Visual Neuroscience (ISSN 0952-5238), vol. 4, 1990, p. 147-157. refs
Copyright

Contrast sensitivity is a measure of the ability of an observer to detect contrast signals of particular spatial and temporal frequencies. A formal definition of contrast sensitivity that can be applied to individual linear visual neurons is derived. A neuron is modeled by a contrast transfer function and its modulus, contrast gain, and by a noise power spectrum. The distributions of neural responses to signal and blank presentations are derived, and from these, a definition of contrast sensitivity is obtained. This formal definition may be used to relate the sensitivities of various populations of neurons, and to relate the sensitivities of neurons to that of the behaving animal. Author

A90-45125

SYMPATHETIC NERVES CONTROL THE NEW FORMATION OF MICROVESSELS INDUCED BY ADAPTATION TO HYPOXIA [SIMPATICHESKIE NERVY KONTROLIRUIUT PROTSESS NOVOBRAZOVANIJA MIKROSOSUDOV, INDUTSIROVANNYI ADAPTATSIEI K GIPOKSII]

V. B. KOSHELEV, M. V. KONDASHEVSKAIA, and I. M. RODIONOV (Moskovskii Gosudarstvennyi Universitet, Moscow, USSR) Akademiia Nauk SSSR, Doklady (ISSN 0002-3264), vol. 311, no. 3, 1990, p. 756-758. In Russian. refs
Copyright

Experiments were performed on white rats to study the role of the sympathetic nervous system in the process of angiogenesis induced by exposure to simulated high-altitude hypoxia. It is shown that hypoxia-induced angiogenesis is significantly reduced in animals deprived of sympathetic innervation. B.J.

A90-45741

A MATHEMATICAL MODEL FOR RESPONSE OF THE CORONARY CIRCULATION TO HIGH SUSTAINED GRAVITATIONAL FORCE FIELDS

SOPHIA HUAI ZHOU, EMILIA MATEEVA, and RICHARD COLLINS IN: Advances in fluid dynamics. New York, Springer-Verlag, 1989, p. 284-304. Sponsorship: Department of Supply and Services of Canada. refs
(Contract DSS-W7711-7-7029)
Copyright

A new model for the complete coronary circulation is formulated here which will provide improved insight into the response of the heart to regimes of high sustained gravity. The unsteady quasi-one-dimensional coronary blood flow is modeled in a branching network of distensible vessels subject to periodic collapse under the time- and space-dependent variations of the intramyocardial pressure which loads the coronary vessels externally. A schematic representation is given of the anatomy of the complete coronary circulation and the best reported estimates to date of vessel wall elasticity. A hybrid method of characteristics

and a Lax-Wendroff two-step finite-difference scheme are described for computing the coronary flow field. C.D.

A90-45781

SURVIVAL IN SPACE: MEDICAL PROBLEMS OF MANNED SPACEFLIGHT

RICHARD HARDING London and New York, Routledge, 1989, 249 p. refs
Copyright

The basic features of the space environment are reviewed, and the history and current status of efforts to protect humans from its immediate and long-term adverse effects are described, in an introduction for the general reader. Chapters are devoted to pressure and density; increased accelerations; radiation and micrometeoroids, temperature and humidity; nutrition, waste, and personal hygiene; dressing for space and mobility; health care; selection and training; microgravity; and the psychology of space flight, women in space, and spacecraft habitability. Diagrams, drawings, graphs, and photographs are provided. T.K.

N90-25459# Advisory Group for Aerospace Research and Development, Neuilly-Sur-Seine (France). Aerospace Medical Panel.

NECK INJURY IN ADVANCED MILITARY AIRCRAFT ENVIRONMENTS

Feb. 1990 201 p In ENGLISH and FRENCH Symposium held in Munich, Fed. Republic of Germany, 24-28 Apr. 1989 (AGARD-CP-471; ISBN-92-835-0541-7) Copyright Avail: NTIS HC A10/MF A02; Non-NATO Nationals requests available only from AGARD/Scientific Publications Executive

Anecdotal evidence suggests that soft tissue neck injury may be an occupational hazard for fighter pilots, particularly those in the later generation trainer and combat aircraft. Recent advances in helmet-mounted devices increase the potential for injury. There is an acute need for guidance on the maximum mass and mass distribution characteristics of head-mounted devices. The extent of risk and its control through the design of helmet-mounted devices, protective systems, and aircrew training and conditioning are discussed.

N90-25460# Air Force Medical Group (347th), Moody AFB, GA. **PREVALENCE OF G-INDUCED CERVICAL INJURY IN US AIR FORCE PILOTS**

RODGER D. VENDERBEEK In AGARD, Neck Injury in Advanced Military Aircraft Environments 7 p Feb. 1990 Submitted for publication

Copyright Avail: NTIS HC A10/MF A02; Non-NATO Nationals requests available only from AGARD/Scientific Publications Executive

Pilots of high performance aircraft are frequently exposed to significant accelerative forces; the effect of this exposure on the cervical vertebral column is an unquantified clinical and epidemiological problem. The findings are presented from a period of prevalence study of acute neck injury secondary to high G forces in U.S. Air Force pilots. A sample of 437 pilots of three different fighter aircraft was surveyed, and the data is stratified and analyzed to test the strength of association of injury prevalence with pilot age, type of aircraft, and type of flying environment. Results indicate that minor injury is common in these pilots, and that higher aircraft performance is associated with increased injury prevalence. Increased age is associated with increased prevalence of major cervical injuries. Preventive strategies may be helpful in reducing injury frequency and in avoiding serious injuries. Author

N90-25461# Nebraska Univ., Omaha. Dept. of Otolaryngology. **NON-EJECTION NECK INJURIES IN HIGH PERFORMANCE AIRCRAFT**

DAVID G. SCHALL In AGARD, Neck Injury in Advanced Military Aircraft Environments 10 p Feb. 1990

Copyright Avail: NTIS HC A10/MF A02; Non-NATO Nationals requests available only from AGARD/Scientific Publications Executive

The potential for significant neck injuries exists in today's high

performance fighter aircraft. The G-loads required to produce injury need not be excessive, nor is experience level necessarily protective. Eight cervical spine injury cases, due to or aggravated by +G(sub z) in F-15 and F-16 aircrew members are reviewed. These include two compression fractures (C5/C7), three left HNP's (C5-6/C6-7), one fracture of the spinous process (C7), one interspinous ligament tear (C6-7), and one myofascial syndrome (C6). Mechanisms of injury and evaluation are discussed. Exercise conditioning may play an important role in prevention and protection. The role of screening x rays and improving equipment remain as areas where further work needs to be done. Author

N90-25462# Belgian Air Force, Beauvechain.
A SURVEY OF CERVICAL PAIN IN PILOTS OF A BELGIAN F-16 AIR DEFENCE WING

I. BIESEMANS, M. INGELS, and P. VANDENBOSCH (Belgian Air Force, Brussels.) /n AGARD, Neck Injury in Advanced Military Aircraft Environments 5 p Feb. 1990
 Copyright Avail: NTIS HC A10/MF A02; Non-NATO Nationals requests available only from AGARD/Scientific Publications Executive

Since the F-16 replaced the F-104 Starfighter in 1977, the pilots of the 1st deg Fighter Wing (1 deg FW) complained frequently from neck injuries sustained during and after their High + Gz interceptions. Until recently, Aerospace Medical community paid scant attention to this new clinical problem, although it was well known among pilots flying high performance aircraft (HPA) and flight surgeons. The results of an anonymous questionnaire, concerning neck problems in pilots flying the F-16 in an almost exclusive air to air role is communicated. A sample of 30 pilots answered these questionnaires in 1984 and in 1988. Analysis of these questionnaires showed 50 percent of the pilots reported having neck problems flying the F-16. No positive correlation between the age of the pilots and the prevalence of cervical pain could be demonstrated in this small group of fighter pilots. Subsequent factors in the neck injuries are the weight of the flying helmet as well as the combination of an inappropriate and insufficient physical training program. Neck injuries in pilots of HPA are a real occupational hazard and further long term follow up studies are needed to assess an eventually cumulative effect of repetitive high G loading on the cervical spine. Author

N90-25463# Royal Norwegian Air Force, Oslo. Inst. of Aviation Medicine.

RADIOLOGICAL INVESTIGATION OF THE VERTEBRAL COLUMN OF CANDIDATES FOR MILITARY FLYING TRAINING THE THE ROYAL NORWEGIAN AIR FORCE

HARALD T. ANDERSEN /n AGARD, Neck Injury in Advanced Military Aircraft Environments 6 p Feb. 1990
 Copyright Avail: NTIS HC A10/MF A02; Non-NATO Nationals requests available only from AGARD/Scientific Publications Executive

Neck injury with associated pain in the cervical spine and its supporting structures of ligaments and muscles are frequent complaints among aviators flying high performance fighter (HPF) aircraft. Two recent surveys conducted among air crew of the United States Air Force (USAF) and the United States Navy (USN), respectively, report incidences of neck pain incurred during flight of approximately 50 and 75 percent in these two HPF pilot populations (Knudsen et al., 1988, Vanderbeek 1988). Muscular pain, ruptured ligaments, sliding vertebrae and compression fractures were described resulting from violent maneuvering during HPF air combat exercises (Andersen 1988). The cervical spinal column carries a heavy load during high-G accelerations supporting the head and various pieces of personal flying equipment. This top - heaviness is expected to increase further with night vision goggles and integrated weapon systems control devices added in an attempt to extend operable conditions. Moreover, since the aeromedical emphasis was on developments supporting cardio-vascular and respiratory functions, the neck and the delicate structures of vessels and nerves running with it are becoming increasingly vulnerable to damage. Literarily speaking, the neck has become pinched between the desire to add weight to the

head for purposes other than protection, and, the support to cardio-vascular and respiratory organ systems which allows additional intensity and time spent during excursions into the high-G environment. For these reasons, and because the vertical column is relatively inaccessible to clinical examination, the medical selection procedures for military flying training with the Royal Norwegian Air Force (RNoAF) were extended some years ago to include a series of roentgen films of the vertebral column with emphasis on the cervical spine. Main findings and their consequences for admission to military flying training are presented. Author

N90-25464# Royal Norwegian Air Force, Oslo.

DATA ANALYSIS IN CERVICAL TRAUMA

LEIF-A. LEVIN, HARALD T. ANDERSEN, LEON E. KAZARIAN, PATRICK HAYES, and HARALD U. SVERDRUP (Oslo Emergency Medical Center, Norway) /n AGARD, Neck Injury in Advanced Military Aircraft Environments 5 p Feb. 1990

Copyright Avail: NTIS HC A10/MF A02; Non-NATO Nationals requests available only from AGARD/Scientific Publications Executive

The curvature of the cervical spine in lateral view is discussed and a method based on statistical analysis is used to reproduce quantitative data of the curvature. Part 1 is a study based on the lateral view in the neutral position in 142 aviators. The radiograms are divided in 3 main groups: normal cervical lordosis; marked straightening of the cervical spine; segmental straightening with reversal of the curve. Part 2 discusses the use of the digital analysis to determine the displacement in subjects that have sustained ligamentous injuries of the cervical spine following whiplash injury. Author

N90-25465# National Defence Medical Centre, Ottawa (Ontario). Rehabilitation Centre.

PROGRESSIVE CERVICAL OSTEOARTHRITIS IN HIGH PERFORMANCE AIRCRAFT PILOTS

MARTIN H. GILLEN and DENIS RAYMOND /n AGARD, Neck Injury in Advanced Military Aircraft Environments 6 p Feb. 1990
 Copyright Avail: NTIS HC A10/MF A02; Non-NATO Nationals requests available only from AGARD/Scientific Publications Executive

Thirty-one pilots who were subjected to a repetitive +G(sub z) environment were evaluated clinically and roentgenographically against age and sex-matched controls. Analyses demonstrated significant deterioration in the young pilot groups compared to controls in terms of neck range of motion, osteophytic spurring at C5/C6 and disc space narrowing at C4/5 and C5/6. While the pilots remain relatively asymptomatic during their flying career, they may be at greater risk for symptomatic cervical disease later in life. The +G(sub z) environment appears to play a role in an accelerated rate of cervical osteoarthritis in high performance pilots. This must be taken into consideration when systems that will increase the longitudinal impact load on the neck are being contemplated. Author

N90-25466# Amsterdam Univ. (Netherlands). Academisch Medisch Centrum.

ELECTRONYSTAGMOGRAPHIC FINDINGS FOLLOWING CERVICAL INJURIES

W. J. OOSTERVELD, H. W. KORTSCHOT, G. G. KINGMA, H. A. A. DEJONG, and M. R. SAATCI /n AGARD, Neck Injury in Advanced Military Aircraft Environments 4 p Feb. 1990
 Copyright Avail: NTIS HC A10/MF A02; Non-NATO Nationals requests available only from AGARD/Scientific Publications Executive

The biomechanical model of the head-neck system pursuits a whole spectrum of movements in all planes of motion and for a variety of speeds. The muscle actions are constrained by the physical properties of the vertical column, whose articulations differ in their ranges and directions of mobility. This model has three types of elements: the flexible beams; the rigid mass of the head; and the neck muscle complex. Origins and insertions, axial rotation and muscle tensions can be approximated easily, so that the

resulting peak static torques are compatible with the known torques generated voluntarily in various directions. All types of rotational movements can be performed with this construction, while the axis of rotation changes automatically with changing conditions. The neck muscle system has eight neural controller locations and eight locations for sensory feed-back. It is clear that the complicated network of muscles and neural mechanisms makes the cervical area vulnerable to traumata. Among the blunt traumas to the cervical region are the acceleration-deceleration accidents, better known as cervical whiplash injuries. One hundred and seventy-three patients, suffering from the consequences of an acceleration accident of the neck were investigated during the last two years. All patients acquired the trauma at an automobile accident. The patients visited the department because of consistent complaints as headache, dizziness, tinnitus and visual disturbances. In all patients an ENT investigation, audiometry, vestibulometry and visual tracking tests were performed. Although all patients had the type of injury in common, combinations of complaints differed considerably. The results of the examinations are discussed.

Author

N90-25467# Naval Air Systems Command, Washington, DC. Escape Systems.

AIRCREW NECK INJURIES: A NEW, OR AN EXISTING, MISUNDERSTOOD PHENOMENON

FREDERICK C. GUILL and G. RONALD HERD /In AGARD, Neck Injury in Advanced Military Aircraft Environments 12 p Feb. 1990

Copyright Avail: NTIS HC A10/MF A02; Non-NATO Nationals requests available only from AGARD/Scientific Publications Executive

The first U.S. Navy ejection occurred on 9 August 1949. Since then, the Navy has experienced 4,335 ejections through March 1988. The first serious neck injury, a paracervical strain, associated with an ejection occurred on 20 February 1953. That injury, also, was the Navy's first vertebral/paravertebral injury associated with ejection. Initially, assessment of such neck injuries was accomplished as simply another vertebral injury; however, in more recent years it has become more apparent that the cervical/paracervical injuries reported in connection with ejections do not exhibit the same pattern characteristics as other vertebral/paravertebral injuries. The injuries occur at different rates than would be expected based upon the rates of injury for other vertebral regions. Further, although a clear relationship between through-the-canopy ejection and higher incidence rates of vertebral injuries was established, (and a causal mechanism identified), that appeared not to be the case cervical/paracervical injuries. In addition, while vertebral/paravertebral injury incidence rates have fallen with the changes in catapult boost acceleration, cervical/paracervical injury incidence rates have steadily increased. Why cervical/paracervical injuries associated with ejection are increasing; why have they not declined as the injury incidence rates have for other spinal regions are examined. Anecdotal and statistical mishap data examined and compared in this and prior studies suggest that the answer might lie in the aircraft maneuvering capabilities and in the increased frequency of ejection during, or following, gyrations resulting from loss of control of aircraft. The answers obtained suggest that considerable caution needs to be exercised in the current trend to integrate manifold systems elements into aircrew helmets, especially in light of the man-limited capabilities of today's modern tactical aircraft.

Author

N90-25468# Duke Univ., Durham, NC. Dept. of Biomedical Engineering.

FLEXION, EXTENSION AND LATERAL BENDING RESPONSES OF THE CERVICAL SPINE

JAMES H. MCELHANEY, BRIAN J. DOHERTY, JACQUELINE G. PAVER, BARRY S. MYERS, and LINDA GREY /In AGARD, Neck Injury in Advanced Military Aircraft Environments 10 p Feb. 1990

(Contract R49/CCR402396-02)

Copyright Avail: NTIS HC A10/MF A02; Non-NATO Nationals

requests available only from AGARD/Scientific Publications Executive

The lateral, anterior, and posterior passive bending responses of the human cervical spine were investigated using unembalmed cervical spinal elements obtained from cadavers. Bending stiffness was measured in six modes ranging from tension-extension through compression-flexion. A five-axis load cell was used to establish the end conditions. Results include moment-angle curves, relaxation moduli and the effect of cyclic conditioning on bending stiffness. The Hybrid 3 ATD neck was also tested and its responses are compared with the human. It was observed that the Hybrid 3 neck was more rate sensitive than the human, that mechanical conditioning significantly changed the stiffness of the human specimens, and that changing the end-condition from pinned-pinned to fixed-pinned increased the stiffness by a large factor. The bending stiffness was significantly influenced by the direction of the bending moment, the type of end restraint, the magnitude of the deformation and the previous deformation history. The shear force produced by the end conditions was an important factor in the applied moment. This shear force not only changes the moment acting on the specimen but also influences the failure mode. These experiments indicate that when the loading is eccentric (as it almost always is), the primary deformation mode is bending, and the moment applied to the specimen is strongly influenced by shear forces and the magnitude of the eccentricity. The axial load is therefore a poor indicator of the type and magnitude of failure stresses. MR and CT was used to visualize the damage after loading. When compared to the dissection results MR was clearly superior to CT in detecting soft tissue and ligamentous injuries.

Author

N90-25469# Naval Biodynamics Lab., New Orleans, LA.

A KINEMATIC/DYNAMIC MODEL FOR PREDICTION OF NECK INJURY DURING IMPACT ACCELERATION

MARC S. WEISS, S. J. GUCCIONE, JR., and TERRY A. WATKINS (New Orleans Univ., LA.) /In AGARD, Neck Injury in Advanced Military Aircraft Environments 6 p Feb. 1990

Copyright Avail: NTIS HC A10/MF A02; Non-NATO Nationals requests available only from AGARD/Scientific Publications Executive

A statistical study was made of six head kinematic response curves for a set of 57 human and 29 animal (rhesus) -X impact acceleration tests conducted at the Naval Biodynamics Laboratory. The acceleration levels ranged from six to fifteen g's for humans and 42 to 106 g's for animals. The six analyzed responses included the X and Z components of the linear acceleration and displacement and the Y axis angular acceleration and displacement. Each head kinematic response variable was nonlinearly regressed on sled acceleration profile and head orientation parameters. Regression equations for rhesus and human kinematics had the same exponential functional form with correlations ranging from 0.50 to 0.95. Statistical measures of goodness-of-fit were highly significant. The results confirm that the rhesus head/neck is a good biomechanical model for the human. Extension of this approach can lead to the scaling of kinematics between humans and animals which can be used to develop an injury prediction model for humans. Future applications include re-analysis of previous results on the effects of mass distribution parameters on head/neck dynamic response.

Author

N90-25470# Erasmus Univ., Rotterdam (Netherlands). Dept. of Biomedical Physics.

ANALYSIS OF THE BIOMECHANIC AND ERGONOMIC ASPECTS OF THE CERVICAL SPINE UNDER LOAD

C. J. SNIJDERS and E. R. ROOSCH (Royal Netherlands Air Force, Soesterberg.) /In AGARD, Neck Injury in Advanced Military Aircraft Environments 8 p Feb. 1990

Copyright Avail: NTIS HC A10/MF A02; Non-NATO Nationals requests available only from AGARD/Scientific Publications Executive

In high performance aircraft complicated loading situations arise, e.g., when the head of the flier is turned backwards and rapid accelerations appear. To obtain more insight in the forces

on the cervical spine a spatial biomechanical computer model was introduced. The research started with the development of a kinematic model which imposes the axes of rotation and mutual position of head and vertebrae in relation to flexion, extension, lateroflexion, and torsion. Subsequently lines of action of muscle forces were introduced as well as external loads acting on the center of mass of head and helmet born by gravity and by accelerations in different directions. Measurements were carried out of accelerations and head positions during several flights, a.o. representing air combat. Next, with the help of the biomechanical model, forces in vertebrae and muscles could be estimated. Although in the present stage of the research results of calculations must be interpreted carefully, conclusions can be drawn with respect to sitting posture, head position and helmet devices. Maximal forces calculated appear to be rather high. However, too few data on failure behavior exist to draw conclusions as to (long term) detrimental effects. Author

N90-25471# Calspan Corp., Buffalo, NY.

EFFECTS OF HEAD MOUNTED DEVICES ON HEAD-NECK DYNAMIC RESPONSE TO +G(SUB Z) ACCELERATIONS
 EBERHARDT PRIVITZER and INTS KALEPS (Aerospace Medical Research Labs., Wright-Patterson AFB, OH.) /n AGARD, Neck Injury in Advanced Military Aircraft Environments 14 p Feb. 1990

Copyright Avail: NTIS HC A10/MF A02; Non-NATO Nationals requests available only from AGARD/Scientific Publications Executive

An investigation is described which addresses the inertial loading effects of Head Mounted Device (HMD) on aviator head-neck-spine dynamic response during high +G(sub z) acceleration exposure. The primary objectives were to develop a methodology which could be used to establish limits on HMD inertial properties and to apply this methodology to the evaluation of the severity of the internal loads (occurring in the neck and upper spine) associated with certain specific HMD ensembles. The Head-Spine Model (HSM), a highly discretized, 3-D mathematical representation of the human head-spine-torso structure, was used to: establish a set of baseline response criteria (BRC); establish a preliminary methodology for setting limits on HMD inertial properties; and evaluate the severity of the loading associated with possible chemical defense (CD) ensembles. Author

N90-25472# Paris V Univ. (France). Lab. d'Anthropologie Appliquee.

DYNAMICAL MODIFICATIONS TO THE HEAD, LOAD FACTORS FROM ADDITIONAL WEIGHT [MODIFICATION DE LA DYNAMIQUE DE LA TETE, CHARGEE PAR DES MASSES ADDITIONNELLES]

P. Y. HENNION, A. COBLENTZ, and R. MOLLARD /n AGARD, Neck Injury in Advanced Military Aircraft Environments 8 p Feb. 1990 In FRENCH

Copyright Avail: NTIS HC A10/MF A02; Non-NATO Nationals requests available only from AGARD/Scientific Publications Executive

Numerous devices impose upon the user added weight on the head. Their use is almost a technical requirement. It is rare that the restrictions caused by their use is considered at their conception. This idea was studied for a commonly used system. For the first time, the location of the center and moment of inertia was studied by a experimental method. The change in the inertia parameters of a head with a device which adds weight was precisely followed in an analysis of the movement of the center of inertia and the various moments of weight on a bare head, and in relation to the center of rotation which remains unchanged. The influence of added weight was observed on four subjects with motion measured and identified as defined by target sighting which caused the head to rotate in many directions without added weight. From a dynamical aspect, some variations in the level and duration of the rotation acceleration were raised in relation to the increase of inertia. The offset of the center of inertia was also induced by the vertical acceleration perturbation. This was confirmed by an increase of activity in cervical neck muscles, and from movement

of the head by use of muscles in the nape of the neck. Another observation of lesser import was obvious, the interference caused by the introduction of devices for the maintenance of posture. Some strong variations were seen in stabilograms while target sighting when in an upright position. This change in head dynamics leads to a perceptible loss of performance, as seen by errors and an increased response time in the sighting of aerial targets. Equipment designers do not think of operator efficiency when adding weight to the head with helmet mounted devices. It is established in this study that the functional senses of the operator must be considered as well as the increased inertia and performance criteria. Transl. by E.R.

N90-25473# Laboratoire de Medecine Aerospatiale, Bretigny-sur-Orge (France). Centre d'Essais en Vol.

MOBILITY OF THE HEAD AND LOAD EFFECTS: EXPERIMENTAL APPROACH IN A CENTRIFUGE [MOBILITE DE LA TETE ET FACTEUR DE CHARGE: APPROCHE EXPERIMENTALE EN CENTRIFUGEUSE]

A. LEGER, P. SANDOR, J. M. CLERE, and G. OSSARD /n AGARD, Neck Injury in Advanced Military Aircraft Environments 8 p Feb. 1990 In FRENCH

Copyright Avail: NTIS HC A10/MF A02; Non-NATO Nationals requests available only from AGARD/Scientific Publications Executive

The environment of modern combat pilots is very hazardous for the head-neck systems. The introduction of helmet mounted optronic systems caused even more problems with high G acceleration. Studies in centrifuges were used in order to show the influence of some environmental parameters (tilt of seat, high G and variations of acceleration forces) on head mobility. Two hundred and eighty centrifugal turns were made without causing traumatic injuries. The results show that up to 5 G, the head movements are changed very little. However, variations in the level of acceleration bring about perturbations of stability. The subsystems reflexes involved in head stabilization are influenced by voluntary control, these optional controls during aviation combat will be able to establish points of interest in the study of physiopathology of the pilot head-neck system. Transl. by E.R.

N90-25474# German Air Force, Fuerstenfeldbruck (Germany, F.R.). Inst. of Aerospace Medicine.

NECK INJURY PREVENTION POSSIBILITIES IN A HIGH-G-ENVIRONMENT EXPERIENCE WITH HIGH SUSTAINED +G(SUB Z) TRAINING OF PILOTS IN THE GAF IAM HUMAN CENTRIFUGE

W. H. WURSTER, J. LANGHOFF, and E. C. BURCHARD /n AGARD, Neck Injury in Advanced Military Aircraft Environments 6 p Feb. 1990

Copyright Avail: NTIS HC A10/MF A02; Non-NATO Nationals requests available only from AGARD/Scientific Publications Executive

New generations of high performance military aircraft are able to produce higher G-rates of onset, attain higher G-levels for prolonged periods and in the future will confront man and machine more often with changing acceleration peaks than previous fighter generations have. These enhanced performance capabilities will require additional anti-G protection equipment as well as special education and training of pilots to tolerate high-G environment levels so they can fulfill complex tasks during special inflight conditions without suffering from G-induced cardiovascular, pulmonary, cerebral or musculoskeletal problems. Therefore an extensive study in 238 young G-stress unexperienced pilot candidates (aged between 18 to 24 years) of the GAF - Officers' - Academy was performed within a period of 23 months (1 Oct. 1985 to 1 Sep. 1987) who participated in a high-G training program as volunteers with more than 1250 centrifuge rides partially up to +8 G(sub z) for 30 sec on the GAF IAM Human Centrifuge. By means of an anonymous questionnaire answered by the pilot candidates immediately after G(sub z) exposure and post-acceleration check-up, different data were obtained. The intention of this investigation was in maintaining vision and consciousness as well as neck injury prevention at high sustained

+G(sub z) levels in G-unexperienced pilot candidates. The findings in the search for methods to protect a subject under +G(sub z) stress in the human centrifuge from G-induced symptoms, especially of potential cervical spine problems, are described.

Author

N90-25475# Association Peugeot-Renault, Nanterre (France). Lab. de Physiologie et de Biomecanique.

RISK OF CERVICAL INJURY IN REAL AND SIMULATED ACCIDENTS [RISQUE DE LESIONS CERVICALES EN ACCIDENTS REELS ET SIMULES]

C. TARRIERE, J. Y. FORET-BRUNO, J. Y. LECOZ, C. GOT, and F. GUILLON (Hopital Raymond Poincare, Garches, France) *In* AGARD, Neck Injury in Advanced Military Aircraft Environments 17 p Feb. 1990 *In* FRENCH

Copyright Avail: NTIS HC A10/MF A02; Non-NATO Nationals requests available only from AGARD/Scientific Publications Executive

The Lab of Physiology and Biomechanics in association with PSA and Renault made use of two sources of data which adds to the understanding of risk and mechanics associated with vertebral injury. The data is from real multidisciplinary tests of 6589 vehicle occupants involved in accidents with body injuries and 9789 injuries involving the front seat of a vehicle and from 375 experimental tests with cadavers (simulated frontal and lateral, free fall, collision tests, etc.). The first part is essentially about the risk of vertebral injury with or without direct impact on the head with only seat belt simulated in different types of real accidents. The second part concerns the tests with cadavers which gives a better understanding of the mechanics of vertebral injury, thanks to the measurement of different physical parameters (maximum angle of head-chest, speed and angular acceleration, etc.).

Transl. by E.R.

N90-25476# Waterloo Univ. (Ontario). Dept. of Kinesiology.

A COMPUTER SIMULATION MODEL FOR STUDYING CERVICAL SPINE INJURY PREVENTION

P. J. BISHOP and R. P. WELLS *In* AGARD, Neck Injury in Advanced Military Aircraft Environments 5 p Feb. 1990

Copyright Avail: NTIS HC A10/MF A02; Non-NATO Nationals requests available only from AGARD/Scientific Publications Executive

Cervical spine fractures, particularly of the burst type due to axial compressive loading of the spine, are a problem in sports and transportation. Such injuries are usually associated with a head first collision, in which the head strikes a rigid surface (e.g., windscreen, dashboard, etc.), with the neck partially to fully flexed. A computer simulation model was developed as one means by which protective devices can be evaluated. The model consists of two rigid masses (head and torso), three spring elements (dashpots and non-linear springs) representing the neck and the compliance of the cranium and scalp, and three optional spring elements taken to represent the characteristics of the protective devices. Simulations using the model, at impact velocities of 1.8 and 3.0 m/sec, suggest that to maintain cervical spine loads at a non-injurious level (e.g., below 20000N) requires a padding material thickness incompatible with wearing a helmet.

Author

N90-25477# Institut de Recherche de Transports, Bron (France). Lab. de Chocs et de Biomecanique.

BIOFIDELITY OF A DUMMY'S NECK DURING AUTOMOBILE COLLISION TESTING [BIOFIDELITE DES COUS DE MANNEQUINS AU COURS DES ESSAIS DE CHOCS AUTOMOBILES]

R. WILLINGER and D. CESARI *In* AGARD, Neck Injury in Advanced Military Aircraft Environments 11 p Feb. 1990 *In* FRENCH

Copyright Avail: NTIS HC A10/MF A02; Non-NATO Nationals requests available only from AGARD/Scientific Publications Executive

Dummies are widely used in research on the protection of automobile passengers. The dummies were designed for use in acquiring knowledge of the biomechanics of the human body

subjected to collisions. The necks of some of the dummies were designed in such a way as to behave similar to those of humans. Herein, an analysis is proposed based also on a bibliographic survey, of the 3-D kinematics of the heads of dummies (SID, Hybrid 3, and EUROSID) with the object of studying their biofidelity. Generally, the biofidelity is better in frontal as opposed to lateral collisions. This is essentially explained by the fact that the head rotation around its vertical axis is not taken into account in the design of dummies. The biofidelity and performance of dummies rest on the biomechanic conclusions sometimes drawn from cadavers. The validity of these tests is studied along with suggestions for future testing.

Transl. by E.R.

N90-25478# Organisatie voor Toegepast Natuurwetenschappelijk Onderzoek, Delft (Netherlands). Road-Vehicles Research Inst.

OMNI-DIRECTIONAL HUMAN HEAD-NECK RESPONSE

Abstract Only

J. WISMANS *In* AGARD, Neck Injury in Advanced Military Aircraft Environments 1 p Feb. 1990 Presented at the 1986 STAPP Car Crash Conference

(SAE-861893) Copyright Avail: NTIS HC A10/MF A02;

Non-NATO Nationals requests available only from

AGARD/Scientific Publications Executive

The Naval Biodynamics Laboratory (NBDL) in New Orleans has conducted an extensive research program over the past years to determine the head-neck response of volunteers to impact acceleration. These subjects were exposed to impacts in frontal, lateral, and oblique directions. An analysis of a limited number of frontal and lateral tests from a test series conducted in the late seventies with two subjects showed that the observed head-neck dynamics can be described by means of a relatively simple 2-pivot analog system. This analysis is extended to a more recent NBDL test program with 16 human subjects. The database consists of 119 frontal, 72 lateral, and 62 oblique tests. The research methodology used for this analysis includes a detailed description of three-dimensional kinematics as well as load calculations near T1 and the occipital condyles. A description of this research methodology and a summary of the major test results is presented. Special attention is given to the influence of impact severity and impact direction on the head-neck dynamics. It is shown that a similar analog system as proposed earlier for frontal and lateral impacts is suitable for all impact directions. Geometrical properties of this analog were determined by means of newly developed numerical techniques rather than through the graphical techniques that were used earlier. Findings of this analysis are discussed in view of future omni-directional mechanical neck developments.

Author

N90-25479# Naval Air Development Center, Warminster, PA. **MEASUREMENT TECHNIQUES, EVALUATION CRITERIA AND INJURY PROBABILITY ASSESSMENT METHODOLOGIES DEVELOPED FOR NAVY EJECTION AND CRASHWORTHY SEAT EVALUATIONS**

GEORGE D. FRISCH, LAWRENCE E. KINKER, and PAUL H. FRISCH (Applied Physics, Inc., Nanuet, NY.) *In* AGARD, Neck Injury in Advanced Military Aircraft Environments 8 p Feb. 1990

Copyright Avail: NTIS HC A10/MF A02; Non-NATO Nationals requests available only from AGARD/Scientific Publications Executive

Head and neck injuries are of particular concern to Navy researchers and extensive programs were initiated to address head and neck response of both live human subjects and human analogs to crash impact forces. This concern was somewhat heightened by the apparently conflicting operational requirements of having canopy penetration as the principal means of ejection in several aircraft prototypes, coupled to the requirement of introducing night vision capability in attack aircraft. The latter will most probably lead to increased helmet volume, and possibly weight, which increases the probability of helmet canopy acrylic interaction during canopy penetration. Increased helmet weight and center of gravity shifts, together with altered helmet to head coupling, will certainly change head and neck response to even presumably safe exposure levels. In order to adequately parameterize head and neck response

and relate the gathered data to known living human subject and cadaver data, both inertial response and load data must be obtained at well defined, anatomically correctable points. A modified Hybrid 3 type head and neck complex was developed, ballasted to be in compliance with Navy generated head and neck mass distribution parameters, and fully instrumented at the head center of gravity (CG), occipital condyles, and the base of the neck. The fully instrumented head and neck system was utilized to evaluate various helmet configurations and the effect on head and neck response with changes in helmet weight and geometry. Additionally, neck extension, compression, shear forces, and torques were obtained during dynamic ejection tests ranging from 0/0 to 720 KEAS. At the higher speeds, the effects of aerodynamic lift can be identified on the monitored neck compression-tension values. With such data, injury modalities and probabilities can be addressed in considerably greater detail than the present norm and the effectiveness of protective equipment established.

Author

N90-25480* National Aeronautics and Space Administration, Washington, DC.

AEROSPACE MEDICINE AND BIOLOGY: A CUMULATIVE INDEX TO A CONTINUING BIBLIOGRAPHY (SUPPLEMENT 332)

Jan. 1990 178 p

(NASA-SP-7011(332); NAS 1.21:7011(332)) Avail: NTIS HC A11; NTIS standing order as PB89-912300, \$18.00 domestic, \$36.00 foreign CSCL 06/5

This publication is a cumulative index to the abstracts contained in Supplements 320 through 331 of Aerospace Medicine and Biology: A Continuing Bibliography. Seven indexes are included -- subject, personal author, corporate source, foreign technology, contract number, report number and accession number. Author

N90-25481* National Aeronautics and Space Administration, Washington, DC.

AEROSPACE MEDICINE AND BIOLOGY: A CONTINUING BIBLIOGRAPHY WITH INDEXES (SUPPLEMENT 337)

Jun. 1990 123 p

(NASA-SP-7011(337); NAS 1.21:7011(337)) Avail: NTIS HC A06; NTIS standing order as PB90-912300, \$11.50 domestic, \$23.00 foreign CSCL 06/5

This bibliography lists 400 reports, articles and other documents introduced into the NASA Scientific and Technical Information System during May 1990. Subject coverage includes: aerospace medicine and psychology, life support systems and controlled environments, safety equipment, exobiology and extraterrestrial life, and flight crew behavior and performance. Author

N90-25482* National Aeronautics and Space Administration, Washington, DC.

AEROSPACE MEDICINE AND BIOLOGY: A CONTINUING BIBLIOGRAPHY WITH INDEXES (SUPPLEMENT 338)

Jul. 1990 57 p

(NASA-SP-7011(338); NAS 1.21:7011(338)) Avail: NTIS HC A04; NTIS standing order as PB90-912300, \$11.50 domestic, \$23.00 foreign CSCL 06/5

This bibliography lists 139 reports, articles and other documents introduced into the NASA Scientific and Technical Information System during June 1990. Subject coverage includes: aerospace medicine and psychology, life support systems and controlled environments, safety equipment, exobiology and extraterrestrial life, and flight crew behavior and performance. Author

N90-25483# European Space Agency, Paris (France).

STUDIES ON PREDICTING THE RESYNCHRONIZATION OF THE CIRCADIAN SYSTEM AFTER TRANSMERIDIAN FLIGHTS
MICHAEL RIPKENS (Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt, Cologne, Germany, F.R.) May 1990 120 p Transl. into ENGLISH from Untersuchung zur Vorhersage der Resynchronisation des zirkadianen Systems nach transmeridianen Fluegen (Cologne, Fed. Republic of Germany, DFVLR), Feb. 1989 122 p Original language document was

announced as N90-12172

(ESA-TT-1177; DFVLR-FB-89-10; ETN-90-97079) Avail: NTIS HC A06/MF A01

Three flight experiments with 8 subjects each were carried out to study resynchronization in the circadian rhythms of different body functions after timeshifts of 6 and 9 hours. This was to examine whether the speed of adaptation could be predicted from the individual rhythm parameters of preflight control days. Significant correlations were found only in a few cases for some functions. Since, in addition, the reproducibility was too low, the hypothesis that it will be possible to predict the individual adaptation rate had to be rejected. This statement should not be generalized, as the number of subjects was too small and the procedure employed did not permit more general conclusions. ESA

N90-25484# European Space Agency, Paris (France).

BIOCHEMICAL AND PHYSIOLOGICAL CHANGES IN GLIDER PILOTS DURING MULTI-HOUR FLIGHTS

KLAUS GERECHT (Deutsche Forschungsanstalt fuer Luft- und Raumfahrt, Cologne, Germany, F.R.) May 1990 106 p Transl. into ENGLISH from Biochemische und physiologische Veraenderungen bei Piloten von Sogelflugzeugen waehrend laengerer Fluege (Cologne, Fed. Republic of Germany, DLR), Jun. 1989 118 p Original language document was announced as N90-13018

(ESA-TT-1183; DLR-FB-89-29; ETN-90-97082) Avail: NTIS HC A06/MF A01

Nine male glider pilots aged 21 to 43 years with above-average flight experience were investigated during 13 multi-hour glider flights. Blood and urine samples were taken before, during and after each flight. The results revealed a high sympathetic adrenomedullary and adrenocortical activity. Findings included a reduction in numbers of eosinophils, changes in blood lipid fractions due to induced lipolysis and an elevation of blood sugar concentrations during the flight going back to normal shortly after landing. Excretion of epinephrine was highest during the preflight period showing a high level of anticipatory stress, followed by moderate reductions during the flight as opposed to increasing excretion rates of norepinephrine and 17-hydroxycorticosteroids. This pattern possibly relates to a rise in fatigue with length of flight. Dehydration occurred in a spite of fluid-intake with high urinary output caused by pressure diuresis and kidney dysregulation induced by the Gauer-Henry-Reflex by hyperventilation and half-supine position of the pilot in the glider plus undetermined losses via the skin and lungs. Subsequently loss of weight and elevated haematocrit were noted. Reduced serum potassium concentrations associated with more alkaline urine represent sequelae of hyperventilation, which is commonly found in pilots under flight stress. ESA

N90-25485# European Space Agency, Paris (France).

EFFECTS OF A TIME ZONE SHIFT OF 9 HOURS ON THE CIRCADIAN RHYTHMS IN COCKPIT AIRCREW MEMBERS ON LONGHAUL FLIGHTS

SILKE RUTH HASENCLEVER (Deutsche Forschungsanstalt fuer Luft- und Raumfahrt, Cologne, Germany, F.R.) May 1990 83 p Transl. into ENGLISH from Auswirkungen einer Zeitonenverschiebung von 9 Stunden auf die zirkadiane Rhythmik von Cockpitbesatzungen bei Langstreckenfluegen (Cologne, Fed. Republic of Germany, DLR), Jun. 1989 94 p Original language document was announced as N90-13019

(ESA-TT-1185; DLR-FB-89-31; ETN-90-97084) Avail: NTIS HC A05/MF A01

For 12 aircrew members on a flight schedule which crossed nine time zones, data for heart rate, temperature and the excretion of certain hormone metabolites and electrolytes in urine were continuously collected over a 7-day period, then analyzed for circadian rhythms. The results of rhythm analysis of these parameters are set out and the significance of such disruptions in body rhythm for this occupational group is illustrated. ESA

N90-25542*# National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

USEFULNESS OF HEART MEASURES IN FLIGHT SIMULATION
 RANDALL L. HARRIS, SR., GREGORY A. BONADIES, and J. RAYMOND COMSTOCK, JR. In NASA, Lyndon B. Johnson Space Center, Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) p 353-359 Mar. 1990
 Avail: NTIS HC A99/MF A04 CSCL 06/16

The results of three studies performed at the NASA Langley Research Center are presented to indicate the areas in which heart measures are useful for detecting differences in the workload state of subjects. Tasks that involve the arousal of the sympathetic nervous system, such as landing approaches, were excellent candidates for the use of average heart-rate and/or the increase in heart-rate during a task. The latter of these two measures was the better parameter because it removed the effects of diurnal variations in heart-rate and some of the intersubject variability. Tasks which differ in the amount of mental resources required are excellent candidates for heart-rate variability measures. Heart-rate variability measures based upon power spectral density techniques were responsive to the changing task demands of landing approach tasks, approach guidance options, and 2 versus 20 second interstimulus-intervals of a monitoring task. Heart-rate variability measures were especially sensitive to time-on-task when the task was characterized by minimal novelty, complexity, and uncertainty (i.e., heart-rate variability increases as a function of the subjects boredom). Author

N90-26484# Air Force Human Resources Lab., Williams AFB, AZ. Operations Training Div.

EYE TRACKING DEVICE FOR THE MEASUREMENT OF FLIGHT PERFORMANCE IN SIMULATORS Final Technical Report, Oct. 1987 - Apr. 1989

KEVIN W. DIXON, VICTORIA A. ROJAS, GRETCHEN M. KRUEGER, and LUKE SIMCIK Brooks AFB, TX AFSC Mar. 1990 13 p
 (AD-A220075; AFHRL-TP-89-18) Avail: NTIS HC A03/MF A01 CSCL 06/16

The use of an eye position monitor as a research tool for evaluating the field-of-view (FOV) requirements for simulator visual systems is discussed. Traditional evaluation methods rely on the use of pilot opinion and/or objective pilot performance measures. Neither provides a direct index of the pilot's visual behavior under alternative FOV conditions. Without a direct measure, interpretation of data is often problematic. The use of an eye position monitor provides a useful adjunct to these traditional methods. Described here are the system architecture, initial implementation, advantages and limitations, and future application. GRA

N90-26485*# National Aeronautics and Space Administration. John F. Kennedy Space Center, Cocoa Beach, FL.

HEMODYNAMIC AND ADH RESPONSES TO CENTRAL BLOOD VOLUME SHIFTS IN CARDIAC-DENERVATED HUMANS

V. A. CONVERTINO, C. A. THOMPSON, B. A. BENJAMIN, L. C. KEIL, W. M. SAVIN, E. P. GORDON, W. L. HASKELL, J. S. SCHROEDER, and H. SANDLER (National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.) 1990 29 p

(Contract NAS10-10285)
 (NASA-TM-103471; NAS 1.15:103471) Avail: NTIS HC A03/MF A01 CSCL 06/16

Hemodynamic responses and antidiuretic hormone (ADH) were measured during body position changes designed to induce blood volume shifts in ten cardiac transplant recipients to assess the contribution of cardiac and vascular volume receptors in the control of ADH secretion. Each subject underwent 15 min of a control period in the seated posture, then assumed a lying posture for 30 min at 6 deg head down tilt (HDT) followed by 20 min of seated recovery. Venous blood samples and cardiac dimensions (echocardiography) were taken at 0 and 15 min before HDT, 5, 15, and 30 min of HDT, and 5, 15, and 30 min of seated recovery. Blood samples were analyzed for hematocrit, plasma osmolality, plasma renin activity (PRA), and ADH. Resting plasma volume

(PV) was measured by Evans blue dye and percent changes in PV during posture changes were calculated from changes in hematocrit. Heart rate (HR) and blood pressure (BP) were recorded every 2 min. Results indicate that cardiac volume receptors are not the only mechanism for the control of ADH release during acute blood volume shifts in man. Author

N90-26486# Tel-Aviv Univ. (Israel).

ADJUSTMENT AND VALIDATION OF THE MATHEMATICAL PREDICTION MODEL FOR SWEAT RATE, HEART RATE, AND BODY TEMPERATURE UNDER OUTDOOR CONDITIONS Final Report, 7 Oct. 1985 - 7 Oct. 1987

Y. SHAPIRO, D. MORAN, and Y. EPSTEIN Aug. 1989 53 p
 (Contract DAMD17-85-G-5044; DA PROJ. 3E1-62777-A-879)
 (AD-A222599) Avail: NTIS HC A04/MF A01 CSCL 06/1

The Military Ergonomics Division at USARIEM has developed, based on their indoor laboratory studies, individual predictive equations for rectal temperature (Tre) and sweat loss (msw). These primary physiological inputs serve in a comprehensive model that predicts the expected physical work/rest cycle, the maximum single physical work time, and the associated water requirements. These predictive equations were studied in order to validate, and if necessary to adjust, and model for use under outdoor conditions with special reference to soldiers wearing CB protective garments. GRA

N90-26487# Navy Experimental Diving Unit, Panama City, FL.

ARCTIC COLD WEATHER MEDICINE AND ACCIDENTAL HYPOTHERMIA Final Report

JOHN A. STERBA Mar. 1990 31 p
 (AD-A223090; NEDU-2-90) Avail: NTIS HC A03/MF A01 CSCL 06/5

Arctic ice camp diving operations require routine and emergency medical care to be provided by a U.S. Navy Corpsman trained as a Diving Medical Technician (DMT). This report will discuss common medical illnesses and injuries that occur in the Arctic. It is based on a review of medical and operational literature and a recent deployment to the Arctic. Topics discussed in this report include: cold acclimatization, recommendations for staying warm, conducting sick call and common medical problems such as dehydration, skin conditions, upper respiratory conditions, cold injuries including nonfreezing cold injury and frostbite, eye conditions, infectious diseases, psychological stresses, and common accidents and injuries encountered in the Arctic. Due to much controversy in the medical and lay literature, the field treatment of hypothermia is discussed separately, reviewing both medical research and current treatment guidelines. GRA

53

BEHAVIORAL SCIENCES

Includes psychological factors; individual and group behavior; crew training and evaluation; and psychiatric research.

A90-42663

PILOT - MENTAL AND PHYSICAL PERFORMANCE

DAVID C. EDWARDS (Iowa State University, Ames) Ames, IA, Iowa State University Press, 1990, 224 p. refs
 Copyright

Physical and psychological factors affecting the performance of pilots are discussed; the treatment is general, but the emphasis is on the general-aviation case. Topics addressed include vision, hearing, and the equilibratory senses; perception in flight; perception of cockpit information; the psychology of aircraft controls; learning and memory; effective flight training; decision-making; reasoning, problem solving, and planning; and control of attention. Consideration is given to work load and time sharing, body responses to flying conditions, sleep and biological

rhythms, boredom and fatigue, stress and distress, psychopathology, and judgement and pilot error. T.K.

A90-43381#

AGE-RELATED CHANGES IN PERFORMANCE OF PILOTS

KYOICHI NAGATSUKA, YOSHINORI TAKEUCHI, and YUKO NAGASAWA Japan Air Self Defense Force, Aeromedical Laboratory, Reports (ISSN 0023-2858), vol. 30, Sept. 1989, p. 35-44. In Japanese, with abstract in English. refs

Three performance tests, measuring fundamental aspects of piloting were imposed to 147 JASDF pilots in order to see the effects of aging. The tests were an attention distribution test to measure concentration and distribution of attention, a sensori-motor coordination test to measure tracking performance, and a short term-memory test to measure memory-span. Pilots in their 40s showed significant decreases of performance in the attention distribution test, and in the short-term memory test, as compared with those pilots who were in their 20s and 30s. No aging effect was seen in the sensori-motor coordination test which required the quick sensori-motor functions. Author

A90-43383#

PILOTS' LEARNING ABILITIES AND THEIR AGES IN AIRCRAFT TRANSITION TRAININGS. I - ANALYSIS OF FINAL GRADES IN TRANSITION TRAININGS

MIYAKO OKAUE and ZENJI TAKASHIMA Japan Air Self Defense Force, Aeromedical Laboratory, Reports (ISSN 0023-2858), vol. 30, Sept. 1989, p. 65-76. In Japanese, with abstract in English. refs

Test results of pilots in transition courses are analyzed to determine which effect is greatest on pilot's learning, the decline of abilities with aging or the transfer of flying experience from previous aircraft assignments. When a pilot's total flight hours were correlated with his age, the ratings of the experienced older pilots were usually higher than those of the younger less experienced pilots. Where flight experience before the transition was about the same but ages were different, ratings and ages were not correlated, and older pilots did not show higher ratings. Where flight missions were different for new aircraft types, the learning abilities of pilots in mission flight training were inferior to those of pilots whose flight missions were almost the same between the new and prior assignments. R.E.P.

A90-43384#

PILOTS' LEARNING ABILITIES AND THEIR AGES IN AIRCRAFT TRANSITION TRAININGS. II - QUESTIONNAIRE SURVEY TO STUDENT PILOTS AND THEIR INSTRUCTORS IN TRANSITION TRAININGS

MIYAKO OKAUE and ZENJI TAKASHIMA Japan Air Self Defense Force, Aeromedical Laboratory, Reports (ISSN 0023-2858), vol. 30, Sept. 1989, p. 77-92. In Japanese, with abstract in English. refs

A90-44629

THE EFFECTS OF ACOUSTIC ORIENTATION CUES ON INSTRUMENT FLIGHT PERFORMANCE IN A FLIGHT SIMULATOR

TERENCE J. LYONS, KENT K. GILLINGHAM, DON C. TEAS, WILLIAM R. ERCOLINE, and CAROLYN OAKLEY (USAF, School of Aerospace Medicine, Brooks AFB, TX) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 61, Aug. 1990, p. 699-706. refs

Copyright

An acoustic orientation instrument (AOI), in which airspeed was displayed as sound frequency, vertical velocity as amplitude modulation rate, and bank angle as right-left lateralization, was evaluated in a T-40 motion-based simulator. In this study, 15 pilots and 3 nonpilots were taught to use the AOI and flew simulated flight profiles under conditions of neither visual nor auditory instrumentation (NO INPUT), AOI signals only (AOI), T-40 instrumentation only (VISUAL), and T-40 instrumentation with AOI signals. Bank control under AOI was significantly better than under NO INPUT for all flying tasks. Bank control under VISUAL was

significantly better than under AOI only during turning and when performing certain complex secondary tasks. The pilots' ability to use the AOI to control vertical velocity and airspeed was less apparent. However, during straight-and-level flight, turns, and descents, the AOI provided the pilots with sufficient information to maintain controlled flight. Author

A90-44642

IN SEARCH OF AN INHERENT ORDERING OF VOWEL PHONEMES, OR DO PILOTS HEAR LIKE ENGINEERS DO?

VALERIE J. GAWRON and DITMAR H. BOCK (Calspan Advanced Technology Center, Buffalo, NY) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 61, Aug. 1990, p. 758-760. refs

Copyright

To test the hypothesis that formant frequencies might provide an inherent ordering scheme for vowel sounds, two groups of subjects were asked to place six Italian vowel phonemes (A, O, U, AE, E, and I) into the most musically pleasing order. A subsequent chi-sq analysis of selections of the first group (21 music students and engineers) indicated a reliable consistency in vowel order supporting the hypothesis. Analysis of the second group (12 pilots) did not indicate any consistent ordering. The results are discussed in terms of hearing damage associated with exposure to high-frequency aircraft noise. Author

N90-25486#

Human Engineering Labs., Aberdeen Proving Ground, MD.

THE ROLE OF ATTENTION IN INFORMATION PROCESSING IMPLICATIONS FOR THE DESIGN OF DISPLAYS Final Report

LYNN C. OATMAN Dec. 1989 44 p
(Contract DA PROJ. 1L1-61102-B-74-A)
(AD-A219252; HEL-TN-14-89) Avail: NTIS HC A03/MF A01
CSCL 05/2

A principal goal in human factors engineering (HFE) is to develop a theoretical and empirical basis for matching the attentional mechanisms of the human operator with the appropriate information portrayed by the visual display. Since a display serves as an interface between the human operator and a dynamic system, its structure and composition are critical to the operator's performance. A display compatible with the human operator's attention mechanisms will improve performance by allowing faster, more accurate information processing, and will minimize mental work load. The system designer has to predict which attention mechanism an operator will use in a specific task situation. A very effective human-system interface will result if the designer succeeds in matching the displayed information with the appropriate attention mechanism. GRA

N90-25487#

Eagle Technology, Inc., Winter Park, FL.

DEVELOPMENT OF A META-ANALYTIC TECHNIQUE TO ASSESS STRESS EFFECTS Final Technical Report, Sep. 1988 - Apr. 1989

JAMES E. DRISKELL, BRIAN MULLEN, and CHERYL L. BATCHELOR (Air Force Human Resources Lab., Wright-Patterson AFB, OH.) Mar. 1990 54 p Submitted for publication
(Contract F33615-88-C-0017; AF PROJ. 1710)
(AD-A220468; AFHRL-TP-89-19) Avail: NTIS HC A04/MF A01
CSCL 05/8

The true test of military systems and personnel is their ability to operate efficiently in the high stress combat environment. This is especially true in the field of combat maintenance, because the maintenance function is essential to maintaining the high rate of sorties required on the future battlefield. Yet maintenance personnel, although highly trained and skilled technicians, receive little preparation for the extreme stresses of the combat environment. The present effort takes a unique and innovative approach, utilizing a meta-analytic technique, to identify the stress factors that restrict or limit effective performance. Preliminary analyses examining the effects of time pressure, group pressure, and noise on performance indicate that this approach is technically sound and of significant practical value. GRA

N90-25488# Deutsche Forschungsanstalt fuer Luft- und Raumfahrt, Hamburg (Germany, F.R.). Abt. Luft- und Raumfahrtpsychologie.

THE PREDICTION OF PROFESSIONAL SUCCESS OF LICENCED PILOTS: THE VALIDITY OF FLIGHT EXPERIENCE IN COMPARISON WITH STANDARDIZED PSYCHOLOGICAL APTITUDE TESTS

PETER MASCHKE and HANS-JUERGEN HOERMANN Aug. 1989 41 p In GERMAN; ENGLISH summary (DLR-FB-89-53; ISSN-0171-1342; ETN-90-96457) Avail: NTIS HC A03/MF A01; DLR, VB-PL-DO, Postfach 40 60 58, 5000 Cologne, Fed. Republic of Germany, 15.50 DM

The predictive validities of a psychological aptitude test battery were determined in comparison with variables of flight experience. Rating obtained on a three level scale after the first line check served as the criterion. Univariate and multivariate statistical analyses revealed acceptable predictive validity for the psychological aptitude tests. In contrast, variables of flight experience did not contribute significantly to the prognosis of professional success. ESA

N90-25489# Deutsche Forschungsanstalt fuer Luft- und Raumfahrt, Hamburg (Germany, F.R.). Abt. Luft- und Raumfahrtpsychologie.

STUDY OF THE APPLICATION OF A STRESS REACTIVITY TEST IN PERSONNEL SELECTION Ph.D. Thesis - Wuerzburg Univ.

MANFRED BARBARINO Jun. 1989 81 p In GERMAN; ENGLISH summary (DLR-FB-89-54; ISSN-0171-1342; ETN-90-96458) Avail: NTIS HC A05/MF A01; DLR, VB-PL-DO, Postfach 40 60 58, 5000 Cologne, Fed. Republic of Germany, 27.50 DM

The application of reaction ability tests for personnel selection, designed to measure certain dimensions of personality, is discussed on the basis of an empirical study. The Tower of Hanoi was chosen as a reaction ability test in the context of German military pilot selection. The criteria for measuring reactions to stress include parameters of self-described feelings, coping strategies and psychological measures. Some parameters show the expected differences between control and experimental situation. Some selected reaction ability parameters prove to be sufficiently reliable and to correlate with other methods of the test battery. ESA

N90-25490# Deutsche Forschungsanstalt fuer Luft- und Raumfahrt, Hamburg (Germany, F.R.). Abt. Luft- und Raumfahrtpsychologie.

TOM: TEST OF MULTIPLE TASK PERFORMANCE, USER MANUAL

HANS-JUERGEN HOERMANN, DIETRICH MANZEY, and GEORG H. FINELL Oct. 1989 48 p (DLR-FB-89-60; ISSN-0171-1342; ETN-90-97010) Avail: NTIS HC A03/MF A01; DLR, VB-PL-DO, Postfach 40 60 58, 5000 Cologne, Fed. Republic of Germany, 18.50 deutsche marks

The capability to cope with several tasks at the same time as one of the most important aptitude characteristics of pilots is addressed. In order to assess this basic capability, a computerized test of multiple task performance (TOM) was developed. This test consists of four independent tasks which are given to the subject on a monitor and which have to be performed simultaneously: two tracking tasks, one choice-reaction time task, and one mental arithmetic task. Details of test application (including standardized texts for an instruction of subjects to be tested), test evaluation, and some guidelines for an interpretation of the test results are described in detail. First empirical results which prove the reliability and the predictive validity of the test for the selection of (student) pilots are presented. ESA

N90-25491# Deutsche Forschungsanstalt fuer Luft- und Raumfahrt, Hamburg (Germany, F.R.). Abt. Luft- und Raumfahrtpsychologie.

INTERNATIONAL APPLICATION OF THE DLR TEST-SYSTEM: FIRST YEAR OF COOPERATION WITH IBERIA IN PILOT SELECTION

DIETRICH MANZEY, HANS-JUERGEN HOERMANN, GABRIELE OSNABRUEGGE, and KLAUS-MARTIN GOETERS Jan. 1990 66 p

(DLR-FB-90-05; ISSN-0171-1342; ETN-90-97014) Avail: NTIS HC A04/MF A01; DLR, VB-PL-DO, Postfach 90 60 58, 5000 Cologne, Fed. Republic of Germany, 24 deutsche marks

During the first year of cooperation between DLR (Department of Aviation and Space Psychology) and the Spanish flag carrier Iberia, a parallel version of the German DLR test-system for the selection of student pilots was developed and applied in Spain. The results of the first selection campaigns and the statistical evaluation of the tests are reported. Comparisons between different groups of applicants (German and Spanish applicants, male and female Spanish applicants) are made. ESA

N90-25492 Institute for Perception RVO-TNO, Soesterberg (Netherlands). Vision Group.

ON THE RELATION BETWEEN VARIOUS LEVELS OF TARGET ACQUISITION Final Report

J. J. IVOS Oct. 1989 16 p Sponsored by Royal Netherlands Army (Contract A85/D/110)

(IZF-1989-38; TD-89-4139; ETN-90-96997) Copyright Avail: TNO Institute for Perception, P.O. Box 23, 3769 ZG Soesterberg, Netherlands

Laboratory target acquisition data were reanalyzed in order to determine the relation between different levels of target acquisition, such as detection, recognition and identification. It turns out that these levels essentially differ by a contrast difference in Z-probability score. Though the magnitude of the difference may differ, depending on the set of targets, an operational definition is proposed by $Z(\text{sub recognition})$ equal to $Z(\text{sub detection}) - 0.5$ and $Z(\text{sub identification})$ equal to $Z(\text{sub detection}) - 1$. This finding is very much at variance with the ACQUIR model of target acquisition. As a consequence detection, recognition and identification ranges are predicted to be far less different than predicted by ACQUIR. ESA

N90-25493 Institute for Perception RVO-TNO, Soesterberg (Netherlands).

PHIND, AN ANALYTICAL MODEL TO PREDICT TARGET ACQUISITION DISTANCE WITH IMAGE INTENSIFIERS Final Report

J. J. VOS and A. VANMEETEREN 23 Oct. 1989 29 p Sponsored by Royal Netherlands Army (Contract A85/D/110)

(IZF-1989-45; TD-89-4144; ETN-90-96998) Copyright Avail: TNO Institute for Perception, P.O. Box 23, 3769 ZG Soesterberg, Netherlands

A calculation scheme to predict the visual range with image intensifiers is further elaborated and quantified. As a result a simple calculation program, PHIND, is produced in FORTRAN, or to be run on a hand calculator. In this program the physical characteristics of the image intensifier and the observation conditions (target size and contrast and the meteorological visual range) have to be introduced. It then calculates the recognition distance for any value of the vertical illuminance. The program was tested against a sizeable experimental data set. The recognition distance for widely varying targets could be described on the basis of realistic physical target contrasts with respect to background, and a characteristic size which may be related to typical background clutter. ESA

N90-25494# European Space Agency, Paris (France).

DIFFERENTIAL PSYCHOLOGICAL ANALYSIS OF A COMPUTER-BASED AUDIO-VISUAL TEST OF VIGILANCE

PETER MASCHKE and GEORG H. FINELL (Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt, Hamburg, Germany, F.R.) May 1990 50 p Transl. into ENGLISH from Differentiellpsychologische Analyse eines Computergesteuerten audiovisuellen Vigilanztests (Hamburg, Fed. Republic of Germany, DFVLR), May 1988 48 p Original language document was announced as N89-13140

(ESA-TT-1136; DFVLR-FB-88-23; ETN-90-97073) Avail: NTIS HC A03/MF A01

An audio-visual vigilance test in which visual signals (pointer deflections) and auditory (letter) signals are presented simultaneously is investigated with regard to its differential and diagnostic value. The test subject pool consisted of 261 applicants for work as airline pilots and 241 applicants for work as air traffic controllers. Correlational and factorial analyses with reference tests indicate the existence of two independent vigilance constructs: signal detection and false alarms. For both test subject pools, these characteristics are adequately reliable, both visually and auditorily. ESA

N90-25539*# Aerospace Medical Research Labs., Wright-Patterson AFB, OH.

PERFORMANCE-BASED WORKLOAD ASSESSMENT:

ALLOCATION STRATEGY AND ADDED TASK SENSITIVITY

MICHAEL A. VIDULICH /in NASA, Lyndon B. Johnson Space Center, Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) p 329-335 Mar. 1990
Avail: NTIS HC A99/MF A04 CSCL 05/9

The preliminary results of a research program investigating the use of added tasks to evaluate mental workload are reviewed. The focus of the first studies was a reappraisal of the traditional secondary task logic that encouraged the use of low-priority instructions for the added task. It was believed that such low-priority tasks would encourage subjects to split their available resources among the two tasks. The primary task would be assigned all the resources it needed, and any remaining reserve capacity would be assigned to the secondary task. If the model were correct, this approach was expected to combine sensitivity to primary task difficulty with unintrusiveness to primary task performance. The first studies of the current project demonstrated that a high-priority added task, although intrusive, could be more sensitive than the traditional low-priority secondary task. These results suggested that a more appropriate model of the attentional effects associated with added task performance might be based on capacity switching, rather than the traditional optimal allocation model. Author

N90-25540*# Illinois Univ., Urbana-Champaign. Dept. of Psychology.

REAL-TIME MEASUREMENT OF MENTAL WORKLOAD: A FEASIBILITY STUDY

ARTHUR KRAMER, DARRYL HUMPHREY, ERIK SIREVAAG, and AXEL MECKLINGER /in NASA, Lyndon B. Johnson Space Center, Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) p 339-345 Mar. 1990
(Contract NAG2-308; N00014-89-J-1493)
Avail: NTIS HC A99/MF A04 CSCL 05/9

The primary goal of the study was to explore the utility of event-related brain potentials (ERP) as real-time measures of workload. To this end, subjects performed two different tasks both separately and together. One task required that subjects monitor a bank of constantly changing gauges and detect critical deviations. Difficulty was varied by changing the predictability of the gauges. The second task was mental arithmetic. Difficulty was varied by requiring subjects to perform operations on either two or three columns of numbers. Two conditions that could easily be distinguished on the basis of performance measures were selected for the real-time evaluation of ERPs. A bootstrapping approach was adopted in which one thousand samples of n trials ($n = 1, 3, 5 \dots 65$) were classified using several measures of P300 and Slow Wave amplitude. Classification accuracies of 85 percent were achieved with 25 trials. Results are discussed in terms of potential enhancements for real-time recording. Author

N90-26488*# Old Dominion Univ., Norfolk, VA. Dept. of Electrical and Computer Engineering.

INVESTIGATION OF AUTOMATED TASK LEARNING, DECOMPOSITION AND SCHEDULING Final Report, period ending 28 Feb. 1990

DAVID L. LIVINGSTON, GURSEL SERPEN, and CHANDRASHEKAR L. MASTI Jul. 1990 88 p

(Contract NAG1-962)

(NASA-CR-186791; NAS 1.26:186791) Avail: NTIS HC A05/MF A01 CSCL 05/9

The details and results of research conducted in the application of neural networks to task planning and decomposition are presented. Task planning and decomposition are operations that humans perform in a reasonably efficient manner. Without the use of good heuristics and usually much human interaction, automatic planners and decomposers generally do not perform well due to the intractable nature of the problems under consideration. The human-like performance of neural networks has shown promise for generating acceptable solutions to intractable problems such as planning and decomposition. This was the primary reasoning behind attempting the study. The basis for the work is the use of state machines to model tasks. State machine models provide a useful means for examining the structure of tasks since many formal techniques have been developed for their analysis and synthesis. It is the approach to integrate the strong algebraic foundations of state machines with the heretofore trial-and-error approach to neural network synthesis. Author

N90-26489# Universal Energy Systems, Inc., Dayton, OH.

THE RETRIEVAL OF INFORMATION FROM SECONDARY MEMORY: A REVIEW AND NEW FINDINGS Final Report, Sep. 1987 - Mar. 1988

DAVID L. STRAYER and ARTHUR F. KRAMER Dec. 1989 195 p

(Contract F33615-84-D-0505; AF PROJ. 2313)
(AD-A222760; AAMRL-TR-88-041) Avail: NTIS HC A09/MF A01 CSCL 05/8

Memory search was compared when the memorized items were either in primary or secondary memory. Distractor tasks were used to require secondary memory storage during a memory retrieval task. The additive effects of memory load and delay support the interpretation of separate retrieval and memory search processes. In a second experiment, event related potentials were used to examine the hypothesis that the increase in reaction time from primary to secondary memory was due to the insertion of a retrieval process prior to memory comparison. P300 latency data suggest that stimulus evaluation and response related processing are both affected by delay. GRA

54

MAN/SYSTEM TECHNOLOGY AND LIFE SUPPORT

Includes human engineering; biotechnology; and space suits and protective clothing.

A90-42700*# McDonnell-Douglas Space Systems Co., Huntington Beach, CA.

U.S. SPACE STATION FREEDOM WASTE FLUID DISPOSAL SYSTEM WITH CONSIDERATION OF HYDRAZINE WASTE GAS INJECTION THRUSTERS

BRIAN A. WINTERS (McDonnell Douglas Space Systems Co., Space Station Div., Huntington, Beach, CA) AIAA, SAE, ASME, and ASEE, Joint Propulsion Conference, 26th, Orlando, FL, July 16-18, 1990. 9 p. Research supported by NASA.
(AIAA PAPER 90-1944) Copyright

The results are reported of a study of various methods for propulsively disposing of waste gases. The options considered include hydrazine waste gas injection, resistojets, and eutectic salt phase change heat beds. An overview is given of the waste gas disposal system and how hydrazine waste gas injector thruster is implemented within it. Thruster performance for various gases are given and comparisons with currently available thruster models are made. The impact of disposal on station propellant requirements and electrical power usage are addressed. Contamination effects,

reliability and maintainability assessments, safety issues, and operational scenarios of the waste gas thruster and disposal system are considered. C.D.

A90-43155

PUSHING THE ENVELOPE - SPACE TELEROBOTICS AT CARNEGIE MELLON UNIVERSITY

CHRISTOPHER LOCKE (Carnegie-Mellon University, Pittsburgh, PA) IEEE Expert (ISSN 0885-9000), vol. 5, June 1990, p. 2-6. Copyright

Three space-oriented projects at the CMU Robotics Institute are described: the Ambler Planetary Rover, the self-mobile space manipulator, and the Hubble Space Telescope scheduling system. The Ambler Planetary Rover Project is a comprehensive research program to design and build an intelligent machine that will explore and sample extraterrestrial planetary surfaces. The self-mobile space manipulator robot is part of an effort to develop technologies that will enable mobile robots to be used on the Space Station and other space structures. The Hubble Space Telescope scheduling project is developing a software architecture to formulate and solve complex planning and scheduling problems. I.E.

A90-43156* Jet Propulsion Lab., California Inst. of Tech., Pasadena.

PLANNING FOR SPACE TELEROBOTICS - THE REMOTE MISSION SPECIALIST

MARK ROKEY and SVEN GRENANDER (JPL, Pasadena, CA) IEEE Expert (ISSN 0885-9000), vol. 5, June 1990, p. 8-15. refs Copyright

A brief history of planning research done by the group that produced the RMS (Remote Mission Specialist) planner is presented. Space telerobotics under study at JPL is then discussed, and RMS is described in detail. How RMS functions in an example execution is examined. The planner's capabilities are summarized, and possible future applications are suggested. I.E.

A90-43467* National Aeronautics and Space Administration. Langley Research Center, Hampton, VA.

A TELEROBOTIC SYSTEM FOR AUTOMATED ASSEMBLY OF LARGE SPACE STRUCTURES

MARVIN D. RHODES, RALPH W. WILL (NASA, Langley Research Center, Hampton, VA), and MARION A. WISE (PRC Kentron, Inc., Hampton, VA) IN: The 21st century in space; Proceedings of the Thirty-fifth Annual AAS Conference, Saint Louis, MO, Oct. 24-26, 1988. San Diego, CA, Univelt, Inc., 1990, p. 111-129. Previously announced in STAR as N89-21824. (AAS PAPER 88-170) Copyright

Future space missions such as polar platforms and antennas are anticipated to require large truss structures as their primary support system. During the past several years considerable research has been conducted to develop hardware and construction techniques suitable for astronaut assembly of truss structures in space. A research program has recently been initiated to develop the technology and to demonstrate the potential for automated in-space assembly of large erectable structures. The initial effort will be focused on automated assembly of a tetrahedral truss composed of 2-meter members. The facility is designed as a ground based system to permit evaluation of assembly concepts and was not designed for space qualification. The system is intended to be used as a tool from which more sophisticated procedures and operations can be developed. The facility description includes a truss structure, motionbases and a robot arm equipped with an end effector. Other considerations and requirements of the structural assembly describe computer control systems to monitor and control the operations of the assembly facility. Author

A90-43469

THE 21ST CENTURY IN SPACE: FUTURE ROBOTIC TECHNOLOGIES - AN INDUSTRIAL RESEARCHER'S VIEW

STEPHEN J. BARTHOLET (Odetics, Inc., Anaheim, CA) IN: The 21st century in space; Proceedings of the Thirty-fifth Annual AAS

Conference, Saint Louis, MO, Oct. 24-26, 1988. San Diego, CA, Univelt, Inc., 1990, p. 157-163.

(AAS PAPER 88-183) Copyright

A narrow segment of robotic technologies that is crucial to many space applications is considered, namely machine vision derived from direct three-dimensional imaging sensors. Consideration is given to the machine interpretation of imaging sensor data and the impact of this interpretation on the distribution of information and control. The particular focus is on laser range imagers, which play a significant role because the data produced by them is inherently machine-friendly and their hardware technology is space-qualifiable in the near term. Particular attention is given to the use of the Odetics Laser Imaging Radar in the NASA EVA Retriever Project. B.J.

A90-43470

AN ASSESSMENT OF THE DEVELOPMENT AND APPLICATION POTENTIAL FOR ROBOTS TO SUPPORT SPACE STATION OPERATIONS

DELBERT TESAR (Texas, University, Austin) IN: The 21st century in space; Proceedings of the Thirty-fifth Annual AAS Conference, Saint Louis, MO, Oct. 24-26, 1988. San Diego, CA, Univelt, Inc., 1990, p. 165-208. refs

(AAS PAPER 88-184) Copyright

It is suggested that the top seven long-term robotics component priorities for the Space Station are: man-machine interface, and effectors, actuator modules, sensor technology, computer architecture, graphics, CAD, and intelligent control. It is further suggested that the progress of a major national robotics program must be measured in terms of a finite number of system criteria for the operation of robotics in the Space Station. The top seven long-term criteria are: multiple task capability, level of machine intelligence, precision, portability and mobility, reliability, obstacle avoidance, and force sensing. A matrix analysis for these priorities indicates that no one component technology or system criterion can solve the mission needs of Space Station robotics. Instead, what is critically needed is a balanced development of all component technologies and system criteria in proportion to the demonstrated needs derived from a careful functional analysis. B.J.

A90-44151

MINIMUM RESOLVABLE TEMPERATURE PREDICTIONS, TEST METHODOLOGY, AND DATA ANALYSIS

GERALD C. HOLST (Martin Marietta Electronic Systems, Orlando, FL) IN: Infrared technology XV; Proceedings of the Meeting, San Diego, CA, Aug. 7-9, 1989. Bellingham, WA, Society of Photo-Optical Instrumentation Engineers, 1989, p. 208-218. refs Copyright

The Night Vision Laboratory model has proven unable to predict the minimum resolvable temperature (MRT) values at either low or high spatial frequency due to poor eye modeling, observer variability, and a poorly defined data analysis methodology. An automated procedure based on head movement has been developed which matches measured values, yielding an objective MRT which is proportional to the noise-equivalent differential temperature and inversely proportional to the modulation transfer function of the system. An observer remains essential for furnishing a final decision as to the acceptability of quality. O.C.

A90-44553#

DEVELOPMENT OF LOCAL LIQUID COOLING GARMENT

GUOJIE DU, SHENRAN GE, and ZIYUAN LIN (Institute of Space Medico-Engineering, Beijing, People's Republic of China) Chinese Space Science and Technology (ISSN 1000-758X), vol. 9, Feb. 1989, p. 13-23. In Chinese, with abstract in English. refs

This paper systematically describes the design, pattern technology methodology characteristics, and functional features of a local liquid cooling garment. Experimental test results on the garment are reported. C.D.

A90-44641* National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, TX.
EFFECTIVENESS OF THE SPACE SHUTTLE ANTI-EXPOSURE SYSTEM IN A COLD WATER ENVIRONMENT
 JAMES P. BAGIAN (NASA, Johnson Space Center, Houston, TX) and JONATHAN W. KAUFMAN (U.S. Navy, Naval Air Development Center, Warminster, PA) Aviation, Space, and Environmental Medicine (ISSN 0095-6562), vol. 61, Aug. 1990, p. 753-757. refs Copyright

The purpose of this study was to evaluate the NASA Space Shuttle launch entry suit (LES) and raft for 24 h of protection against cold water immersion. Two configurations, the LES and the LES with raft (LES/r) were evaluated for antiexposure protection. Conditions were selected to simulate worst-case water and air temperatures along projected Space Shuttle ground tracks; i.e., water temperatures = 4.4 C, air temperature = 5.6 C, 1-foot waves (chop), and constant spray. Four males 31-44 years of age and one 32-year-old female were studied once in each configuration. Trials with and without a raft were scheduled for up to 24 and 6 h, respectively. Mean LES trial durations were 150 + or - 9 min and final rectal temperature (FRT) = 36.5 + or - 0.3 C. Mean LES/r trial durations were 398 + or - 126 min and FRT = 35.6 + or - 0.4 C. LES and LES/r trials were terminated for reaching FRT = 35.0 C or subject-requested termination due to discomfort. The longest LES and LES/r trials were terminated due to subject discomfort. Although not achieving the desired durations, the LES and LES/r did prove capable of protecting individuals, respectively, for up to 3 and 13.5 h. Since the longest runs were terminated due to subjective tolerance, actual survival times greater than 3 and 13.5 h could be expected. Author

A90-44651
HIGH ALTITUDE PROTECTIVE EQUIPMENT - A REVIEW OF PRESSURE SYSTEMS

WILLIAM J. SEARS Aeromedical and Training Digest (ISSN 0001-9275), vol. 4, Jan. 1990, p. 2-6. refs Copyright

The effects of loss of cabin pressure at high altitudes are described. It is pointed out that the ideal pressurized garment would provide a balance of adequate protection following loss of cabin pressure and minimal reduction in flying efficiency. Various methods of restoring pressurization to all or part of the body are discussed including encapsulated seat or escape modules, passive pressurization, capstan tubes, bladders, and full pressure suits. The advantages of a combination of direct gas loading and bladder protection are examined. The general criteria, including specific psychological criteria, that have been established on an international basis and that establish acceptable protection for aircrew at altitudes above 50,000 feet are reviewed. Garment and equipment design are discussed including single layer and modular suit construction, sizing, fabrics, and pressure control and oxygen systems. L.K.S.

A90-44906
METHOD FOR THE REALIZATION OF AUTONOMY AND STATIONARITY PRINCIPLES IN THE SYNTHESIS OF ERGATIC SYSTEMS [METOD REALIZATSII PRINTSIPOV AVTONOMNOSTI I STATSIONARNOSTI PRI SINTEZE ERGATICHESKIKH SISTEM]

N. S. SIVOV and A. V. KHARCHENKO (Kievskoe Vysshee Voennoe Aviatsionnoe Inzhenernoe Uchilishche, Kiev, Ukrainian SSR) Kibernetika i Vychislitel'naia Tekhnika (ISSN 0454-9910), no. 84, 1989, p. 51-53. In Russian. Copyright

A method for the synthesis of ergatic systems (i.e., systems with a human operator in the control loop) is proposed. The method is based on providing the complex nonstationary plant with stationarity and autonomy, properties that are desirable from the viewpoint of the human operator. The synthesized algorithm is fully adaptive. B.J.

A90-44907
EVALUATION OF THE EFFECT OF PILOT ERRORS ON FLIGHT SAFETY [OTSENKA VLIANIYA OSHIBOK EKIPAZHA NA BEZOPASNOST' POLETOV]

V. N. GOLEGO (Kievskii Institut Inzhenerov Grazhdanskoi Aviatsii, Kiev, Ukrainian SSR) Kibernetika i Vychislitel'naia Tekhnika (ISSN 0454-9910), no. 84, 1989, p. 81-88. In Russian. Copyright

The effects of pilot error are evaluated on the basis of a set of criteria computed from statistical data on the incidence of accidents in civil aviation using a multifactor error model. The measure of the hazard associated with an error is the conditional probability of its occurrence in accordance with the elements of the model. A comparative analysis of the indices of the criteria makes it possible to identify the dominant group of errors, having the most significant effect on flight safety. A combined criterion is proposed which takes into account in an additive form all types of accidents and incidents. B.J.

A90-44908
PRINCIPLES OF VARIABILITY IN THE CONTROL OF THE PRECISION MOVEMENTS OF HUMANS [PRICHINY VARIATIVNOSTI PRI UPRAVLENII TOCHNOSTNYMI DVIZHENIAMI CHELOVEKA]

V. G. TKACHUK (Kievskii Gosudarstvennyi Institut Fizicheskoi Kul'tury, Kiev, Ukrainian SSR) Kibernetika i Vychislitel'naia Tekhnika (ISSN 0454-9910), no. 84, 1989, p. 88-93. In Russian. refs Copyright

Data on causes of the variability of the spatial, force, and temporal characteristics of the precision movements of humans have been analyzed. The variability phenomenon is considered as a property of biological control systems having a hierarchical organizational structure at all levels of organismic activity. Exogenous and endogenous factors involved in the variability are shown, and regression models of this phenomenon are presented. B.J.

A90-44909
ERGONOMIC SUPPORT OF AIRCRAFT DEVELOPMENT PROCESSES [ERGONOMICHESKOE OBESPECHENIE PROTSESOV RAZRABOTKI LETATEL'NYKH APPARATOV]

V. B. TARASOV and A. P. CHERNYSHEV (Moskovskoe Vysshee Tekhnicheskoe Uchilishche, Moscow, USSR) Kibernetika i Vychislitel'naia Tekhnika (ISSN 0454-9910), no. 84, 1989, p. 96-102. In Russian. refs Copyright

Theoretical and methodological aspects of the ergonomic (human factors) support of aircraft development processes are examined. The necessity of taking the human factor into account in the computer-aided design of aircraft is established, and ways to do this are suggested. B.J.

A90-45201 Kaiser Electronics, San Jose, CA.
HELMET-MOUNTED DISPLAYS; PROCEEDINGS OF THE MEETING, ORLANDO, FL, MAR. 28, 29, 1989

JEROME T. CAROLLO, ED. (Kaiser Electronics, San Jose, CA) Meeting sponsored by SPIE, New Mexico State University, JPL, et al. Bellingham, WA, Society of Photo-Optical Instrumentation Engineers (SPIE Proceedings. Volume 1116), 1989, 216 p. For individual items see A90-45202 to A90-45222. (SPIE-1116) Copyright

The latest applications of helmet-mounted display (HMD) optical systems are examined, with focus placed on tactical aircraft, rotorcraft, simulators, space applications, and land vehicles. The conference opens with the patent description of a helmet integrated system dating back to World War I and continues with such topics as a tilted catadioptric HMD, optical approaches to HMDs, visually coupled system integration, and digital image processing for HMDs. Photography-based image generation, a helmet-mounted laser projection display, and fiber-optic developments are covered, along with helmet integration, ocular responses to monocular and binocular HMD configurations for tactical aircraft. The performance

of night-vision devices, the dynamic response of an electrooptical imaging system, and the restoration of motion-degraded images in electrooptical displays are also discussed. V.T.

A90-45202

BACK FROM THE PAST - THE HELMET INTEGRATED SYSTEM OF ALBERT BACON PRATT (1916)

GERALD F. MARSHALL IN: Helmet-mounted displays; Proceedings of the Meeting, Orlando, FL, Mar. 28, 29, 1989. Bellingham, WA, Society of Photo-Optical Instrumentation Engineers, 1989, p. 2-11.

Copyright

The concept of an integrated helmet-mounted aiming and weapon delivery system for a marksman as presented in Pratt's U.S. patent description is discussed, with emphasis on construction, size and fit, and the comfort of the wearer. The mechanism of the custom-designed gun mounted under the crown of the helmet is addressed, and attention is given to spent shells, reloading, and maintenance. A trigger device and trigger guard are covered, along with two alternative trigger devices. Alignment of the helmet and target acquisition are considered, and human factors are outlined, including the approach used to minimize recoil. V.T.

A90-45203

OPTICAL APPROACHES TO THE HELMET MOUNTED DISPLAY

DONALD J. ROTIER (Honeywell, Inc., Saint Louis Park, MN) IN: Helmet-mounted displays; Proceedings of the Meeting, Orlando, FL, Mar. 28, 29, 1989. Bellingham, WA, Society of Photo-Optical Instrumentation Engineers, 1989, p. 14-18.

Copyright

Early designs for helmet-mounted displays utilizing a flat or unpowered combiner surface are outlined, and it is noted that this method still has advantages where simplicity and cost are important, and the field-of-view requirement is moderate. Rotationally symmetric and nonsymmetric geometries are discussed, and it is noted that nonsymmetrical or off-axis optical systems are widespread in the advanced helmet-mounted displays. The Tilted Cat design is addressed as an example of a display with a moderate fold angle, and then displays utilizing a visor as the combiner surface are assessed. A combiner structure of transparent material is analyzed as an alternative approach to achieving minimum obstruction, and a monolithic afocal relay combiner geometry is presented. V.T.

A90-45204

HELMET-MOUNTED DISPLAYS FOR HELICOPTER PILOTAGE - DESIGN CONFIGURATION TRADE-OFFS, ANALYSES, AND TEST

ROBERT A. LOHMANN and ALEXANDER Z. WEISZ (Hughes Aircraft Display Systems Laboratory, Los Angeles, CA) IN: Helmet-mounted displays; Proceedings of the Meeting, Orlando, FL, Mar. 28, 29, 1989. Bellingham, WA, Society of Photo-Optical Instrumentation Engineers, 1989, p. 27-32.

Copyright

A helmet-mounted display combining the functions of display presentation with the head and facial protection is described. Human engineering factors applicable to the design of helmet-mounted displays for use with night-vision sensors are assessed, including operational stability, acceptance by the pilot community, crew training requirements, flight safety, and flight control workload. Attention is focused on biocular displays, FOV/resolution trade-offs, single- versus dual-CRT configurations, day operation and visual meteorological condition operation, and CRT dynamic range utilization. It is concluded that the designer should avoid introducing design features interfering with the visual search or perceptual habits. V.T.

A90-45205

VISUALLY COUPLED SYSTEM INTEGRATION

ROBERT M. THOMAS (Honeywell, Inc., Saint Louis Park, MN) IN: Helmet-mounted displays; Proceedings of the Meeting, Orlando,

FL, Mar. 28, 29, 1989. Bellingham, WA, Society of Photo-Optical Instrumentation Engineers, 1989, p. 33-36.

Copyright

Visually coupled systems (VCSs) integrating helmet trackers, helmet displays, helmets, sensors, weapons, and vehicles are considered, and their components, interfaces, and features are described. Integration requirements and compatibility factors for the components are discussed. Four configurations of integrated helmets including an 80-deg-horizontal-FOV binocular display, a 20-deg-FOV binocular visor projection display, a 30-deg-FOV binocular display system with integrated image intensification binocular, and a 40-deg monocular display with an integrated image-intensification monocular are presented. A specific VCS, its components, and interfaces are illustrated. V.T.

A90-45206

HELMET MOUNTED DISPLAYS AND THE EMERGING ATTACK ROTORCRAFT COUNTERAIR MISSION

JON S. TATRO and ROBERT R. TAYLOR (Bell Helicopter Textron, Inc., Fort Worth, TX) IN: Helmet-mounted displays; Proceedings of the Meeting, Orlando, FL, Mar. 28, 29, 1989. Bellingham, WA, Society of Photo-Optical Instrumentation Engineers, 1989, p. 37-46. refs

Copyright

The air-to-air and counterair mission for future attack rotorcraft is considered, and the implications for crew-station design requirements are examined, with emphasis on 'eyes out' display and control technologies. Requirements for the offensive and defensive counterair missions (OCA and DCA) are outlined, and the active DCA mission is selected for an example scenario since it includes the battlefield elements that drive both mission equipment package and crew-station design requirements. Findings from a review of flight test data and pilot reports are discussed, focusing on HMD weight and weapons aiming and on HMD field of view. It is noted that computer-generated visual systems for aircraft simulation studies can be employed to extend the FOV-restricting methodology to the counterair HMD FOV issue. In addition, HMD symbology development and presentation techniques are assessed. V.T.

A90-45207

DIGITAL IMAGE PROCESSING OVERVIEW FOR HELMET MOUNTED DISPLAYS

MICHAEL J. PARISE (Honeywell, Inc., Saint Louis Park, MN) IN: Helmet-mounted displays; Proceedings of the Meeting, Orlando, FL, Mar. 28, 29, 1989. Bellingham, WA, Society of Photo-Optical Instrumentation Engineers, 1989, p. 47-50.

Copyright

Multisensor fusion involving the combining of images from more than one sensor source for display as a single image is discussed. In the framework of this approach, pilot workload reduction is assessed, and a method providing the pilot with visual information in the aircraft without forward-looking windows or with poor landing visibility is proposed. The ability to manipulate an image by utilizing digital image processing technologies is also discussed, with emphasis on image enhancement and single-sensor three-dimensional imaging. V.T.

A90-45208

HARDWARE IMPROVEMENTS TO THE HELMET MOUNTED PROJECTOR ON THE VISUAL DISPLAY RESEARCH TOOL (VDRT) AT THE NAVAL TRAINING SYSTEMS CENTER

DICK BURBIDGE and PAUL M. MURRAY (Rediffusion Simulation, Ltd., Crawley, England) IN: Helmet-mounted displays; Proceedings of the Meeting, Orlando, FL, Mar. 28, 29, 1989. Bellingham, WA, Society of Photo-Optical Instrumentation Engineers, 1989, p. 52-60.

(Contract N61339-82-O-0096; N61339-88-R-0042)

Copyright

The Visual Display Research Tool includes a helmet mounted projector for the display of flight simulation Area-of-Interest imagery on a 10-foot radius dome. The imagery is transmitted to the helmet using two coherent fiber optic ribbons. Some improvements have

been made to the fiber optic system and to the helmet fit. The imagery is head and eye slaved and the concepts for image positioning and stabilization are described. Author

A90-45209**PHOTO BASED IMAGE GENERATOR**

NICHOLAS M. DALTON and CHARLES S. DEERING (LTV Missiles and Electronics Group, Dallas, TX) IN: Helmet-mounted displays; Proceedings of the Meeting, Orlando, FL, Mar. 28, 29, 1989. Bellingham, WA, Society of Photo-Optical Instrumentation Engineers, 1989, p. 61-75.

Copyright

A two-channel photography-based image generator system developed to drive helmet-mounted laser projector is presented. The system generates a wide-FOV simulation with high resolution in the direction of gaze by utilizing a fiber-optic laser projector mounted on the pilot's helmet. A photo-based concept used in the system employs an array of still color photographic images. As the pilot flies over the gaming area, individual scenes are retrieved by the system; within each scene, two dynamic transformations are occurring simultaneously - one produces the wide-FOV image, while the other produces the narrow-FOV image. The system components are described, including the laser projector, image generator, video disk player, video digitizer, scene storage system, cell processors, and image-generation system computer. System installation and operation are briefly discussed, as well as its performance. V.T.

A90-45210**A HELMET MOUNTED DISPLAY APPLICATION FOR THE SPACE STATION FREEDOM EXTRAVEHICULAR MOBILITY UNIT**

CONSTANCE L. TRITSCH (Lockheed Engineering and Sciences Co., Houston, TX) IN: Helmet-mounted displays; Proceedings of the Meeting, Orlando, FL, Mar. 28, 29, 1989. Bellingham, WA, Society of Photo-Optical Instrumentation Engineers, 1989, p. 76-79. refs

Copyright

Several designs evolved in the development of the helmet-mounted display for the Space Station EVA mobility unit involved in extravehicular activity are reviewed, including a binocular pupil-forming system with two CRT image sources, a binocular system utilizing LCD image sources, and two designs employing conventional and holographic optics. Key design parameters, such as image/illumination sources, field of view, exit-pupil versus nonpupil forming systems, and monocular versus binocular and biocular systems. The degree of image overlap and the use of holographic optical elements are also assessed. V.T.

A90-45211**A HELMET-MOUNTED VIRTUAL ENVIRONMENT DISPLAY SYSTEM**

ROBERT K. REBO and PHIL AMBURN (USAF, Institute of Technology, Wright-Patterson AFB, OH) IN: Helmet-mounted displays; Proceedings of the Meeting, Orlando, FL, Mar. 28, 29, 1989. Bellingham, WA, Society of Photo-Optical Instrumentation Engineers, 1989, p. 80-84. Research supported by USAF. refs

Copyright

A simple inexpensive helmet-mounted color display system with stereo capability utilizing off-shelf components is presented. The helmet-mounted display hardware consisting of the helmet mount, LCD displays, display optics, and the position tracker are described. Attention is focused on depth perception, the display algorithm, and Kalman filter. Test results indicate that the image display update rate is approximately 10/sec; as the polygon count in the displayed image increases, the time required to redraw the display slows. It is concluded that, as faster display hardware becomes available, more complex images can be displayed in full color and shaded in real time. V.T.

A90-45212**EVALUATION OF A HELMET-MOUNTED LASER PROJECTOR DISPLAY**

G. BLAIR BROWDER (U.S. Navy, Naval Training Systems Center, Orlando, FL) IN: Helmet-mounted displays; Proceedings of the Meeting, Orlando, FL, Mar. 28, 29, 1989. Bellingham, WA, Society of Photo-Optical Instrumentation Engineers, 1989, p. 85-89.

Copyright

The Visual Display Research Tool (VDRT) is a visual research test bed designed for the evaluation of the feasibility of an eye-slaved area-of-interest display that features a helmet-mounted laser projector. The VDRT, located at the Navy's Visual Technology Research Simulator, has been evaluated by experienced Navy pilots and found to be a feasible solution to satisfying the demanding requirements for a flight simulator with a very large field-of-view and high scene fidelity. Author

A90-45213**EYE TRACKER DEVELOPMENT ON THE FIBER OPTIC HELMET MOUNTED DISPLAY**

RICHARD M. ROBINSON, MELVIN L. THOMAS (USAF, Human Resources Laboratory, Williams AFB, AZ), and PAUL A. WETZEL (Dayton, University, Higley, AZ) IN: Helmet-mounted displays; Proceedings of the Meeting, Orlando, FL, Mar. 28, 29, 1989. Bellingham, WA, Society of Photo-Optical Instrumentation Engineers, 1989, p. 102-108.

(Contract F33615-81-C-0012)

Copyright

Requirements necessary for successful eye tracking in aircraft simulators are covered, and two approaches to monitoring eye position are presented. An eye position monitor for the fiber-optic helmet-mounted display (FOHMD) is described, along with two devices under development - dark-pupil and bright-pupil oculometers. Focus is placed on the investigation of saccadic suppression, eye movement prediction, and visual acuity in a dynamic rather than static environment. In the current application of the eye position monitor in the FOHMD, the algorithms applied to the eye position data correct the problems associated with eye blinks, eye tracker loss of signal, and rapid changes in pupil size. It is shown that either a dark- or a bright-pupil method of imaging the eye is reliable. V.T.

A90-45214**THE EFFECT OF INSTANTANEOUS FIELD OF VIEW SIZE ON THE ACQUISITION OF LOW LEVEL FLIGHT AND 30-DEG MANUAL DIVE BOMBING TASKS**

KEVIN W. DIXON, GRETCHEN M. KRUEGER, VICTORIA A. ROJAS, and DAVID C. HUBBARD (USAF, Human Resources Laboratory, Williams AFB, AZ) IN: Helmet-mounted displays; Proceedings of the Meeting, Orlando, FL, Mar. 28, 29, 1989. Bellingham, WA, Society of Photo-Optical Instrumentation Engineers, 1989, p. 110-121.

Copyright

The effect of various instantaneous field-of-view sizes on the performance of low-level flight and 30-deg manual dive bomb tasks is investigated with an in-simulator transfer of training design. The field-of-view sizes used are 127 deg H x 67 deg V, 140 deg H x 80 deg V, 160 deg H x 80 deg V, and 180 deg H x 80 deg V. Two significant univariate effects are found for the FOV interaction in the trial data. There is one significant univariate effect for mean pitch in the dive bomb testing phase, and the data obtained from questionnaires indicate that subjects felt they used out-of-the-window visual clues 15-20 percent more in the full-FOV test condition. It is recommended that a minimum instantaneous FOV of 160 deg H x 80 deg V be used to train pilots for low-level flight and manual dive bombing. V.T.

A90-45215**HELMET INTEGRATION - AN OVERVIEW OF CRITICAL ISSUES**

ROBERT J. WHITCRAFT (Honeywell, Inc., Saint Louis Park, MN) IN: Helmet-mounted displays; Proceedings of the Meeting, Orlando, FL, Mar. 28, 29, 1989. Bellingham, WA, Society of Photo-Optical Instrumentation Engineers, 1989, p. 122-125.

Copyright

Basic helmet-mounted sight/display (HMS/D) objectives for

tactical aircraft are reviewed, including performance, functional, and safety objectives. Attention is drawn to a fine line between capability and liability in the integration process. It is noted that the accuracy with which general parameters are applied for every aircraft type, every mission, and every crew configuration will signify either HMS/D system capability or liability. Tactical-aircraft integration issues, specifically for air-to-air missions are covered, and a sound integration approach at the beginning of a concept selection is emphasized. V.T.

A90-45216

UTILITY EVALUATION OF A HELMET-MOUNTED DISPLAY AND SIGHT

CHRISTOPHER J. ARBAK (McDonnell Douglas Corp., Saint Louis, MO) IN: Helmet-mounted displays; Proceedings of the Meeting, Orlando, FL, Mar. 28, 29, 1989. Bellingham, WA, Society of Photo-Optical Instrumentation Engineers, 1989, p. 138-141. Copyright

Evaluation testing of a helmet-mounted display and sight (HMDS) system utilizing a magnetic sensor embedded in a helmet to detect head movement and presenting information tailored to the current head position on the helmet visor is described, and the results obtained are discussed. Four pilots evaluated the HMDS in 100 simulated air combat engagements against both manned and computer-controlled threats. The information obtained include subjective pilot workload data; performance data pertaining to changes in weapon employment, sensor usage, and mission success; and pilot comments. It is concluded that a combination of three factors - (1) the pilots learning to use the HMDS, (2) adapting the HMDS pilot vehicle interface to the individual pilot, and (3) letting the pilots choose their preferred helmet and cockpit - can be a significant tactical factor. V.T.

A90-45217

OCULAR RESPONSES TO MONOCULAR AND BINOCULAR HELMET-MOUNTED DISPLAY CONFIGURATIONS

KIRK MOFFITT (Kaiser Electronics, San Jose, CA) IN: Helmet-mounted displays; Proceedings of the Meeting, Orlando, FL, Mar. 28, 29, 1989. Bellingham, WA, Society of Photo-Optical Instrumentation Engineers, 1989, p. 142-148. refs Copyright

Ocular vergence and visual-accommodation data were collected in a preliminary investigation involving simulated monocular and binocular helmet-mounted display (HMD) configurations with varying scenic backgrounds and attentional instructions. A binocular eyetracking system was used to objectively measure vergence and accommodation. Photographic slides aligned and positioned at optical infinity were used to simulate HMD symbology and out-of-the-cockpit scenery. The accuracy of ocular vergence and the relative distance of visual accommodation were affected by the HMD configuration (binocular, monocular, one-eye-occluded), the content of the scenic background (clouds or mountains), the focus of attention (symbology or background), and the ocular characteristics of the observer (distance of the dark-vergence and -focus). Author

A90-45218

TACTICAL APPLICATIONS OF THE HELMET DISPLAY IN FIGHTER AIRCRAFT

WILLIAM J. BARNES (Air National Guard Air Force Reserve Test Center, Tucson, AZ) IN: Helmet-mounted displays; Proceedings of the Meeting, Orlando, FL, Mar. 28, 29, 1989. Bellingham, WA, Society of Photo-Optical Instrumentation Engineers, 1989, p. 149-160. Copyright

The tactical applications of current-technology helmet-mounted display (HMD) systems in fighter aircraft such as the F-15 and F-16 are discussed. Three major operational areas are covered: air-to-air, air-to-ground, and defense suppression. Each area is briefly outlined, and a generic profile of current capabilities is assessed, with attention drawn to such area components as attack, egress, and ingress phases. Focus is placed on expanded capabilities provided by HMD systems, as well as the requirements

for an optimum system interfacing with a digital intra/interflight data link and an onboard threat-warning system. Emphasis is placed on potential uses of HMD systems from an operator's point of view, covering human-factor requirements and the types of information required by the pilot. The merits and liabilities of basic design requirements for operational HMD systems are discussed. V.T.

A90-45219

PREDICTING THE PERFORMANCE OF NIGHT VISION DEVICES USING A SIMPLE CONTRAST MODEL

WILLIAM M. DECKER (U.S. Army, Center for Night Vision and Electro-Optics, Fort Belvoir, VA) IN: Helmet-mounted displays; Proceedings of the Meeting, Orlando, FL, Mar. 28, 29, 1989. Bellingham, WA, Society of Photo-Optical Instrumentation Engineers, 1989, p. 162-169. refs Copyright

A spreadsheet model producing spectral transmission curves and computing the apparent contrast for night-vision devices is considered. The program retrieves the necessary data, calculates a relative intensity for both the target and background, produces graphic displays, and calculates the contrast. Target and background measurements and atmospheric transmission data necessary for the model's data base are described, along with data acquisition and processing. In addition, data files for the various sky irradiance sources are outlined, and target and background reflectivity files as well as atmospheric attenuation and filter transmission files are covered. A sample of the relative response curves is also presented. V.T.

A90-45220

POLYCARBONATE OPTHTALMIC LENSES AND NIGHT VISION GOGGLES IN U.S. ARMY AVIATION

JOHN K. CROSLY (U.S. Army, Aeromedical Research Laboratory, Fort Rucker, AL) IN: Helmet-mounted displays; Proceedings of the Meeting, Orlando, FL, Mar. 28, 29, 1989. Bellingham, WA, Society of Photo-Optical Instrumentation Engineers, 1989, p. 176-184. refs Copyright

The relative impact resistance of glass, CR-39 (plastic), and polycarbonate lenses utilized in night vision goggles (NVGs) is investigated, along with the acceptability of the polycarbonate lenses in the Army aviation environment. Drop-test results demonstrated that polycarbonate lenses have the superior ability of reducing the potential for eye injury when wearing NVGs. It is noted that in approximately 50 percent of the drop tests in which one or both of the lenses survived, lens dislodgment occurred. Acceptance of the polycarbonate lenses by Army aviators participating in the field test is reported to be excellent, with 92 percent stating that they were equal or superior to their regular-issue glass lenses, and 84 percent reporting no problem with scratching. V.T.

A90-45222

RESTORATION OF MOTION-DEGRADED IMAGES IN ELECTRO-OPTICAL DISPLAYS

A. K. CHERRI, A. A. S. AWWAL, M. A. KARIM, and D. L. MOON (Dayton, University, OH) IN: Helmet-mounted displays; Proceedings of the Meeting, Orlando, FL, Mar. 28, 29, 1989. Bellingham, WA, Society of Photo-Optical Instrumentation Engineers, 1989, p. 198-208. refs Copyright

Effects of the dynamic transfer function on the image quality as well as on the performance of electrooptical displays are discussed. The spatial-temporal transfer function of an imaging system is derived, and time-constant and spatial-speed calculations are performed. Computer simulation for image degradation is addressed, and degradation and restoration models are considered. It is shown that, by incorporating the concept of temporal response, it is possible to quantify degradation of the output image of an electrooptical display; this quantification can be employed in real-time techniques for restoration of motion-degraded images. V.T.

A90-45240

TILTED CAT HELMET-MOUNTED DISPLAY

JUSTIN G. DROESSLER and DONALD J. ROTIER (Honeywell Systems and Research Center, Minneapolis, MN) Optical Engineering (ISSN 0091-3286), vol. 29, Aug. 1990, p. 849-854. Copyright

The present helmet-mounted display (HMD) employs a tilted catadioptric combiner display which allows a wide field-of-view (FOV) to possess 3:1 display brightness and combiner see-through transmission improvements over the conventional, folded-catadioptric HMD configuration. The tilted catadioptric combiner allows a practical display optical system to be defined for a 60-deg FOV; resolution is limited only by the resolution of the CRT employed. Attention is given to tangential and sagittal ray fan plots obtained for 12 field angles of a 10-mm pupil, as well as geometrical MTF plots for both 4-mm and 10-mm pupils.

O.C.

A90-45242

COMPATIBILITY OF AIRCRAFT COCKPIT LIGHTING AND IMAGE INTENSIFICATION NIGHT IMAGING SYSTEMS

CLARENCE E. RASH (U.S. Army, Aeromedical Research Laboratory, Fort Rucker, AL) and ROBERT W. VERONA (U.S. Army, Center for Night Vision and Electro-Optics, Fort Belvoir, VA) Optical Engineering (ISSN 0091-3286), vol. 29, Aug. 1990, p. 863-869. refs

Copyright

The performance of military night vision-imaging systems (NVISs) employing image-intensification tubes is subject to deterioration by the presence of cockpit light sources such as instrument lamps and caution lights. These lights activate the automatic gain control circuits of the intensification tubes, thereby reducing their sensitivity to external illumination. The triservice MIL-L-85762 specification of 1986 defines the measurement instrumentation and methods required for the certification of lighting components as 'NVIS-compatible'; the characterization of lighting incompatibilities in U.S. Army aircraft, the modification of lighting in NVIS-incompatible cockpits, and the certification of proposed lighting components, are all being conducted under MIL-L-85762 guidelines.

O.C.

A90-45243

PERFORMANCE AND HEAD MOVEMENTS USING A HELMET-MOUNTED DISPLAY WITH DIFFERENT FIELDS-OF-VIEW

MAXWELL J. WELLS (Logicon Technical Services, Inc., Dayton, OH) and MICHAEL VENTURINO (USAF, Armstrong Aerospace Medical Research Laboratory, Wright-Patterson AFB, OH) Optical Engineering (ISSN 0091-3286), vol. 29, Aug. 1990, p. 870-877. refs

Copyright

In the present performance test trials for head-mounted displays (HMDs), 17 subjects detected, and then monitored, three, six, or nine stationary targets in order to destroy three simulated threats. The HMDs used made available five different field-of-view (FOV) sizes, ranging in width from 20 to 120 deg. Subjects are noted to have destroyed fewer threats, and to have been threatened for longer durations, with small FOVs rather than with large ones; the decrement in performance was dependent on the number of targets. Subjects moved their heads less, but did so faster, with large FOVs than with small ones. An apparent inverse relationship exists between head velocity during task performance and error at replacing the targets afterward: head velocity seems to be mediated by the certainty with which subjects recalled target locations.

O.C.

N90-25495*# Georgia Inst. of Tech., Atlanta. School of Mechanical Engineering.

MAN-MACHINE INTERFACE FOR THE CONTROL OF A LUNAR TRANSPORT MACHINE

RICHARD ASHLEY, LORING BACON, SCOTT TIM CARLTON, MARK MAY, JIMMY MOORE, and DENNIS PEEK 25 Aug. 1987 95 p

(Contract NGT-21-002-800)

(NASA-CR-184935; NAS 1.26:184935; ME-4182) Avail: NTIS HC A05/MF A01 CSCL 05/8

A proposed first generation human interface control panel is described which will be used to control SKITTER, a three-legged lunar walking machine. Under development at Georgia Tech, SKITTER will be a multi-purpose, un-manned vehicle capable of preparing a site for the proposed lunar base in advance of the arrival of men. This walking machine will be able to accept modular special purpose tools, such as a crane, a core sampling drill, and a digging device, among others. The project was concerned with the design of a human interface which could be used, from earth, to control the movements of SKITTER on the lunar surface. Preliminary inquiries were also made into necessary modifications required to adapt the panel to both a shirt-sleeve lunar environment and to a mobile unit which could be used by a man in a space suit at a lunar work site.

Author

N90-25496*# Texas Univ., Austin. Dept. of Mechanical Engineering.

DESIGN OF A DEVICE TO REMOVE LUNAR DUST FROM SPACE SUITS FOR THE PROPOSED LUNAR BASE

DAVID HARRINGTON, JACK HAVENS, and DANIEL HESTER 1990 117 p

(Contract NASW-4435)

(NASA-CR-186679; NAS 1.26:186679) Avail: NTIS HC A06/MF A01 CSCL 06/11

The National Aeronautics and Space Administration plans to begin construction of a lunar base soon after the turn of the century. During the Apollo missions, lunar dust proved to be a problem because the dust adhered to all exposed material surfaces. Since lunar dust will be a problem during the establishment and operation of this base, the need exists for a device to remove the dust from space suits before the astronauts enter clean environments. The physical properties of lunar dust were characterized and energy methods for removing the dust were identified. Eight alternate designs were developed to remove the dust. The final design uses a brush and gas jet to remove the dust. The brush bristles are made from Kevlar fibers and the gas jet uses pressurized carbon dioxide from a portable tank. A throttling valve allows variable gas flow. Also, the tank is insulated with Kapton and electrically heated to prevent condensation of the carbon dioxide when the tank is exposed to the cold (-240 F) lunar night.

Author

N90-25497*# Florida Technological Univ., Orlando. Dept. of Aerospace Engineering.

DESIGN AND IMPLEMENTATION OF SENSOR SYSTEMS FOR CONTROL OF A CLOSED-LOOP LIFE SUPPORT SYSTEM

LESLIE ALNWICK, AMY CLARK, PATRICIA DEBS, CHRIS FRANCZEK, TOM GOOD, and PEDRO RODRIGUES Dec. 1989 121 p

(Contract NASW-4435)

(NASA-CR-186675; NAS 1.26:186675) Avail: NTIS HC A06/MF A01 CSCL 06/11

The sensing and controlling needs for a Closed-Loop Life Support System (CLLSS) were investigated. The sensing needs were identified in five particular areas and the requirements were defined for workable sensors. The specific areas of interest were atmosphere and temperature, nutrient delivery, plant health, plant propagation and support, and solids processing. The investigation of atmosphere and temperature control focused on the temperature distribution within the growth chamber as well as the possibility for sensing other parameters such as gas concentration, pressure, and humidity. The sensing needs were studied for monitoring the solution level in a porous membrane material along with the requirements for measuring the mass flow rate in the delivery system. The causes and symptoms of plant disease were examined and the various techniques for sensing these health indicators were explored. The study of sensing needs for plant propagation and support focused on monitoring seed viability and measuring seed moisture content as well as defining the requirements for drying and storing the seeds. The areas of harvesting, food

processing, and resource recycling, were covered with a main focus on the sensing possibilities for regulating the recycling process.

Author

N90-25498* National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, TX.

HAZARDS PROTECTION FOR SPACE SUITS AND SPACECRAFT Patent

JOSEPH J. KOSMO, inventor (to NASA) and FREDERIC S. DAWN, inventor (to NASA) 8 May 1990 9 p Filed 30 Jun. 1988 Supersedes N89-12206 (27 - 3, p 367)

(NASA-CASE-MS-C-21366-1; US-PATENT-4,923,741; US-PATENT-APPL-SN-213880; US-PATENT-CLASS-428-252; US-PATENT-CLASS-428-290; US-PATENT-CLASS-428-328; US-PATENT-CLASS-428-422; US-PATENT-CLASS-428-447; US-PATENT-CLASS-428-458; US-PATENT-CLASS-428-474.4)

Avail: US Patent and Trademark Office CSCL 06/11

A flexible multi-layered covering article for protection against the hazards of exposure to the environment of outer space is disclosed. The covering includes an outer layer section comprising an outermost lamina of woven expanded tetrafluoroethylene yarns (Gore Tex) for protecting against abrasion and tearing, an underlying weave of meta-aramid yarns (Nomex) and para-aramid yarns (Kevlar) for particle impact protection, and electrostatic charge dissipation and control system incorporated therein, and a chemical contaminants control barrier applied as a coating. A middle section includes a succession of thermal insulating layers of polymeric thermoplastic or thermoforming material, each of which is coated with a metal deposit of high infra-red emissivity and low solar radiation absorption characteristics and separated from adjacent insulating layers by a low thermal conductance material. The covering further includes a radiation attenuating layer of a tungsten-loaded polymeric elastomer binder for protecting against bremsstrahlung radiation and an inner layer of rip-stop polyester material for abrasion protection. A chloroprene coating may be supplied the polyester-material for added micrometeoroid protection. Securing means of low heat conductance material secures the multi-layers together as a laminar composite.

Official Gazette of the U.S. Patent and Trademark Office

N90-25499*# Carnegie-Mellon Univ., Pittsburgh, PA. Robotics Inst.

A GLOBAL APPROACH FOR USING KINEMATIC REDUNDANCY TO MINIMIZE BASE REACTIONS OF MANIPULATORS

C. L. CHUNG and S. DESA Mar. 1989 32 p

(Contract NAG3-811)

(NASA-CR-186825; NAS 1.26:186825; CMU-RI-TR-89-9)

Copyright Avail: NTIS HC A03/MF A01 CSCL 05/8

An important consideration in the use of manipulators in microgravity environments is the minimization of the base reactions, i.e. the magnitude of the force and the moment exerted by the manipulator on its base as it performs its tasks. One approach which was proposed and implemented is to use the redundant degree of freedom in a kinematically redundant manipulator to plan manipulator trajectories to minimize base reactions. A global approach was developed for minimizing the magnitude of the base reactions for kinematically redundant manipulators which integrates the Partitioned Jacobian method of redundancy resolution, a 4-3-4 joint-trajectory representation and the minimization of a cost function which is the time-integral of the magnitude of the base reactions. The global approach was also compared with a local approach developed earlier for the case of point-to-point motion of a three degree-of-freedom planar manipulator with one redundant degree-of-freedom. The results show that the global approach is more effective in reducing and smoothing the base force while the local approach is superior in reducing the base moment.

Author

N90-25500*# Alabama A & M Univ., Normal. Dept. of Plant and Soil Sciences.

A PROPOSAL TO DEMONSTRATE PRODUCTION OF SALAD CROPS IN THE SPACE STATION MOCKUP FACILITY WITH PARTICULAR ATTENTION TO SPACE, ENERGY, AND LABOR CONSTRAINTS Annual Progress Report, 1 Jul. - 30 Jun. 1990

CAROLYN A. BROOKS, GOVIND C. SHARMA, and CAULA A. BEYL 25 Jul. 1990 30 p

(Contract NCC2-607)

(NASA-CR-186811; NAS 1.26:186811) Avail: NTIS HC A03/MF A01 CSCL 06/11

A desire for fresh vegetables for consumption during long term space missions has been foreseen. To meet this need in a microgravity environment within the limited space and energy available on Space Station requires highly productive vegetable cultivars of short stature to optimize vegetable production per volume available. Special water and nutrient delivery systems must also be utilized. As a first step towards fresh vegetable production in the microgravity of Space Station, several soil-less capillary action media were evaluated for the ability to support growth of two root crops (radish and carrot) which are under consideration for inclusion in a semi-automated system for production of salad vegetables in a microgravity environment (Salad Machine). In addition, productivity of different cultivars of radish was evaluated as well as the effect of planting density and cultivar on carrot production and size. Red Prince radish was more productive than Cherry Belle and grew best on Jiffy Mix Plus. During greenhouse studies, vermiculite and rock wool supported radish growth to a lesser degree than Jiffy Mix Plus but more than Cellular Rooting Sponge. Comparison of three carrot cultivars (Planet, Short n Sweet, and Goldinhardt) and three planting densities revealed that Short n Sweet planted at 25.6 sq cm/plant had the greatest root fresh weight per pot, the shortest mean top length, and intermediate values of root length and top fresh weight per pot. Red Prince radish and Short n Sweet carrot showed potential as productive cultivars for use in a Salad Machine. Results of experiments with solid capillary action media were disappointing. Further research must be done to identify a solid style capillary action media which can productively support growth of root crops such as carrot and radish.

Author

N90-25501# Pennsylvania Univ., Philadelphia. Dept. of Computer and Information Science.

ACTIVE PERCEPTION AND EXPLORATORY ROBOTICS

RUZENA BAJCSY Oct. 1989 19 p Sponsored by DEC Corp., IBM Corp., and LORD Corp.

(Contract BOA-104230-87-H-0001; N00014-85-K-0807; NSF

DCR-84-10771; F49620-85-K-0018; DAAG29-84-K-0061)

(MS-CIS-89-65; UP-GRASP-LAB-191) Avail: NTIS HC A03/MF A01

Active perception is defined as a problem of an intelligent data acquisition process. For this, one needs to define and measure parameters and errors from the scene which in turn can be fed back to control the data acquisition process. This is a difficult though important problem. The difficulty is that many of the feedback parameters are context- and scene-dependent. The precise definition of these parameters depends on a thorough understanding of the data acquisition devices (camera parameters, illumination and reflectance parameters), algorithms (edge detectors, region growers, 3-D recovery procedures) as well as the goal of the visual processing. The importance, however, of this understanding is that one does not spend time on processing and artificially improving imperfect data but rather on accepting imperfect, noisy data as a matter of fact and incorporating it into the overall processing strategy. The second point is that manipulation is an essential part of perceptual process. The hand is as the eye: a sensory device. Subsequently, one needs to consider not only signal processing modules but also basic manipulatory action called exploratory procedures as an essential ingredient of perceptual theory. The third and last point made is a case for exploratory robotics. It is assumed that the size and shape of the object is sufficient for grasping purposes. It should be very apparent that unless one knows what materials are being

used the system may be easily fooled. And even if the material of the outer surface is known the inside is not, which may very dramatically change the weight, and hence, the grasping strategy. The research aims to fill this gap. The question of rigidity is also very crucial when a grasping strategy is considered. Furthermore, the tests for hinges and bending are the first tests towards testing the functionality of an object. In the test for rigidity, what changes occur when other controlled manipulatory actions are applied on such objects, for example, lifting or rotating the object in space is explored. All these steps are part of a general examination of the object, finding stable positions, etc. All these tests lead to understanding of what the necessary components are for a general purpose Perceptual Theory. Author

N90-25514*# Air Force Systems Command, Wright-Patterson AFB, OH.

SDIO ROBOTICS IN SPACE APPLICATIONS

RICHARD ILIFF /In NASA, Lyndon B. Johnson Space Center, Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) p 133-136 Mar. 1990
 Avail: NTIS HC A99/MF A04 CSCL 05/8

Robotics in space supporting the Strategic Defense System (SDS) program is discussed. Ongoing initiatives which are intended to establish an initial Robotics in Space capability are addressed. This is specifically being referred to as the Satellite Servicing System (SSS). This system is based on the NASA Orbital Maneuvering Vehicle (OMV) with a Robotic Manipulator(s) based on the NASA Flight Telerobotic Servicer (FTS) and other SSS equipment required to do the satellite servicing work attached to the OMV. Specific Robotics in Space Requirements which have resulted from the completion of the Robotics Requirements Study Contract are addressed. Author

N90-25518*# Lockheed Engineering and Sciences Co., Houston, TX.

QUANTITATIVE ASSESSMENT OF HUMAN MOTION USING VIDEO MOTION ANALYSIS

JOHN D. PROBE /In NASA, Lyndon B. Johnson Space Center, Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) p 155-157 Mar. 1990
 Avail: NTIS HC A99/MF A04 CSCL 05/8

In the study of the dynamics and kinematics of the human body, a wide variety of technologies was developed. Photogrammetric techniques are well documented and are known to provide reliable positional data from recorded images. Often these techniques are used in conjunction with cinematography and videography for analysis of planar motion, and to a lesser degree three-dimensional motion. Cinematography has been the most widely used medium for movement analysis. Excessive operating costs and the lag time required for film development coupled with recent advances in video technology have allowed video based motion analysis systems to emerge as a cost effective method of collecting and analyzing human movement. The Anthropometric and Biomechanics Lab at Johnson Space Center utilizes the video based Ariel Performance Analysis System to develop data on shirt-sleeved and space-suited human performance in order to plan efficient on orbit intravehicular and extravehicular activities. The system is described. Author

N90-25522*# Stanford Univ., CA. Knowledge Systems Lab.
AN EXPERT SYSTEM TO ADVISE ASTRONAUTS DURING EXPERIMENTS: THE PROTOCOL MANAGER MODULE

GUIDO HAYMANN-HABER, SILVANO P. COLOMBANO, NICOLAS GROLEAU, DON ROSENTHAL, PETER SZOLOVITS, and LAURENCE R. YOUNG (Massachusetts Inst. of Tech., Cambridge.) /In NASA, Lyndon B. Johnson Space Center, Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) p 187-194 Mar. 1990
 Avail: NTIS HC A99/MF A04 CSCL 05/8

Perhaps the scarcest resource for manned flight experiments - on Spacelab or on the Space Station Freedom - will continue to be crew time. To maximize the efficiency of the crew and to make use of their abilities to work as scientist collaborators as

well as equipment operators, normally requires more training in a wide variety of disciplines than is practical. The successful application of on-board expert systems, as envisioned by the Principal Investigator in a Box program, should alleviate the training bottleneck and provide the astronaut with the guidance and coaching needed to permit him or her to operate an experiment according to the desires and knowledge of the PI, despite changes in conditions. The Protocol Manager module of the system is discussed. The Protocol Manager receives experiment data that has been summarized and categorized by the other modules. The Protocol Manager acts on the data in real-time, by employing expert system techniques. Its recommendations are based on heuristics provided by the Principal Investigator in charge of the experiment. This prototype was developed on a Macintosh II by employing CLIPS, a forward-chaining rule-based system, and HyperCard as an object-oriented user interface builder. Author

N90-25523*# National Aeronautics and Space Administration, Marshall Space Flight Center, Huntsville, AL.

THE ENVIRONMENTAL CONTROL AND LIFE SUPPORT SYSTEM ADVANCED AUTOMATION PROJECT. PHASE 1: APPLICATION EVALUATION

BRANDON S. DEWBERRY /In NASA, Lyndon B. Johnson Space Center, Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) p 195-208 Mar. 1990
 Avail: NTIS HC A99/MF A04 CSCL 06/11

The Environmental Control and Life Support System (ECLSS) is a Freedom Station distributed system with inherent applicability to advanced automation primarily due to the comparatively large reaction times of its subsystem processes. This allows longer contemplation times in which to form a more intelligent control strategy and to detect or prevent faults. The objective of the ECLSS Advanced Automation Project is to reduce the flight and ground manpower needed to support the initial and evolutionary ECLS system. The approach is to search out and make apparent those processes in the baseline system which are in need of more automatic control and fault detection strategies, to influence the ECLSS design by suggesting software hooks and hardware scars which will allow easy adaptation to advanced algorithms, and to develop complex software prototypes which fit into the ECLSS software architecture and will be shown in an ECLSS hardware testbed to increase the autonomy of the system. Covered here are the preliminary investigation and evaluation process, aimed at searching the ECLSS for candidate functions for automation and providing a software hooks and hardware scars analysis. This analysis shows changes needed in the baselined system for easy accommodation of knowledge-based or other complex implementations which, when integrated in flight or ground sustaining engineering architectures, will produce a more autonomous and fault tolerant Environmental Control and Life Support System. Author

N90-25526*# Lockheed Engineering and Sciences Co., Houston, TX.

TELEPRESENCE FOR SPACE: THE STATE OF THE CONCEPT
RANDY L. SMITH, DOUGLAS J. GILLAN, and MARK A. STUART /In NASA, Lyndon B. Johnson Space Center, Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) p 223-228 Mar. 1990

Avail: NTIS HC A99/MF A04 CSCL 05/8

The purpose here is to examine the concept of telepresence critically. To accomplish this goal, first, the assumptions that underlie telepresence and its applications are examined, and second, the issues raised by that examination are discussed. Also, these assumptions and issues are used as a means of shifting the focus in telepresence from development to user-based research. The most basic assumption of telepresence is that the information being provided to the human must be displayed in a natural fashion, i.e., the information should be displayed to the same human sensory modalities, and in the same fashion, as if the person were actually at the remote site. A further fundamental assumption for the functional use of telepresence is that a sense of being present in the work environment will produce superior

performance. In other words, that sense of being there would allow the human operator of a distant machine to take greater advantage of his or her considerable perceptual, cognitive, and motor capabilities in the performance of a task than would more limited task-related feedback. Finally, a third fundamental assumption of functional telepresence is that the distant machine under the operator's control must substantially resemble a human in dexterity. Author

N90-25527*# National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, TX.
TELEPRESENCE AND SPACE STATION FREEDOM WORKSTATION OPERATIONS

DEAN G. JENSEN, SUSAN C. ADAM, JAMES H. STRAMLER, and ROBERT P. WILMINGTON (Lockheed Engineering and Sciences Co., Houston, TX.) *In its* Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) p 229-234 Mar. 1990

Avail: NTIS HC A99/MF A04 CSCL 05/8

The Space Station Freedom workstation system is a distributed network of computer based workstations that provides the man-machine interfaces for controlling space station systems. This includes control of external manipulator, robotic and free flyer devices by crewmembers in the space station's pressurized shirt-sleeve environment. These remotely controlled devices help minimize the requirement for costly crew extravehicular activity (EVA) time for such tasks as station assembly and payload support. Direct window views may be used for controlling some of the systems, but many activities will be remote or require levels of detail not possible by direct observation. Since controlling remote devices becomes more difficult when direct views are inadequate or unavailable, many performance enhancing techniques have been considered for representing information about remote activities to the operator. Described here are the telepresence techniques under consideration to support operations and training. This includes video enhancements (e.g., graphic and text overlays and stereo viewing), machine vision systems, remote activity animation, and force reflection representation. Author

N90-25528*# Bureau of Mines, Minneapolis, MN. Human Factors Group.

THE HUMAN FACTORS OF WORKSTATION TELEPRESENCE
THOMAS J. SMITH and KARL U. SMITH (Wisconsin Univ., Madison.) *In* NASA, Lyndon B. Johnson Space Center, Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) p 235-250 Mar. 1990

Avail: NTIS HC A99/MF A04 CSCL 05/8

The term workstation telepresence has been introduced to describe human-teleoperator compliance, which enables the human operator to effectively project his/her body image and behavioral skills to control of the telerobot itself. Major human-factors considerations for establishing high fidelity workstation telepresence during human-teleoperator operation are discussed. Telerobot workstation telepresence is defined by the proficiency and skill with which the operator is able to control sensory feedback from direct interaction with the workstation itself, and from workstation-mediated interaction with the telerobot. Numerous conditions influencing such control have been identified. This raises the question as to what specific factors most critically influence the realization of high fidelity workstation telepresence. The thesis advanced here is that perturbations in sensory feedback represent a major source of variability in human performance during interactive telerobot operation. Perturbed sensory feedback research over the past three decades has established that spatial transformations or temporal delays in sensory feedback engender substantial decrements in interactive task performance, which training does not completely overcome. A recently developed social cybernetic model of human-computer interaction can be used to guide this approach, based on computer-mediated tracking and control of sensory feedback. How the social cybernetic model can be employed for evaluating the various modes, patterns, and integrations of interpersonal, team, and human-computer

interactions which play a central role is workstation telepresence are discussed. Author

N90-25537*# National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.

THE FLIGHT TELEROBOTIC SERVICER (FTS) NASA'S FIRST OPERATIONAL ROBOTIC SYSTEM

J. ANDARY, K. HALTERMAN, D. HEWITT, and P. SABELHAUS *In* NASA, Lyndon B. Johnson Space Center, Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) p 311-318 Mar. 1990

Avail: NTIS HC A99/MF A04 CSCL 05/8

NASA has completed the preliminary definition phase of the Flight Telerobotic Servicer (FTS) and is now preparing to begin the detailed design and fabrication phase. The FTS will be designed and built by Martin Marietta Astronautics Group in Denver, CO, for the Goddard Space Flight Center, in support of the Space Station Freedom Program. The design concepts for the FTS are discussed, as well as operational scenarios for the assembly, maintenance, servicing and inspection tasks which are being considered for the FTS. The upcoming Development Test Flight (DTF-1) is the first of two shuttle test flights to test FTS operations in the environment of space and to demonstrate the FTS capabilities in performing tasks for Space Station Freedom. Operational planning for DTF-1 is discussed as well as development plans for the operational support of the FTS on the space station. Author

N90-25538*# Jet Propulsion Lab., California Inst. of Tech., Pasadena.

THE TELEROBOT TESTBED: AN ARCHITECTURE FOR REMOTE SERVICING

J. R. MATIJEVIC *In* NASA, Lyndon B. Johnson Space Center, Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) p 321-328 Mar. 1990

Avail: NTIS HC A99/MF A04 CSCL 05/8

The NASA/OAST Telerobot Testbed will reach its next increment in development by the end of FY-89. The testbed will have the capability for: force reflection in teleoperation, shared control, traded control, operator designate and relative update. These five capabilities will be shown in a module release and exchange operation using mockups of Orbital Replacement Units (ORU). This development of the testbed shows examples of the technologies needed for remote servicing, particularly under conditions of delay in transmissions to the servicing site. Here, the following topics are presented: the system architecture of the testbed which incorporates these telerobotic technologies for servicing, the implementation of the five capabilities and the operation of the ORU mockups. Author

N90-25555*# California Univ., Berkeley. Telerobotics Unit.

A HELMET MOUNTED DISPLAY TO ADAPT THE TELEROBOTIC ENVIRONMENT TO HUMAN VISION

GREGORY THARP, ANDREW LIU, HITOMI YAMASHITA, and LAWRENCE STARK *In* NASA, Lyndon B. Johnson Space Center, Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) p 477-481 Mar. 1990

Avail: NTIS HC A99/MF A04 CSCL 05/8

A Helmet Mounted Display system has been developed. It provides the capability to display stereo images with the viewpoint tied to subjects' head orientation. The type of display might be useful in a telerobotic environment provided the correct operating parameters are known. The effects of update frequency were tested using a 3D tracking task. The effects of blur were tested using both tracking and pick-and-place tasks. For both, researchers found that operator performance can be degraded if the correct parameters are not used. Researchers are also using the display to explore the use of head movements as part of gaze as subjects search their visual field for target objects. Author

N90-25556*# Carlow Associates, Inc., Fairfax, VA.

HUMAN FACTORS ISSUES IN TELEROBOTIC SYSTEMS FOR SPACE STATION FREEDOM SERVICING

THOMAS B. MALONE and KATHRYN E. PERMENTER /n NASA, Lyndon B. Johnson Space Center, Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) p 485-492 Mar. 1990

Avail: NTIS HC A99/MF A04 CSCL 05/8

Requirements for Space Station Freedom servicing are described and the state-of-the-art for telerobotic system on-orbit servicing of spacecraft is defined. The projected requirements for the Space Station Flight Telerobotic Servicer (FTS) are identified. Finally, the human factors issues in telerobotic servicing are discussed. The human factors issues are basically three: the definition of the role of the human versus automation in system control; the identification of operator-device interface design requirements; and the requirements for development of an operator-machine interface simulation capability. Author

N90-25565*# Jet Propulsion Lab., California Inst. of Tech., Pasadena.

THE JPL TELEROBOT OPERATOR CONTROL STATION: OPERATIONAL EXPERIENCES

EDWIN P. KAN /n NASA, Lyndon B. Johnson Space Center, Third Annual Workshop on Space Operations Automation and Robotics (SOAR 1989) p 567-575 Mar. 1990

Avail: NTIS HC A99/MF A04 CSCL 05/8

The Operator Control Station of the JPL/NASA Telerobot Demonstration System provides an efficient man-machine interface for the performance of telerobot tasks. Its hardware and software have been designed with high flexibility. It provides a feedback-rich interactive environment in which the Operator performs teleoperation tasks, robotic tasks, and telerobotic tasks with ease. The to-date operational experiences of this system, particularly related to the Object Designate Process and the Voice Input/Output Process are discussed. Author

N90-26490*# Florida Univ., Gainesville. Dept. of Aerospace Engineering, Mechanics and Engineering Science.

DESIGN OF SENSORS FOR CONTROL OF CLOSED LOOP LIFE SUPPORT SYSTEMS Final Report

Jul. 1990 7 p

(Contract NASW-4435)

(NASA-CR-186656; NAS 1.26:186656) Avail: NTIS HC A02/MF A01 CSCL 06/11

A brief summary is presented of a Engineering Design sequence, a cooperation between NASA-Kennedy and the University of Florida on the Controlled Environmental Life Support System (CELSS) program. Part of the class was devoted to learning general principles and techniques of design. The next portion of the class was devoted to learning to design, actually fabricating and testing small components and subsystems of a CELSS. E.R.

N90-26491 Department of the Navy, Washington, DC.

HELMET-MOUNTED HEAD RESTRAINT Patent

MICHAEL H. PATTERSON, inventor (to Navy) 20 Mar. 1990 4 p Filed 3 Nov. 1988 Supersedes N90-16394 (28 - 8, p 1105), AD-D014233

(AD-D014536; US-PATENT-4,909,459;

US-PATENT-APPL-SN-266955) Avail: US Patent and Trademark Office CSCL 05/8

This patent discloses a head restraint for the occupant of a vehicle seat. It restrains the forward and downward movement of the occupant's head when subjected to large deceleration forces. The restraint includes a strap assembly which encircles the back of the occupant's head and releasably connects to his helmet adjacent to each of his ears at two locations. A retaining strap is slidably connected by a loop to the strap assembly and extends behind the head to a retracting means fixed in the seat. The retracting means pulls the head back against the seat when the deceleration forces exceed a predetermined level, as during flight maneuvers. During normal flight conditions, the occupant is able to move his head freely from side to side as the strap assembly slides through the loop. GRA

N90-26492*# Georgia Inst. of Tech., Atlanta. Center for Man-Machine Systems Research.

PILOT INTERACTION WITH AUTOMATED AIRBORNE DECISION MAKING SYSTEMS Final Report

JOHN M. HAMMER 1990 57 p

(Contract NAG2-123)

(NASA-CR-186730; NAS 1.26:186730) Avail: NTIS HC A04/MF A01 CSCL 05/8

Ways in which computers can aid the decision making of an human operator of an aerospace system are investigated. The approach taken is to aid rather than replace the human operator, because operational experience has shown that humans can enhance the effectiveness of systems. As systems become more automated, the role of the operator has shifted to that of a manager and problem solver. This shift has created the research area of how to aid the human in this role. Published research in four areas is described. A discussion is presented of the DC-8 flight simulator at Georgia Tech. Author

N90-26493# Wichita State Univ., KS. Inst. for Aviation Research.

CHOOSING A PILOT SUBJECTIVE WORKLOAD SCALE TO FIT FLIGHT OPERATIONAL REQUIREMENTS

RANDALL M. CHAMBERS and KEVIN J. KILMER Oct. 1989 26 p

(IAR-89-21) Avail: NTIS HC A03/MF A01

The assessment of pilot and aircrew workload is vital to the success of flight operations. It is also important in the design of cockpit instrumentation, display and control subsystems, and flight tests, whether it be civilian or military. Currently, there are three different types of subjective assessment scales available for pilot subjective workload evaluations: (1) the Modified Cooper-Harper Scale; (2) the NASA TLX Scale; and (3) the Subjective Workload Assessment Technique (SWAT). Engineering design information and human factors data concerning the advantages and disadvantages of each scale is provided. Also, recommendations and constraints regarding the pilot's use of these scales in design, test, and operations are provided. Author

N90-26494# Wichita State Univ., KS. National Inst. for Aviation Research.

BIODYNAMIC SIMULATIONS OF AN AIRCRAFT PILOT/PASSENGER IN VARIOUS CRASH ENVIRONMENTS

HAMID LANKARANI, DEREN MA, and GAYLE ERMER May 1990 26 p

(NIAR-90-6) Avail: NTIS HC A03/MF A01

A simple multiple-segment model of the human body is developed in order to examine its dynamic response under the action of external forcing conditions. The system is modeled as a collection of rigid elements interconnected by an array of kinematic joints constraining the relative motion of the elements. These elements include upper body combined with head and neck, lower legs, and thighs. Nonlinear rotational springs are incorporated at the joints accounting for the anatomical characteristics and limits. The constructed model is used to simulate the post-crash behavior of an aircraft pilot or passenger during surges such as frontal/side collisions and crashes in the vertical plane. A mathematical representation of the seat and interaction of the passenger with the seat cushion and back is developed. Restraints representing the seatbelts are also introduced in the model in a few different configurations. The complete model is then subjected to various pulse accelerations or decelerations in different directions. To perform a dynamic analysis a 3-D code is developed that generates and numerically solves the governing differential equations of motion in a systematic fashion. This feature of generality allows future additions to the present simple model or construction of more advanced models in a convenient way. This computerized model and the results of the simulations provide a base for predicting the motion behavior of the human body parts during crashes, understanding the effects of various types of seats and seatbelts on passenger safety, and design of mechanisms for crash protection and cockpit/cabin interior elements. Author

N90-26495# Wichita State Univ., KS. National Inst. for Aviation Research.

HUMAN PERFORMANCE IN COCKPIT-RELATED SYSTEMS
 RANDALL M. CHAMBERS and MIHRIBAN CIHANGIRLI May 1990 18 p
 (NIAR-90-7) Avail: NTIS HC A03/MF A01

A complex cognitive assessment battery of computerized cognitive performance tests was installed in the cockpit of a flight simulator, and cognitive performance capabilities of thirty volunteer subjects were measured on nine cognitive tests. Research on the effects of cockpit-related conditions on cognitive performance indicated that performance capabilities were affected by the process of attending to and reading selected instruments in the cockpit. Aircraft noise of 90 dBA significantly increased subjective mental workload without altering cognitive performance significantly. Although there were many individual differences among the thirty volunteer test subjects, mean cognitive performance for the fifteen males was not significantly different from the mean cognitive performance of the fifteen females.

Author

N90-26496# Wichita State Univ., KS. National Inst. for Aviation Research.

HUMAN FACTORS: THE HUMAN INTERFACE WITH AIRCRAFT INTERIORS

RANDALL CHAMBERS, JEFFREY FERNANDEZ, SRIKANTH NANDIGAM, and VANKATESH PALANISWAMY Jun. 1990 29 p
 (NIAR-90-18) Avail: NTIS HC A03/MF A01

The pilot, crew, and passengers interface with the aircraft's interior, its operational performance, its protective features and crash worthiness, its utilization during linear and angular accelerations and decelerations, and its management during crisis of a severe stress of impact and fire. Human factors considerations enter into the measurement and evaluation of crashworthiness performance, especially in the design criteria for seats, seat belts, shoulder harness, air bags, floors, and wall structures. Human factors considerations and design criteria also enter into the measurement and evaluation of performance, especially in crisis management and control, and performance of flight crew and passengers during fire, escape, depressurization, and other emergency situations. The human interface for protection in Gx accelerations and decelerations, and in Gy and Gz, have important design criteria for seats, back angle, shoulder straps and seat belts, dynamic and static supports, for head, neck, and torso. Body size and position for adults and for children require special considerations within acceleration fields produced within varying transportation systems. Subjective judgments of ride quality, comfort, and well-being are important in the human use of restraints and other interior protective components. Similarly, physiological indices and specific body distortions during deceleration, impact and burn provide important design criteria. Human use of controls and displays during emergency preparations and escape add specific design criteria and requirements for aircraft interior development.

Author

N90-26497# Pennsylvania Univ., Philadelphia. Dept. of Computer and Information Science.

ASSEMBLY VIA DISASSEMBLY: A CASE IN MACHINE PERCEPTUAL DEVELOPMENT

RUZENA K. BAJCSY and CONSTANTINE J. TSIKOS Jan. 1989 12 p Sponsored in part by DEC Corp., IBM Corp. and LORD Corp.

(Contract NAG5-1045; F49620-85-K-0018; DAA29-84-K-0061; DAA29-84-9-0027; N00014-85-K-0807; NSF MCS-82-19196; NSF IRI-84-10413; NSF INT-85-14199; NSF DMC-85-17315; NATO-0224/85)
 (NASA-CR-186867; NAS 1.26:186867; MS-CIS-89-04; GRASP-LAB-173) Avail: NTIS HC A03/MF A01 CSCL 05/8

First results in the effort of learning about representations of objects is presented. The questions attempted to be answered are: What is innate and what must be derived from the environment.

The problem is casted in the framework of disassembly of an object into two parts.

Author

N90-26498*# Pennsylvania Univ., Philadelphia. Dept. of Computer and Information Science.

GRASPING WITH MECHANICAL INTELLIGENCE M.S. Thesis

NATHAN THATCHER ULRICH Dec. 1988 79 p
 (Contract NAG5-1045; N00140-85-K-0807; NSF MEA-81-19884; NSF DCR-84-10771; NSF INT-85-14199; NSF DMC-85-17315; NSF DCR-82-19196)
 (NASA-CR-186864; NAS 1.26:186864; MS-CIS-89-51; GRASP-LAB-190) Avail: NTIS HC A05/MF A01 CSCL 05/8

Many robotic hands have been designed and a number have been built. Because of the difficulty of controlling and using complex hands, which usually have nine or more degrees of freedom, the simple one- or two-degree-of-freedom gripper is still the most common robotic end effector. A new category of device is presented: a medium-complexity end effector. With three to five degrees of freedom, such a tool is much easier to control and use, as well as more economical, compact and lightweight than complex hands. In order to increase the versatility, it was necessary to identify grasping primitives and to implement them in the mechanism. In addition, power and enveloping grasps are stressed over fingertip and precision grasps. The design is based upon analysis of object apprehension types, requisite characteristics for active sensing, and a determination of necessary environmental interactions. Contained are the general concepts necessary to the design of a medium-complexity end effector, an analysis of typical performance, and a computer simulation of a grasp planning algorithm specific to this type of mechanism. Finally, some details concerning the UPenn Hand-a tool designed for the research laboratory-are presented.

Author

N90-26499*# Wisconsin Univ., Milwaukee. Space Architecture Design Group.

GENESIS LUNAR OUTPOST CRITERIA AND DESIGN

TIMOTHY HANSMANN, ed. & comp., GARY T. MOORE, ed. & comp., DINO J. BASCHIERA, JOE PAUL FIEBER, and JANIS HUEBNER MOTHS 11 Jun. 1990 119 p
 (Contract NASW-4435)

(NASA-CR-186831; NAS 1.26:186831; R90-1; ISBN-0-938744-69-0) Avail: NTIS HC A06/MF A01 CSCL 05/8

This design study--the third in the space architecture series--focused on the requirements of an early stage lunar outpost. The driving assumptions of the scenario was that the base would serve as a research facility and technology testbed for future Mars missions, a habitat supporting 12 persons for durations of up to 20 months, and would sustain the following five experimental facilities: Lunar surface mining and production analysis facility, construction technology and materials testbed, closed environmental life support system (CELSS) test facility, lunar farside observatory, and human factors and environment-behavior research facility. Based upon the criteria set forth in a previous programming document, three preliminary lunar base designs were developed. Each of the three schemes studied a different construction method and configuration. The designs were then evaluated in terms of environmental response, human habitability, transportability, constructability, construction dependability and resilience, and their suitability in carrying out the desired scientific research. The positive points of each scheme were then further developed by the entire project team, resulting in one integrated lunar outpost design.

Author

N90-26500*# Kansas State Univ., Manhattan. Dept. of Mechanical Engineering.

AUTOMATION OF CLOSED ENVIRONMENTS IN SPACE FOR HUMAN COMFORT AND SAFETY Report, 1989-1990

1990 121 p
 (Contract NGT-21-002-800)
 (NASA-CR-186834; NAS 1.26:186834) Avail: NTIS HC A06/MF A01 CSCL 05/8

The results are presented of the first year of a three year project on the automation of the Environmental Control and Life

Support System (ECLSS) of the Space Station Freedom (SSF). The results are applicable to other future space mission. The work was done by the Kansas State University NASA/USRA interdisciplinary student design team. The six ECLSS subsystems and how they interact are discussed. Proposed control schemes and their rationale are discussed for the Atmosphere Revitalization (AR) subsystem. Finally, a description of the mathematical models for many components of the ECLSS control system is given.

Author

N90-26501* Idaho Univ., Moscow. Dept. of Mechanical Engineering.

GREENHOUSE DESIGN FOR A MARTIAN COLONY: STRUCTURAL, SOLAR COLLECTION AND LIGHT DISTRIBUTION SYSTEMS

1990 93 p

(Contract NGT-21-002-800)

(NASA-CR-186818; NAS 1.26:186818) Avail: NTIS HC A05/MF A01 CSCL 05/8

The inflatable structure serves as an ideal greenhouse while being feasible to transport and easy to assemble on Mars. Locating the structure underground protects it from the extreme environmental variations on the surface. The proposed lighting system provides all the necessary light for photosynthesis with little external power demand. These considerations make the proposed greenhouse design a viable means of providing an ongoing food supply for a Martian colony.

Author

N90-26502# Norwegian Defence Research Establishment, Kjeller.

HUMAN PERFORMANCE MODELS

OIVIND SKARE 7 Feb. 1990 229 p In NORWEGIAN; ENGLISH summary

(FFI-90/7002; ISSN-0802-2437; ETN-90-97035) Avail: NTIS HC A11/MF A02

An overview of human performance models is given. The models are classified after Rasmussen's framework for characterizing various categories of behavior and after basic tasks which an operator is assumed to perform. The overview is concentrated on quantitative models and dynamic man machine systems. It is used on a command and weapon control system. Each activity in a weapon engagement is decomposed to a set of basic tasks. An experiment performed with chosen subjects is described. Different aspects with respect to how these subjects combine information are examined.

ESA

N90-26503* Maryland Univ., College Park. Inst. for Physical Science and Technology.

DEVELOPMENT OF EYE-SAFE LIDAR FOR AEROSOL MEASUREMENTS Final Report, 1988-1989

UPENDRA N. SINGH and THOMAS D. WILDERSON Aug. 1990 8 p

(Contract NAG5-1114)

(NASA-CR-186905; NAS 1.26:186905; BN-1114) Avail: NTIS HC A02/MF A01 CSCL 06/17

Research is summarized on the development of an eye safe Raman conversion system to carry out lidar measurements of aerosol and clouds from an airborne platform. Radiation is produced at the first Stokes wavelength of 1.54 micron in the eye safe infrared, when methane is used as the Raman-active medium, the pump source being a Nd:YAG laser at 1.064 micron. Results are presented for an experimental study of the dependence of the 1.54 micron first Stokes radiation on the focusing geometry, methane gas pressure, and pump energy. The specific new technique developed for optimizing the first Stokes generation involves retroreflecting the backward-generated first Stokes light back into the Raman cell as a seed Stokes beam which is then amplified in the temporal tail of the pump beam. Almost 20 percent conversion to 1.54 micron is obtained. Complete, assembled hardware for the Raman conversion system was delivered to the Goddard Space Flight Center for a successful GLOBE flight (1989) to measure aerosol backscatter around the Pacific basin. Author

N90-26504# Syracuse Univ., NY. Dept. of Chemical Engineering and Materials Science.

DEVELOPMENT OF MEMBRANE PROCESS FOR CARBON DIOXIDE SEPARATION FROM DIVING ATMOSPHERE

S. A. STERN and K. A. LOKHANDALA May 1990 84 p (AD-A222606; NCSC-CR-20C-1-90) Avail: NTIS HC A05/MF A01 CSCL 13/10

Computer simulations show that membrane separation processes can be used effectively to remove Carbon dioxide 2 from exhaled air in an underwater breathing apparatus. Membrane separation processes are based on the selective permeation of the components of a gas mixture through nonporous polymer membranes. A permeator module provided with membranes in the form of asymmetric or composite hollow fibers is best suited for CO₂ removal from exhaled air. The operation of such a permeator, designed to reduce the CO₂ concentration in exhaled air from about 4 to 1 mole-percent, was simulated in order to determine its optimum dimensions and membrane are requirement. The exhaled air will flow in such a permeator in an axial direction inside the hollow fibers, while the external surface of the fibers will be in contact with sea water. The fraction of the exhaled air permeating through the hollow fibers (the permeate) will be enriched in CO₂, which will be dissipated in the sea water.

GRA

N90-26505# Krug International, San Antonio, TX. Technology Services Div.

AIRCREW LIFE SUPPORT SYSTEMS ENHANCEMENT Final Report, 1 Aug. 1985 - 30 Apr. 1989

ROBERT W. KRUTZ, JR., THOMAS E. NESTHUS, WILLIAM R. SCOTT, JAMES T. WEBB, CHERIE J. NOLES, JANET F. WIEGMAN, ROSALIND A. CHAVEZ, and BIJAN ESHAGHIAN Feb. 1990 108 p

(Contract F33615-85-C-4503; AF PROJ. 7930)

(AD-A222626; USAFSAM-TR-89-26) Avail: NTIS HC A06/MF A01 CSCL 06/5

This final report is a summary of the contract objectives and accomplishments; it includes a complete bibliography of reports generated for the Crew Technology Division. The scientific, engineering, and technical team from KRUG International provided support in accordance with task assignments developed from the statement of work as summarized in each of the 11 areas discussed in this report. Each summary is followed by a review of the accomplishments with reference, where appropriate, to the appendix which lists publications documenting the work completed.

GRA

N90-26506# Naval Postgraduate School, Monterey, CA. **MOTION SICKNESS, VISUAL DISPLAYS, AND ARMORED VEHICLE DESIGN Contractor Report, Oct. 1988 - Sep. 1989**

Apr. 1990 129 p Proceedings of a Conference on Wraparound Visual Displays, Waltham, MA 14-15 Jan. 1988

(AD-A222678; BRL-CR-629) Avail: NTIS HC A07/MF A01 CSCL 06/10

The report analyzes the operational requirements of low-profile armored vehicles and the underlying causes of motion sickness symptoms arising from conflicting visual vestibular cues. The report identifies some of the probable determinants of motion sickness symptoms and recommends profitable directions for further research on this topic.

GRA

N90-26507# Illinois Univ., Urbana-Champaign.

PSYCHOPHYSIOLOGICAL ASSESSMENT OF PILOT WORKLOAD IN AN APPLIED SETTING M.S. Thesis

JOHN STEVEN BELL 1990 139 p Sponsored by AFIT, Wright-Patterson AFB, OH

(AD-A222707; AD-E501236; AFIT/CI/CIA-90-026) Avail: NTIS HC A07/MF A01 CSCL 05/8

One of the greatest problems facing researchers, design teams, and practitioners of engineering psychology is to determine that the product of their labors, whether a new type of computer interface or a new concept cockpit in a next generation aircraft, places demands upon the operator that are consistent with the known limits of human performance capacities. It is one thing to

have a machine that performs a task with great efficiency. It is quite another to place a human operator at the controls of this machine and obtain ideal performance efficiency levels. Engineers are most concerned that the machine they have constructed is functionally capable of performing the operations it was designed for and sustaining its function within some specified lifetime. The machine's functional parameters are easily tested and relatively well understood. GRA

biomasses, about 3×10 to the 12th kilograms and about 6×10 to the 14th kilograms, respectively. Author

N90-26508# North Carolina Univ., Chapel Hill. Dept. of Computer Science.

A REAL-TIME OPTICAL 3D TRACKER FOR HEAD-MOUNTED DISPLAY SYSTEMS

JIH-FANG WANG, VERNON CHI, and HENRY FUCHS Mar. 1990 11 p

(Contract N00014-86-K-0680; NIH-RR-02170)

(AD-A222747) Avail: NTIS HC A03/MF A01 CSCL 17/11

A new optical system for real-time, three-dimensional position tracking is described. This system adopts an inside-out tracking paradigm. The working environment is a room where the ceiling is lined with a regular pattern of infrared LEDs flashing under the system's control. Three cameras are mounted on a helmet which the user wears. Each camera uses a lateral effect photodiode as the recording surface. The 2-D positions of the LED images inside the field of view of the cameras are detected and reported in real time. The measured 2-D image positions and the known 3-D positions of the LEDs are used to compute the position and orientation of the camera assembly in space. We have designed an iterative algorithm to estimate the 3-D position of the camera assembly in space. The algorithm is a generalized version of the Church's method, and allows for multiple cameras with nonconvergent nodal points. Several equations are formulated to predict the system's error analytically. The requirements of accuracy, speed, adequate working volume, light weight and small size of the tracker are also addressed. GRA

55

SPACE BIOLOGY

Includes exobiology; planetary biology; and extraterrestrial life.

A90-43385* Cornell Univ., Ithaca, NY.

COMETARY DELIVERY OF ORGANIC MOLECULES TO THE EARLY EARTH


CHRISTOPHER F. CHYBA, PAUL J. THOMAS, CARL SAGAN (Cornell University, Ithaca, NY), and LEIGH BROOKSHAW (Yale University, New Haven, CT) Science (ISSN 0036-8075), vol. 249, July 27, 1990, p. 366-373. Research supported by Kenneth T. and Eileen L. Norris Foundation. refs

(Contract NGR-33-010-220; NGR-33-010-101; NGT-50302; NAGW-1023; N00014-83-K-0610)

Copyright

It has long been speculated that earth accreted prebiotic organic molecules important for the origins of life from impacts of carbonaceous asteroids and comets during the period of heavy bombardment 4.5×10 to the 9th to 3.8×10 to the 9th years ago. A comprehensive treatment of comet-asteroid interaction with the atmosphere, surface impact, and resulting organic pyrolysis demonstrates that organics will not survive impacts at velocities greater than about 10 kilometers per second and that even comets and asteroids as small as 100 meters in radius cannot be aerobraked to below this velocity in 1-bar atmospheres. However, for plausible dense (10-bar carbon dioxide) early atmospheres, it is found that 4.5×10 to the 9th years ago earth was accreting intact cometary organics at a rate of at least about 10 to the 6th to 10 to the 7th kilograms per year, a flux that thereafter declined with a half-life of about 10 to the 8th years. These results may be put in context by comparison with terrestrial oceanic and total

Typical Subject Index Listing



The subject heading is a key to the subject content of the document. The title is used to provide a description of the subject matter. When the title is insufficiently descriptive of document content, a title extension is added, separated from the title by three hyphens. The (NASA or AIAA) accession number and the page number are included in each entry to assist the user in locating the abstract in the abstract section. If applicable, a report number is also included as an aid in identifying the document. Under any one subject heading, the accession numbers are arranged in sequence with the AIAA accession numbers appearing first.

A

ACCELERATION (PHYSICS)

Prevalence of G-induced cervical injury in US Air Force pilots p 281 N90-25460

ACCELERATION STRESSES (PHYSIOLOGY)

A mathematical model for response of the coronary circulation to high sustained gravitational force fields p 281 A90-45741

Mobility of the head and load effects: Experimental approach in a centrifuge p 284 N90-25473

Risk of cervical injury in real and simulated accidents p 285 N90-25475

Biofidelity of a dummy's neck during automobile collision testing p 285 N90-25477

ACCELERATION TOLERANCE

Relationship between +Gz tolerance and physical characteristics during gradual and rapid onset runs p 277 A90-43456

GLC - A practical discussion - Gravitational Loss of Consciousness p 280 A90-44652

Adverse effect of negative Gz on subsequent high positive Gz - A need for research and education p 280 A90-44660

Pulmonary considerations of high sustained +Gz acceleration and G protection p 280 A90-44661

ACCIDENTS

Arctic cold weather medicine and accidental hypothermia [AD-A223090] p 287 N90-26487

ACOUSTIC FREQUENCIES

The effects of acoustic orientation cues on instrument flight performance in a flight simulator p 288 A90-44629

ADAPTIVE CONTROL

Method for the realization of autonomy and stationarity principles in the synthesis of ergatic systems p 292 A90-44906

ADENOSINE TRIPHOSPHATE

Experiment K-6-10. Effects of zero gravity on myofibril protein content and isomyosin distribution in rodent skeletal muscle p 272 N90-26464

AERONAUTICAL ENGINEERING

The environmental control and life support system advanced automation project. Phase 1: Application evaluation p 298 N90-25523

AEROSOLS

Development of eye-safe lidar for aerosol measurements [NASA-CR-186905] p 302 N90-26503

AEROSPACE ENVIRONMENTS

Experiment K-6-09. Morphological and biochemical investigation of microgravity-induced nerve and muscle breakdown. Part 1: Investigation of nerve and muscle breakdown during spaceflight; Part 2: Biochemical analysis of EDL and PLT muscles p 272 N90-26463

Automation of closed environments in space for human comfort and safety [NASA-CR-186834] p 301 N90-26500

AEROSPACE MEDICINE

An overview of the space medicine program and development of the Health Maintenance Facility for Space Station p 276 A90-43453

Hypothesis on bubble volume of altitude decompression sickness and relation between O2 prebreathing time and pressure in space suits p 277 A90-44582

Present status of radial keratotomy myopia surgery - Aerospace considerations p 279 A90-44636

USSR space life sciences digest, issue 27 [NASA-CR-3922(32)] p 269 N90-25457

A survey of cervical pain in pilots of a Belgian F-16 Air Defence Wing p 282 N90-25462

Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 332) [NASA-SP-7011(332)] p 286 N90-25480

Aerospace medicine and biology: A continuing bibliography with indexes (supplement 337) [NASA-SP-7011(337)] p 286 N90-25481

Aerospace medicine and biology: A continuing bibliography with indexes (supplement 338) [NASA-SP-7011(338)] p 286 N90-25482

AEROSPACE SYSTEMS

Pilot interaction with automated airborne decision making systems [NASA-CR-186730] p 300 N90-26492

AGE FACTOR

Age-related changes in performance of pilots p 288 A90-43381

Age related changes in physical performance and physiological functions of JASDF pilots p 276 A90-43382

Pilots' learning abilities and their ages in aircraft transition trainings. I - Analysis of final grades in transition trainings p 288 A90-43383

Pilots' learning abilities and their ages in aircraft transition trainings. II - Questionnaire survey to student pilots and their instructors in transition trainings p 288 A90-43384

AGING (BIOLOGY)

Program review: The lifetime effects of space radiation in rhesus monkeys [AD-A221127] p 268 N90-25454

AIR BAG RESTRAINT DEVICES

Human factors: The human interface with aircraft interiors [NIAIR-90-18] p 301 N90-26496

AIRCRAFT COMPARTMENTS

Human factors: The human interface with aircraft interiors [NIAIR-90-18] p 301 N90-26496

AIRCRAFT CONTROL

Aircrew neck injuries: A new, or an existing, misunderstood phenomenon p 283 N90-25467

AIRCRAFT DESIGN

Ergonomic support of aircraft development processes p 292 A90-44909

AIRCRAFT PILOTS

Pilots' learning abilities and their ages in aircraft transition trainings. I - Analysis of final grades in transition trainings p 288 A90-43383

Pilots' learning abilities and their ages in aircraft transition trainings. II - Questionnaire survey to student pilots and their instructors in transition trainings p 288 A90-43384

Relationship between +Gz tolerance and physical characteristics during gradual and rapid onset runs p 277 A90-43456

Renal calculi in Army aviators p 279 A90-44638

In search of an inherent ordering of vowel phonemes. or do pilots hear like engineers do? p 288 A90-44642

Radiological investigation of the vertebral column of candidates for military flying training the the Royal Norwegian Air Force p 282 N90-25463

Data analysis in cervical trauma p 282 N90-25464

Progressive cervical osteoarthritis in high performance aircraft pilots p 282 N90-25465

Biochemical and physiological changes in glider pilots during multi-hour flights [ESA-TT-1183] p 286 N90-25484

The prediction of professional success of licenced pilots: The validity of flight experience in comparison with standardized psychological aptitude tests [DLR-FB-89-53] p 289 N90-25488

International application of the DLR test-system: First year of cooperation with IBERIA in pilot selection [DLR-FB-90-05] p 289 N90-25491

Biodynamic simulations of an aircraft pilot/passenger in various crash environments [NIAIR-90-6] p 300 N90-26494

ALTITUDE SICKNESS

Threshold altitude resulting in decompression sickness p 277 A90-44626

ANGULAR ACCELERATION

Risk of cervical injury in real and simulated accidents p 285 N90-25475

ANTHROPOMETRY

Quantitative assessment of human motion using video motion analysis p 298 N90-25518

ANTIBODIES

Binding of alpha-fetoprotein by immobilized monoclonal antibodies during episodes of zero-gravity obtained by parabolic flight p 279 A90-44634

Experiment K-6-23. Effect of spaceflight on levels and function of immune cells p 275 N90-26476

ANTIGENS

Experiment K-6-23. Effect of spaceflight on levels and function of immune cells p 275 N90-26476

APTITUDE

TOM: Test of multiple task performance, user manual [DLR-FB-89-60] p 289 N90-25490

International application of the DLR test-system: First year of cooperation with IBERIA in pilot selection [DLR-FB-90-05] p 289 N90-25491

ARCTIC REGIONS

Arctic cold weather medicine and accidental hypothermia [AD-A223090] p 287 N90-26487

ARMOR

Motion sickness, visual displays, and armored vehicle design [AD-A222678] p 302 N90-26506

ARTHRITIS

Progressive cervical osteoarthritis in high performance aircraft pilots p 282 N90-25465

ARTIFICIAL INTELLIGENCE

Active perception and exploratory robotics [MS-CIS-89-65] p 297 N90-25501

Grasping with mechanical intelligence [NASA-CR-186864] p 301 N90-26498

ASSEMBLING

Assembly via disassembly: A case in machine perceptual development [NASA-CR-186867] p 301 N90-26497

ASTRONAUTS

An expert system to advise astronauts during experiments: The protocol manager module p 298 N90-25522

ATMOSPHERIC TEMPERATURE

Design and implementation of sensor systems for control of a closed-loop life support system [NASA-CR-186675] p 296 N90-25497

ATROPHY

- Rat limb unloading - Soleus histochemistry, ultrastructure, and electromyography p 268 A90-44274
- Experiment K-6-07. Metabolic and morphologic properties of muscle fibers after spaceflight p 271 N90-26461
- Experiment K-6-08. Biochemical and histochemical observations of vastus medialis p 271 N90-26462
- Experiment K-6-09. Morphological and biochemical investigation of microgravity-induced nerve and muscle breakdown. Part 1: Investigation of nerve and muscle breakdown during spaceflight; Part 2: Biochemical analysis of EDL and PLT muscles p 272 N90-26463
- Experiment K-6-10. Effects of zero gravity on myofibril protein content and isomyosin distribution in rodent skeletal muscle p 272 N90-26464
- Experiment K-6-11. Actin mRNA and cytochrome c mRNA concentrations in the triceps brachia muscle of rats p 272 N90-26465
- Experiment K-6-21. Effect of microgravity on 1) metabolic enzymes of type 1 and type 2 muscle fibers and on 2) metabolic enzymes, neurotransmitter amino acids, and neurotransmitter associated enzymes in motor and somatosensory cerebral cortex. Part 1: Metabolic enzymes of individual muscle fibers; part 2: metabolic enzymes of hippocampus and spinal cord p 274 N90-26474
- ATTENTION**
- The role of attention in information processing implications for the design of displays [AD-A219252] p 288 N90-25486
- AUDITORY DEFECTS**
- In search of an inherent ordering of vowel phonemes, or do pilots hear like engineers do? p 288 A90-44642
- AUTOMATIC CONTROL**
- The environmental control and life support system advanced automation project. Phase 1: Application evaluation p 298 N90-25523
- Pilot interaction with automated airborne decision making systems [NASA-CR-186730] p 300 N90-26492
- AUTOMOBILE ACCIDENTS**
- Electronystagmographic findings following cervical injuries p 282 N90-25466
- Biofidelity of a dummy's neck during automobile collision testing p 285 N90-25477
- AUTONOMIC NERVOUS SYSTEM**
- Autonomic nervous system partially controls muscular activity in man p 277 A90-43454
- AUTONOMOUS NAVIGATION**
- Pushing the envelope - Space telerobotics at Carnegie Mellon University p 291 A90-43155
- AVIATION PSYCHOLOGY**
- Pilot - Mental and physical performance - Book p 287 A90-42663
- AXIAL LOADS**
- Flexion, extension and lateral bending responses of the cervical spine p 283 N90-25468

B

BACKSCATTERING

- Development of eye-safe lidar for aerosol measurements [NASA-CR-186905] p 302 N90-26503

BENDING

- Flexion, extension and lateral bending responses of the cervical spine p 283 N90-25468

BETA PARTICLES

- Differential interaction of chiral beta-particles with enantiomers p 267 A90-44250

BIBLIOGRAPHIES

- Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 332) [NASA-SP-7011(332)] p 286 N90-25480
- Aerospace medicine and biology: A continuing bibliography with indexes (supplement 337) [NASA-SP-7011(337)] p 286 N90-25481
- Aerospace medicine and biology: A continuing bibliography with indexes (supplement 338) [NASA-SP-7011(338)] p 286 N90-25482
- Aircrew life support systems enhancement [AD-A22626] p 302 N90-26505

BINAURAL HEARING

- In search of an inherent ordering of vowel phonemes, or do pilots hear like engineers do? p 288 A90-44642

BIOASTRONAUTICS

- USSR space life sciences digest, issue 27 [NASA-CR-3922(32)] p 269 N90-25457
- Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 332) [NASA-SP-7011(332)] p 286 N90-25480
- Aerospace medicine and biology: A continuing bibliography with indexes (supplement 337) [NASA-SP-7011(337)] p 286 N90-25481

- Aerospace medicine and biology: A continuing bibliography with indexes (supplement 338) [NASA-SP-7011(338)] p 286 N90-25482

BIOCHEMISTRY

- Biochemical and physiological changes in glider pilots during multi-hour flights [ESA-TT-1183] p 286 N90-25484
- Experiment K-6-08. Biochemical and histochemical observations of vastus medialis p 271 N90-26462
- Experiment K-6-09. Morphological and biochemical investigation of microgravity-induced nerve and muscle breakdown. Part 1: Investigation of nerve and muscle breakdown during spaceflight; Part 2: Biochemical analysis of EDL and PLT muscles p 272 N90-26463
- Experiment K-6-13. Morphological and biochemical examination of heart tissue. Part 1: Effects of microgravity on the myocardial fine structure of rats flown on Cosmos 1887. Ultrastructure studies. Part 2: Cellular distribution of cyclic ampendent protein kinase regulatory subunits in heart muscle of rats flown on Cosmos 1887 p 273 N90-26467
- Experiment K-6-14. Hepatic function in rats after spaceflight p 273 N90-26468

Photosynthesis in intact plants

- [DE90-013699] p 276 N90-26482
- Computer simulation of chemical reactions in synthetic model compounds and genetically engineered active sites [AD-A22611] p 276 N90-26483

BIODYNAMICS

- Electronystagmographic findings following cervical injuries p 282 N90-25466
- A kinematic/dynamic model for prediction of neck injury during impact acceleration p 283 N90-25469
- Analysis of the biomechanic and ergonomic aspects of the cervical spine under load p 283 N90-25470
- Dynamical modifications to the head, load factors from additional weight p 284 N90-25472
- Risk of cervical injury in real and simulated accidents p 285 N90-25475
- Biofidelity of a dummy's neck during automobile collision testing p 285 N90-25477
- Omni-directional human head-neck response [SAE-861893] p 285 N90-25478
- Quantitative assessment of human motion using video motion analysis p 298 N90-25518
- Experiment K-6-02. Biomedical, biochemical and morphological alterations of muscle and dense, fibrous connective tissues during 14 days of spaceflight p 270 N90-26456
- Biodynamic simulations of an aircraft pilot/passenger in various crash environments [NIAR-90-6] p 300 N90-26494

BIOENGINEERING

- ECUT: Energy Conversion and Utilization Technologies program. Biocatalysis project [NASA-CR-186866] p 269 N90-25458

BIOLOGICAL EFFECTS

- Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 332) [NASA-SP-7011(332)] p 286 N90-25480
- Aerospace medicine and biology: A continuing bibliography with indexes (supplement 337) [NASA-SP-7011(337)] p 286 N90-25481
- Aerospace medicine and biology: A continuing bibliography with indexes (supplement 338) [NASA-SP-7011(338)] p 286 N90-25482
- Experiment K-6-16. Morphological examination of rat testes. The effect of Cosmos 1887 flight on spermatogonial population and testosterone level in rat testes p 273 N90-26469

BIOLOGICAL MODELS (MATHEMATICS)

- A mathematical model for response of the coronary circulation to high sustained gravitational force fields p 281 A90-45741

BIOMASS

- Carbon dioxide and water exchange rates by a wheat crop in NASA's biomass production chamber: Results from an 86-day study (January to April 1989) [NASA-TM-102788] p 268 N90-25453
- System development and early biological tests in NASA's biomass production chamber [NASA-TM-103494] p 269 N90-25456
- Proximate composition of seed and biomass from soybean plants grown at different carbon monoxide (CO₂) concentrations [NASA-TM-103496] p 276 N90-26480

BIOMEDICAL DATA

- Study of brain supra-slow encephalofluorograph of rabbit during simulated weightlessness p 268 A90-44577

BIOPROCESSING

- ECUT: Energy Conversion and Utilization Technologies program. Biocatalysis project [NASA-CR-186866] p 269 N90-25458

BIOSYNTHESIS

- Gas exchange characteristics as indicators of the basic limiting factors in photosynthesis [DE90-012399] p 276 N90-26481

BLACKOUT (PHYSIOLOGY)

- Adverse effect of negative Gz on subsequent high positive Gz - A need for research and education p 280 A90-44660

BLACKOUT PREVENTION

- GLC - A practical discussion - Gravitational Loss of Consciousness p 280 A90-44652

BLOOD CELLS

- Changes of blood cells after hyper-gravity exposure p 267 A90-43458

BLOOD PLASMA

- Effect of jet lag on the circadian rhythm of plasma melatonin p 280 A90-44777

BLOOD PRESSURE

- Hemodynamic and ADH responses to central blood volume shifts in cardiac-denervated humans [NASA-TM-103471] p 287 N90-26485

BLOOD VOLUME

- Hemodynamic and ADH responses to central blood volume shifts in cardiac-denervated humans [NASA-TM-103471] p 287 N90-26485

BODY FLUIDS

- The effect of hyperdynamic fields on the oxidative metabolism of the paraventricular nucleus p 278 A90-44633

BODY KINEMATICS

- Quantitative assessment of human motion using video motion analysis p 298 N90-25518

BODY TEMPERATURE

- Thermoregulatory responses to +3Gz in rats at different time of day p 268 A90-44776
- Effects of a time zone shift of 9 hours on the circadian rhythms in cockpit aircrew members on longhaul flights [ESA-TT-1185] p 286 N90-25485
- Adjustment and validation of the mathematical prediction model for sweat rate, heart rate, and body temperature under outdoor conditions [AD-A22599] p 287 N90-26486

BONE DEMINERALIZATION

- Experiment K-6-04. Trace element balance in rats during spaceflight p 271 N90-26458

BONE MARROW

- Experiment K-6-23. Effect of spaceflight on levels and function of immune cells p 275 N90-26476

BONE MINERAL CONTENT

- Effects of microgravity on rat bone, cartilage and connective tissues p 270 N90-26454
- Experiment K-6-01. Distribution and biochemistry of mineral and matrix in the femurs of rats p 270 N90-26455
- Experiment K-6-04. Trace element balance in rats during spaceflight p 271 N90-26458
- Experiment K-6-05. The maturation of bone and dentin matrices in rats flown on Cosmos 1887 p 271 N90-26459

- Experiment K-6-27. Analysis of radiographs and biosamples from primate studies p 275 N90-26478

BONES

- Effects of microgravity on rat bone, cartilage and connective tissues p 270 N90-26454
- Experiment K-6-02. Biomedical, biochemical and morphological alterations of muscle and dense, fibrous connective tissues during 14 days of spaceflight p 270 N90-26456

- Experiment K-6-03. Gravity and skeletal growth, part 1. Part 2: Morphology and histochemistry of bone cells and vasculature of the tibia; Part 3: Nuclear volume analysis of osteoblast histogenesis in periodontal ligament cells; Part 4: Intervertebral disc swelling pressure associated with microgravity p 270 N90-26457
- Experiment K-6-04. Trace element balance in rats during spaceflight p 271 N90-26458
- Experiment K-6-05. The maturation of bone and dentin matrices in rats flown on Cosmos 1887 p 271 N90-26459

- Experiment K-6-06. Morphometric and EM analyses of tibial epiphyseal plates from Cosmos 1887 rats p 271 N90-26460

BRAIN

- Experiment K-6-18. Study of muscarinic and gaba (benzodiazepine) receptors in the sensory-motor cortex, hippocampus and spinal code p 273 N90-26471

BRAIN DAMAGE

- Study of brain supra-slow encephalofluorograph of rabbit during simulated weightlessness p 268 A90-44577

BRUSHES

- Design of a device to remove lunar dust from space suits for the proposed lunar base [NASA-CR-186679] p 296 N90-25496

BUBBLES

Hypothesis on bubble volume of altitude decompression sickness and relation between O₂ prebreathing time and pressure in space suits p 277 A90-44582

C**CALCIFICATION**

Experiment K-6-19. Pineal physiology in microgravity: Relation to rat gonadal function p 274 N90-26472

CALCIUM

Experiment K-6-01. Distribution and biochemistry of mineral and matrix in the femurs of rats p 270 N90-26455

Experiment K-6-19. Pineal physiology in microgravity: Relation to rat gonadal function p 274 N90-26472

CALCIUM METABOLISM

Experiment K-6-19. Pineal physiology in microgravity: Relation to rat gonadal function p 274 N90-26472

CALCULI

Renal calculi in Army aviators p 279 A90-44638

CANOPIES

Measurement techniques, evaluation criteria and injury probability assessment methodologies developed for Navy ejection and crashworthy seat evaluations p 285 N90-25479

CAPILLARIES (ANATOMY)

Sympathetic nerves control the new formation of microvessels induced by adaptation to hypoxia p 281 A90-45125

CARBON DIOXIDE

Carbon dioxide and water exchange rates by a wheat crop in NASA's biomass production chamber: Results from an 86-day study (January to April 1989) p 268 N90-25453

Gas exchange characteristics as indicators of the basic limiting factors in photosynthesis [DE90-012399] p 276 N90-26481

Development of membrane process for carbon dioxide separation from diving atmosphere [AD-A222606] p 302 N90-26504

CARBON DIOXIDE CONCENTRATION

Carbon dioxide and water exchange rates by a wheat crop in NASA's biomass production chamber: Results from an 86-day study (January to April 1989) p 268 N90-25453

Proximate composition of seed and biomass from soybean plants grown at different carbon monoxide (CO₂) concentrations [NASA-TM-103496] p 276 N90-26480

CARBON MONOXIDE

Proximate composition of seed and biomass from soybean plants grown at different carbon monoxide (CO₂) concentrations [NASA-TM-103496] p 276 N90-26480

CARDIOVASCULAR SYSTEM

Hemodynamic and ADH responses to central blood volume shifts in cardiac-denervated humans [NASA-TM-103471] p 287 N90-26485

CATALYSIS

ECUT: Energy Conversion and Utilization Technologies program. Biocatalysis project [NASA-CR-186866] p 269 N90-25458

CATALYSTS

Computer simulation of chemical reactions in synthetic model compounds and genetically engineered active sites [AD-A222611] p 276 N90-26483

CELLS (BIOLOGY)

Binding of alpha-fetoprotein by immobilized monoclonal antibodies during episodes of zero-gravity obtained by parabolic flight p 279 A90-44634

Experiment K-6-06. Morphometric and EM analyses of tibial epiphyseal plates from Cosmos 1887 rats p 271 N90-26460

Experiment K-6-17. Structural changes and cell turnover in the rats small intestine induced by spaceflight p 273 N90-26470

Experiment K-6-22. Growth hormone regulation, synthesis and secretion in microgravity. Part 1: Somatotroph physiology. Part 2: Immunohistochemical analysis of hypothalamic hormones. Part 3: Plasma analysis p 274 N90-26475

Experiment K-6-23. Effect of spaceflight on levels and function of immune cells p 275 N90-26476

CENTRIFUGAL FORCE

Mobility of the head and load effects: Experimental approach in a centrifuge p 284 N90-25473

CENTRIFUGING STRESS

Responses of rats to 3-week centrifugal accelerations p 267 A90-43457

The electrocardiographic response to high +Gz centrifuge training p 278 A90-44632

CHEMICAL ANALYSIS

Experiment K-6-09. Morphological and biochemical investigation of microgravity-induced nerve and muscle breakdown. Part 1: Investigation of nerve and muscle breakdown during spaceflight; Part 2: Biochemical analysis of EDL and PLT muscles p 272 N90-26463

CHEMICAL ENGINEERING

ECUT: Energy Conversion and Utilization Technologies program. Biocatalysis project [NASA-CR-186866] p 269 N90-25458

CHEMICAL REACTIONS

Computer simulation of chemical reactions in synthetic model compounds and genetically engineered active sites [AD-A222611] p 276 N90-26483

CHINA

Medicinal protection with Chinese herb-compound against radiation damage p 279 A90-44635

CHIRAL DYNAMICS

Differential interaction of chiral beta-particles with enantiomers p 267 A90-44250

CHLOROPLASTS

Gas exchange characteristics as indicators of the basic limiting factors in photosynthesis [DE90-012399] p 276 N90-26481

CIRCADIAN RHYTHMS

Effect of jet lag on the circadian rhythm of plasma melatonin p 280 A90-44777

Studies on predicting the resynchronization of the circadian system after transmeridian flights [ESA-TT-1177] p 286 N90-25483

Effects of a time zone shift of 9 hours on the circadian rhythms in cockpit aircrew members on longhaul flights [ESA-TT-1185] p 286 N90-25485

CLEANING

Design of a device to remove lunar dust from space suits for the proposed lunar base [NASA-CR-186679] p 296 N90-25496

CLINICAL MEDICINE

Clinical hyperbaric medicine p 280 A90-44657

CLOSED ECOLOGICAL SYSTEMS

Carbon dioxide and water exchange rates by a wheat crop in NASA's biomass production chamber: Results from an 86-day study (January to April 1989) p 268 N90-25453

Utilization of the water soluble fraction of wheat straw as a plant nutrient source [NASA-TM-103497] p 268 N90-25455

System development and early biological tests in NASA's biomass production chamber [NASA-TM-103494] p 269 N90-25456

Implementation of sensor and control designs for bioregenerative systems [NASA-CR-186655] p 275 N90-26479

Design of sensors for control of closed loop life support systems [NASA-CR-186656] p 300 N90-26490

Genesis lunar outpost criteria and design [NASA-CR-186831] p 301 N90-26499

Automation of closed environments in space for human comfort and safety [NASA-CR-186834] p 301 N90-26500

COCKPIT SIMULATORS

Human performance in cockpit-related systems [NIAR-90-7] p 301 N90-26495

COCKPITS

Compatibility of aircraft cockpit lighting and image intensification night imaging systems p 296 A90-45242

Choosing a pilot subjective workload scale to fit flight operational requirements [IAR-89-21] p 300 N90-26493

Human performance in cockpit-related systems [NIAR-90-7] p 301 N90-26495

Psychophysiological assessment of pilot workload in an applied setting [AD-A222707] p 302 N90-26507

COLD ACCLIMATIZATION

Arctic cold weather medicine and accidental hypothermia [AD-A223090] p 287 N90-26487

COLD WATER

Effectiveness of the Space Shuttle anti-exposure system in a cold water environment p 292 A90-44641

COLD WEATHER

Arctic cold weather medicine and accidental hypothermia [AD-A223090] p 287 N90-26487

COLLAGENS

Experiment K-6-01. Distribution and biochemistry of mineral and matrix in the femurs of rats p 270 N90-26455

COLLISIONS

A computer simulation model for studying cervical spine injury prevention p 285 N90-25476

COMBAT

Development of a meta-analytic technique to assess stress effects [AD-A220468] p 288 N90-25487

COMETS

Cometary delivery of organic molecules to the early earth p 303 A90-43385

COMFORT

Human factors: The human interface with aircraft interiors [NIAR-90-18] p 301 N90-26496

COMPARISON

International application of the DLR test-system: First year of cooperation with IBERIA in pilot selection [DLR-FB-90-05] p 289 N90-25491

COMPLEX COMPOUNDS

DNH deoxyribonucleohelicates - Self assembly of oligonucleosidic double-helical metal complexes p 267 A90-43369

COMPRESSION LOADS

A computer simulation model for studying cervical spine injury prevention p 285 N90-25476

COMPUTER VISION

The 21st century in space: Future robotic technologies - An industrial researcher's view [AAS PAPER 88-183] p 291 A90-43469

Telepresence and Space Station Freedom workstation operations p 299 N90-25527

A helmet mounted display to adapt the telerobotic environment to human vision p 299 N90-25555

COMPUTERIZED SIMULATION

Study of brain supra-slow encephalofluorograph of rabbit during simulated weightlessness p 268 A90-44577

Neck Injury in Advanced Military Aircraft Environments [AGARD-CP-471] p 281 N90-25459

Analysis of the biomechanic and ergonomic aspects of the cervical spine under load p 283 N90-25470

Effects of head mounted devices on head-neck dynamic response to +G(sub z) accelerations p 284 N90-25471

A computer simulation model for studying cervical spine injury prevention p 285 N90-25476

TOM: Test of multiple task performance, user manual [DLR-FB-89-60] p 289 N90-25490

Differential psychological analysis of a computer-based audio-visual test of vigilance [ESA-TT-1136] p 289 N90-25494

Computer simulation of chemical reactions in synthetic model compounds and genetically engineered active sites [AD-A222611] p 276 N90-26483

CONFERENCES

Helmet-mounted displays; Proceedings of the Meeting, Orlando, FL, Mar. 28; 29, 1989 [SPIE-1116] p 292 A90-45201

Neck Injury in Advanced Military Aircraft Environments [AGARD-CP-471] p 281 N90-25459

Motion sickness, visual displays, and armored vehicle design [AD-A222678] p 302 N90-26506

CONNECTIVE TISSUE

Effects of microgravity on rat bone, cartilage and connective tissues p 270 N90-26454

Experiment K-6-02. Biomedical, biochemical and morphological alterations of muscle and dense, fibrous connective tissues during 14 days of spaceflight p 270 N90-26456

CONSTRAINTS

Human factors: The human interface with aircraft interiors [NIAR-90-18] p 301 N90-26496

CONTINUOUS NOISE

Sustained peripheral vasoconstriction while working in continuous intense noise p 278 A90-44628

CONTRACTION

Autonomic nervous system partially controls muscular activity in man p 277 A90-43454

CONTRAST

Gain, noise, and contrast sensitivity of linear visual neurons p 281 A90-44863

CONTROL BOARDS

The JPL telerobot operator control station: Operational experiences p 300 N90-25565

CONTROL SYSTEMS DESIGN

A telerobotic system for automated assembly of large space structures [AAS PAPER 88-170] p 291 A90-43467

The JPL telerobot operator control station: Operational experiences p 300 N90-25565

CONTROL THEORY

Assembly via disassembly: A case in machine perceptual development [NASA-CR-186867] p 301 N90-26497

CORNEA

- Present status of radial keratotomy myopia surgery - Aerospace considerations p 279 A90-44636

CORONARY CIRCULATION

- A mathematical model for response of the coronary circulation to high sustained gravitational force fields p 281 A90-45741

COSMOS SATELLITES

- The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 [NASA-TM-102254] p 269 N90-26452

COST EFFECTIVENESS

- Quantitative assessment of human motion using video motion analysis p 298 N90-25518

CRANES

- Man-machine interface for the control of a lunar transport machine [NASA-CR-184935] p 296 N90-25495

CRASHES

- Measurement techniques, evaluation criteria and injury probability assessment methodologies developed for Navy ejection and crashworthy seat evaluations p 285 N90-25479

- Biodynamic simulations of an aircraft pilot/passenger in various crash environments [NIAR-90-6] p 300 N90-26494

CRASHWORTHINESS

- Human factors: The human interface with aircraft interiors [NIAR-90-18] p 301 N90-26496

CREW PROCEDURES (INFLIGHT)

- The effects of acoustic orientation cues on instrument flight performance in a flight simulator p 288 A90-44629

CROP GROWTH

- Carbon dioxide and water exchange rates by a wheat crop in NASA's biomass production chamber: Results from an 86-day study (January to April 1989) [NASA-TM-102788] p 268 N90-25453

- System development and early biological tests in NASA's biomass production chamber [NASA-TM-103494] p 269 N90-25456

CURVATURE

- Data analysis in cervical trauma p 282 N90-25464

CYBERNETICS

- The human factors of workstation telepresence p 299 N90-25528

CYTOCHROMES

- Experiment K-6-11. Actin mRNA and cytochrome c mRNA concentrations in the triceps brachia muscle of rats p 272 N90-26465

D**DAMAGE**

- Radiological investigation of the vertebral column of candidates for military flying training the the Royal Norwegian Air Force p 282 N90-25463

- Flexion, extension and lateral bending responses of the cervical spine p 283 N90-25468

DATA ACQUISITION

- Active perception and exploratory robotics [MS-CIS-89-65] p 297 N90-25501

DATA PROCESSING

- The role of attention in information processing implications for the design of displays [AD-A219252] p 288 N90-25486

- Active perception and exploratory robotics [MS-CIS-89-65] p 297 N90-25501

DECISION MAKING

- Pilot interaction with automated airborne decision making systems [NASA-CR-186730] p 300 N90-26492

DECOMPRESSION SICKNESS

- Hypothesis on bubble volume of altitude decompression sickness and relation between O2 prebreathing time and pressure in space suits p 277 A90-44582

- Threshold altitude resulting in decompression sickness p 277 A90-44626

- Transport aircraft crew and decompression hazards - Study of a positive pressure schedule p 278 A90-44627

- Aircrew life support systems enhancement [AD-A22626] p 302 N90-26505

DEFENSE PROGRAM

- SDIO robotics in space applications p 298 N90-25514

DEFORMATION

- Flexion, extension and lateral bending responses of the cervical spine p 283 N90-25468

DEGENERATION

- Experiment K-6-09. Morphological and biochemical investigation of microgravity-induced nerve and muscle breakdown. Part 1: Investigation of nerve and muscle breakdown during spaceflight; Part 2: Biochemical analysis of EDL and PLT muscles p 272 N90-26463

DEHYDRATION

- Renal calculi in Army aviators p 279 A90-44638

DENSITY (MASS/VOLUME)

- Experiment K-6-12. Morphometric studies of atrial or granules and hepatocytes. Part 1: Morphometric study of the liver; Part 2: The atrial granular accumulations p 272 N90-26466

DEOXYRIBONUCLEIC ACID

- DNH deoxyribonucleohelicases - Self assembly of oligonucleosidic double-helical metal complexes p 267 A90-43369

DESIGN ANALYSIS

- Design of sensors for control of closed loop life support systems [NASA-CR-186656] p 300 N90-26490

DESYNCHRONIZATION (BIOLOGY)

- Studies on predicting the resynchronization of the circadian system after transmeridian flights [ESA-TT-1177] p 286 N90-25483

DETECTION

- On the relation between various levels of target acquisition [IZF-1989-38] p 289 N90-25492

- PHIND, an analytical model to predict target acquisition distance with image intensifiers [IZF-1989-45] p 289 N90-25493

- Design and implementation of sensor systems for control of a closed-loop life support system [NASA-CR-186675] p 296 N90-25497

DETERIORATION

- Progressive cervical osteoarthritis in high performance aircraft pilots p 282 N90-25465

DIGITAL SYSTEMS

- Digital image processing overview for helmet mounted displays p 293 A90-45207

DISEASES

- Progressive cervical osteoarthritis in high performance aircraft pilots p 282 N90-25465

DISORIENTATION

- The effects of acoustic orientation cues on instrument flight performance in a flight simulator p 288 A90-44629

DISPLAY DEVICES

- Helmet-mounted displays; Proceedings of the Meeting, Orlando, FL, Mar. 28, 29, 1989 [SPIE-1116] p 292 A90-45201

- Restoration of motion-degraded images in electro-optical displays p 295 A90-45222

- The role of attention in information processing implications for the design of displays [AD-A219252] p 288 N90-25486

- A helmet mounted display to adapt the telerobotic environment to human vision p 299 N90-25555

- Choosing a pilot subjective workload scale to fit flight operational requirements [IAR-89-21] p 300 N90-26493

- Motion sickness, visual displays, and armored vehicle design [AD-A222678] p 302 N90-26506

DISSOLUTION

- Flexion, extension and lateral bending responses of the cervical spine p 283 N90-25468

DIURNAL VARIATIONS

- Thermoregulatory responses to +3Gz in rats at different time of day p 268 A90-44776

DIVING (UNDERWATER)

- Arctic cold weather medicine and accidental hypothermia [AD-A223090] p 287 N90-26487

- Development of membrane process for carbon dioxide separation from diving atmosphere [AD-A222606] p 302 N90-26504

DOSIMETERS

- Experiment K-6-24, K-6-25, K-6-26. Radiation dosimetry and spectrometry p 275 N90-26477

DUMMIES

- Biofidelity of a dummy's neck during automobile collision testing p 285 N90-25477

DUST

- Design of a device to remove lunar dust from space suits for the proposed lunar base [NASA-CR-186679] p 296 N90-25496

DYNAMIC CONTROL

- Principles of variability in the control of the precision movements of humans p 292 A90-44908

DYNAMIC RESPONSE

- A kinematic/dynamic model for prediction of neck injury during impact acceleration p 283 N90-25469

- Effects of head mounted devices on head-neck dynamic response to +G(sub z) accelerations p 284 N90-25471

- Biodynamic simulations of an aircraft pilot/passenger in various crash environments [NIAR-90-6] p 300 N90-26494

DYNAMIC TESTS

- Measurement techniques, evaluation criteria and injury probability assessment methodologies developed for Navy ejection and crashworthy seat evaluations p 285 N90-25479

E**EAR PRESSURE TEST**

- Fitness of civil aviation passengers to fly after ear surgery p 279 A90-44637

EARDRUMS

- Fitness of civil aviation passengers to fly after ear surgery p 279 A90-44637

EARTH (PLANET)

- Cometary delivery of organic molecules to the early earth p 303 A90-43385

ECOSYSTEMS

- Utilization of the water soluble fraction of wheat straw as a plant nutrient source [NASA-TM-103497] p 268 N90-25455

EDEMA

- Experiment K-6-09. Morphological and biochemical investigation of microgravity-induced nerve and muscle breakdown. Part 1: Investigation of nerve and muscle breakdown during spaceflight; Part 2: Biochemical analysis of EDL and PLT muscles p 272 N90-26463

EDUCATION

- A survey of cervical pain in pilots of a Belgian F-16 Air Defence Wing p 282 N90-25462

EJECTION SEATS

- Measurement techniques, evaluation criteria and injury probability assessment methodologies developed for Navy ejection and crashworthy seat evaluations p 285 N90-25479

ELECTRO-OPTICS

- Restoration of motion-degraded images in electro-optical displays p 295 A90-45222

ELECTROMYOGRAPHY

- Rat limb unloading - Soleus histochemistry, ultrastructure, and electromyography p 268 A90-44274

ELECTRON MICROSCOPY

- Experiment K-6-06. Morphometric and EM analyses of tibial epiphyseal plates from Cosmos 1887 rats p 271 N90-26460

ELECTROSTATIC CHARGE

- Hazards protection for space suits and spacecraft [NASA-CASE-MSC-21366-1] p 297 N90-25498

EMERGENCIES

- Human factors: The human interface with aircraft interiors [NIAR-90-18] p 301 N90-26496

EMERGENCY BREATHING TECHNIQUES

- Arctic cold weather medicine and accidental hypothermia [AD-A223090] p 287 N90-26487

END EFFECTORS

- Grasping with mechanical intelligence [NASA-CR-186884] p 301 N90-26498

ENERGY CONVERSION

- ECUT: Energy Conversion and Utilization Technologies program. Biocatalysis project [NASA-CR-186866] p 269 N90-25458

ENVIRONMENTAL CONTROL

- The environmental control and life support system advanced automation project. Phase 1: Application evaluation p 298 N90-25523

- Automation of closed environments in space for human comfort and safety [NASA-CR-186834] p 301 N90-26500

ENZYME ACTIVITY

- Experiment K-6-10. Effects of zero gravity on myofibril protein content and isomyosin distribution in rodent skeletal muscle p 272 N90-26464

- Experiment K-6-14. Hepatic function in rats after spaceflight p 273 N90-26468

ENZYMES

- Experiment K-6-21. Effect of microgravity on 1) metabolic enzymes of type 1 and type 2 muscle fibers and on 2) metabolic enzymes, neurotransmitter amino acids, and neurotransmitter associated enzymes in motor and somatosensory cerebral cortex. Part 1: Metabolic enzymes of individual muscle fibers; part 2: metabolic enzymes of hippocampus and spinal cord p 274 N90-26474

- Computer simulation of chemical reactions in synthetic model compounds and genetically engineered active sites [AD-A222611] p 276 N90-26483

EUSTACHIAN TUBES

- Fitness of civil aviation passengers to fly after ear surgery p 279 A90-44637

EXOBIOLOGY

- Life sciences strategy — for future NASA space research [AAS PAPER 88-227] p 267 A90-43480
 USSR space life sciences digest, issue 27 [NASA-CR-3922(32)] p 269 N90-25457
 Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 332) [NASA-SP-7011(332)] p 286 N90-25480
 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 337) [NASA-SP-7011(337)] p 286 N90-25481
 Aerospace medicine and biology: A continuing bibliography with indexes (supplement 338) [NASA-SP-7011(338)] p 286 N90-25482
 The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 [NASA-TM-102254] p 269 N90-26452

EXPERT SYSTEMS

- An expert system to advise astronauts during experiments: The protocol manager module p 298 N90-25522

EXTRATERRESTRIAL RADIATION

- Program review: The lifetime effects of space radiation in rhesus monkeys [AD-A221127] p 268 N90-25454

EXTRAVEHICULAR MOBILITY UNITS

- A helmet mounted display application for the Space Station Freedom extravehicular mobility unit p 294 A90-45210

EYE MOVEMENTS

- The effects of fixation and restricted visual field on vection-induced motion sickness p 278 A90-44631
 Eye tracker development on the fiber optic helmet mounted display p 294 A90-45213
 Eye tracking device for the measurement of flight performance in simulators [AD-A220075] p 287 N90-26484

EYEPICCES

- Fixed cat helmet-mounted display p 296 A90-45240

F**FABRICS**

- Hazards protection for space suits and spacecraft [NASA-CASE-MSC-21366-1] p 297 N90-25498

FALSE ALARMS

- Differential psychological analysis of a computer-based audio-visual test of vigilance [ESA-TT-1136] p 289 N90-25494

FARM CROPS

- A proposal to demonstrate production of salad crops in the space station mockup facility with particular attention to space, energy, and labor constraints [NASA-CR-186811] p 297 N90-25500

FEASIBILITY ANALYSIS

- Real-time measurement of mental workload: A feasibility study p 290 N90-25540

FEEDBACK CONTROL

- Design and implementation of sensor systems for control of a closed-loop life support system [NASA-CR-186675] p 296 N90-25497

FEMALES

- Human performance in cockpit-related systems [NIAR-90-7] p 301 N90-26495

FEMUR

- Experiment K-6-01. Distribution and biochemistry of mineral and matrix in the femurs of rats p 270 N90-26455

FIBER OPTICS

- Eye tracker development on the fiber optic helmet mounted display p 294 A90-45213

FIELD OF VIEW

- The effect of instantaneous field of view size on the acquisition of low level flight and 30-deg manual dive bombing tasks p 294 A90-45214
 Performance and head movements using a helmet-mounted display with different fields-of-view p 296 A90-45243

FIGHTER AIRCRAFT

- Tactical applications of the helmet display in fighter aircraft p 295 A90-45218
 Prevalence of G-induced cervical injury in US Air Force pilots p 281 N90-25460

FIRST AID

- Arctic cold weather medicine and accidental hypothermia [AD-A223090] p 287 N90-26487

FLIGHT ALTITUDE

- The effect of instantaneous field of view size on the acquisition of low level flight and 30-deg manual dive bombing tasks p 294 A90-45214

FLIGHT CHARACTERISTICS

- Eye tracking device for the measurement of flight performance in simulators [AD-A220075] p 287 N90-26484

FLIGHT CREWS

- Sleep and fatigue of flight crew in long-haul aviation p 277 A90-43455
 Non-ejection neck injuries in high performance aircraft p 281 N90-25461
 Radiological investigation of the vertebral column of candidates for military flying training the the Royal Norwegian Air Force p 282 N90-25463
 Aircrew neck injuries: A new, or an existing, misunderstood phenomenon p 283 N90-25467
 Effects of a time zone shift of 9 hours on the circadian rhythms in cockpit aircrew members on longhaul flights [ESA-TT-1185] p 286 N90-25485
 Choosing a pilot subjective workload scale to fit flight operational requirements [IAR-89-21] p 300 N90-26493
 Human factors: The human interface with aircraft interiors [NIAR-90-18] p 301 N90-26496
 Aircrew life support systems enhancement [AD-A222626] p 302 N90-26505

FLIGHT FATIGUE

- Sleep and fatigue of flight crew in long-haul aviation p 277 A90-43455

FLIGHT FITNESS

- Pilot - Mental and physical performance — Book p 287 A90-42663

FLIGHT OPERATIONS

- Choosing a pilot subjective workload scale to fit flight operational requirements [IAR-89-21] p 300 N90-26493

FLIGHT SAFETY

- Evaluation of the effect of pilot errors on flight safety p 292 A90-44907

FLIGHT SIMULATION

- Sympathetic nerves control the new formation of microvessels induced by adaptation to hypoxia p 281 A90-45125
 Usefulness of heart measures in flight simulation p 287 N90-25542

FLIGHT SIMULATORS

- The effects of acoustic orientation cues on instrument flight performance in a flight simulator p 288 A90-44629

- Eye tracking device for the measurement of flight performance in simulators [AD-A220075] p 287 N90-26484

- Pilot interaction with automated airborne decision making systems [NASA-CR-186730] p 300 N90-26492

- Human performance in cockpit-related systems [NIAR-90-7] p 301 N90-26495

FLIGHT STRESS

- Fitness of civil aviation passengers to fly after ear surgery p 279 A90-44637

FLIGHT STRESS (BIOLOGY)

- Ergonomic support of aircraft development processes p 292 A90-44909

- Studies on predicting the resynchronization of the circadian system after transmeridian flights [ESA-TT-1177] p 286 N90-25483

- Biochemical and physiological changes in glider pilots during multi-hour flights [ESA-TT-1183] p 286 N90-25484

FLIGHT TRAINING

- Radiological investigation of the vertebral column of candidates for military flying training the the Royal Norwegian Air Force p 282 N90-25463

FRACTURING

- Non-ejection neck injuries in high performance aircraft p 281 N90-25461

FROSTBITE

- Arctic cold weather medicine and accidental hypothermia [AD-A223090] p 287 N90-26487

G**GARMENTS**

- Development of local liquid cooling garment p 291 A90-44553

GAS EXCHANGE

- Carbon dioxide and water exchange rates by a wheat crop in NASA's biomass production chamber: Results from an 86-day study (January to April 1989) [NASA-TM-102788] p 268 N90-25453

- Gas exchange characteristics as indicators of the basic limiting factors in photosynthesis [DE90-012399] p 276 N90-26481

GAS INJECTION

- U.S. Space Station Freedom waste fluid disposal system with consideration of hydrazine waste gas injection thrusters [AIAA PAPER 90-1944] p 290 A90-42700

GAS JETS

- Design of a device to remove lunar dust from space suits for the proposed lunar base [NASA-CR-186679] p 296 N90-25496

GASTROINTESTINAL SYSTEM

- The effects of fixation and restricted visual field on vection-induced motion sickness p 278 A90-44631

GENETICS

- Photosynthesis in intact plants [DE90-013699] p 276 N90-26482
 Computer simulation of chemical reactions in synthetic model compounds and genetically engineered active sites [AD-A222611] p 276 N90-26483

GLIDERS

- Biochemical and physiological changes in glider pilots during multi-hour flights [ESA-TT-1183] p 286 N90-25484

GOOGLES

- Doing it better in the dark — night vision goggles image intensification systems technology p 280 A90-44653
 Polycarbonate ophthalmic lenses and night vision goggles in U.S. Army aviation p 295 A90-45220

GRAVITATIONAL EFFECTS

- High G training and superficial phlebitis - A case report p 279 A90-44639
 Neck injury in Advanced Military Aircraft Environments [AGARD-CP-471] p 281 N90-25459
 Neck injury prevention possibilities in a high-G-environment experience with high sustained +G(sub z) training of pilots in the GAF IAM human centrifuge p 284 N90-25474
 The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 [NASA-TM-102254] p 269 N90-26452
 Effects of microgravity on rat muscle p 269 N90-26453

- Experiment K-6-01. Distribution and biochemistry of mineral and matrix in the femurs of rats p 270 N90-26455

- Experiment K-6-03. Gravity and skeletal growth, part 1. Part 2: Morphology and histochemistry of bone cells and vasculature of the tibia; Part 3: Nuclear volume analysis of osteoblast histogenesis in periodontal ligament cells; Part 4: Intervertebral disc swelling pressure associated with microgravity p 270 N90-26457

- Experiment K-6-04. Trace element balance in rats during spaceflight p 271 N90-26458

- Experiment K-6-05. The maturation of bone and dentin matrices in rats flown on Cosmos 1887 p 271 N90-26459

- Experiment K-6-06. Morphometric and EM analyses of tibial epiphyseal plates from Cosmos 1887 rats p 271 N90-26460

- Experiment K-6-08. Biochemical and histochemical observations of vastus medialis p 271 N90-26462

- Experiment K-6-10. Effects of zero gravity on myofibril protein content and isomyosin distribution in rodent skeletal muscle p 272 N90-26464

- Experiment K-6-21. Effect of microgravity on 1) metabolic enzymes of type 1 and type 2 muscle fibers and on 2) metabolic enzymes, neurotransmitter amino acids, and neurotransmitter associated enzymes in motor and somatosensory cerebral cortex. Part 1: Metabolic enzymes of individual muscle fibers; part 2: metabolic enzymes of hippocampus and spinal cord p 274 N90-26474

- Experiment K-6-22. Growth hormone regulation, synthesis and secretion in microgravity. Part 1: Somatotroph physiology. Part 2: Immunohistochemical analysis of hypothalamic hormones. Part 3: Plasma analysis p 274 N90-26475

GRAVITATIONAL FIELDS

- The effect of hyperdynamic fields on the oxidative metabolism of the paraventricular nucleus p 278 A90-44633

GRAVITATIONAL PHYSIOLOGY

- Relationship between +Gz tolerance and physical characteristics during gradual and rapid onset runs p 277 A90-43456

- Responses of rats to 3-week centrifugal accelerations p 267 A90-43457

- Changes of blood cells after hyper-gravity exposure p 267 A90-43458

- GLC - A practical discussion — Gravitational Loss of Consciousness p 280 A90-44652

- Adverse effect of negative Gz on subsequent high positive Gz - A need for research and education p 280 A90-44660

- Pulmonary considerations of high sustained +Gz acceleration and G protection p 280 A90-44661
- A mathematical model for response of the coronary circulation to high sustained gravitational force fields p 281 A90-45741
- Survival in space: Medical problems of manned spaceflight — Book p 281 A90-45781
- The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 p 269 N90-26452
- [NASA-TM-102254] p 269 N90-26452
- Effects of microgravity on rat bone, cartilage and connective tissues p 270 N90-26454
- Experiment K-6-01. Distribution and biochemistry of mineral and matrix in the femurs of rats p 270 N90-26455
- Experiment K-6-02. Biomedical, biochemical and morphological alterations of muscle and dense, fibrous connective tissues during 14 days of spaceflight p 270 N90-26456
- Experiment K-6-03. Gravity and skeletal growth, part 1. Part 2: Morphology and histochemistry of bone cells and vasculature of the tibia; Part 3: Nuclear volume analysis of osteoblast histogenesis in periodontal ligament cells; Part 4: Intervertebral disc swelling pressure associated with microgravity p 270 N90-26457
- Experiment K-6-04. Trace element balance in rats during spaceflight p 271 N90-26458
- Experiment K-6-05. The maturation of bone and dentin matrices in rats flown on Cosmos 1887 p 271 N90-26459
- Experiment K-6-06. Morphometric and EM analyses of tibial epiphyseal plates from Cosmos 1887 rats p 271 N90-26460
- Experiment K-6-08. Biochemical and histochemical observations of vastus medialis p 271 N90-26462
- Experiment K-6-09. Morphological and biochemical investigation of microgravity-induced nerve and muscle breakdown. Part 1: Investigation of nerve and muscle breakdown during spaceflight; Part 2: Biochemical analysis of EDL and PLT muscles p 272 N90-26463
- Experiment K-6-12. Morphometric studies of atrial or granules and hepatocytes. Part 1: Morphometric study of the liver; Part 2: The atrial granular accumulations p 272 N90-26466
- Experiment K-6-13. Morphological and biochemical examination of heart tissue. Part 1: Effects of microgravity on the myocardial fine structure of rats flown on Cosmos 1887. Ultrastructure studies. Part 2: Cellular distribution of cyclic ampendendent protein kinase regulatory subunits in heart muscle of rats flown on Cosmos 1887 p 273 N90-26467
- Experiment K-6-14. Hepatic function in rats after spaceflight p 273 N90-26468
- Experiment K-6-21. Effect of microgravity on 1) metabolic enzymes of type 1 and type 2 muscle fibers and on 2) metabolic enzymes, neurotransmitter amino acids, and neurotransmitter associated enzymes in motor and somatosensory cerebral cortex. Part 1: Metabolic enzymes of individual muscle fibers; part 2: metabolic enzymes of hippocampus and spinal cord p 274 N90-26474
- Experiment K-6-22. Growth hormone regulation, synthesis and secretion in microgravity. Part 1: Somatotroph physiology. Part 2: Immunohistochemical analysis of hypothalamic hormones. Part 3: Plasma analysis p 274 N90-26475
- GREENHOUSE EFFECT**
- A proposal to demonstrate production of salad crops in the space station mockup facility with particular attention to space, energy, and labor constraints [NASA-CR-186811] p 297 N90-25500
- GREENHOUSES**
- Greenhouse design for a Martian colony: Structural, solar collection and light distribution systems [NASA-CR-186818] p 302 N90-26501
- GROWTH**
- Experiment K-6-06. Morphometric and EM analyses of tibial epiphyseal plates from Cosmos 1887 rats p 271 N90-26460
- Experiment K-6-22. Growth hormone regulation, synthesis and secretion in microgravity. Part 1: Somatotroph physiology. Part 2: Immunohistochemical analysis of hypothalamic hormones. Part 3: Plasma analysis p 274 N90-26475
- Experiment K-6-27. Analysis of radiographs and biosamples from primate studies p 275 N90-26478

H

- HABITABILITY**
- Genesis lunar outpost criteria and design [NASA-CR-186831] p 301 N90-26499
- HABITATS**
- Genesis lunar outpost criteria and design [NASA-CR-186831] p 301 N90-26499

HARNESSES

- Human factors: The human interface with aircraft interiors [NIAR-90-18] p 301 N90-26496

HAZARDS

- A survey of cervical pain in pilots of a Belgian F-16 Air Defence Wing p 282 N90-25462
- Hazards protection for space suits and spacecraft [NASA-CASE-MSC-21366-1] p 297 N90-25498

HEAD (ANATOMY)

- Omni-directional human head-neck response [SAE-861893] p 285 N90-25478
- Measurement techniques, evaluation criteria and injury probability assessment methodologies developed for Navy ejection and crashworthy seat evaluations p 285 N90-25479

HEAD DOWN TILT

- Hemodynamic and ADH responses to central blood volume shifts in cardiac-denervated humans [NASA-TM-103471] p 287 N90-26485

HEAD MOVEMENT

- Principles of variability in the control of the precision movements of humans p 292 A90-44908
- A helmet-mounted virtual environment display system p 294 A90-45211
- Utility evaluation of a helmet-mounted display and sight p 295 A90-45216
- Performance and head movements using a helmet-mounted display with different fields-of-view p 296 A90-45243
- Dynamical modifications to the head, load factors from additional weight p 284 N90-25472
- Mobility of the head and load effects: Experimental approach in a centrifuge p 284 N90-25473
- A helmet mounted display to adapt the telerobotic environment to human vision p 299 N90-25555
- Helmet-mounted head restraint [AD-D014536] p 300 N90-26491

HEAD-UP DISPLAYS

- Predicting the performance of night vision devices using a simple contrast model p 295 A90-45219

HEART

- Usefulness of heart measures in flight simulation p 287 N90-25542
- Experiment K-6-13. Morphological and biochemical examination of heart tissue. Part 1: Effects of microgravity on the myocardial fine structure of rats flown on Cosmos 1887. Ultrastructure studies. Part 2: Cellular distribution of cyclic ampendendent protein kinase regulatory subunits in heart muscle of rats flown on Cosmos 1887 p 273 N90-26467

HEART MINUTE VOLUME

- Sustained peripheral vasoconstriction while working in continuous intense noise p 278 A90-44628

HEART RATE

- Transport aircraft crew and decompression hazards - Study of a positive pressure schedule p 278 A90-44627
- Sustained peripheral vasoconstriction while working in continuous intense noise p 278 A90-44628
- The electrocardiographic response to high +Gz centrifuge training p 278 A90-44632
- Effects of a time zone shift of 9 hours on the circadian rhythms in cockpit aircrew members on longhaul flights [ESA-TT-1185] p 286 N90-25485
- Usefulness of heart measures in flight simulation p 287 N90-25542

- Hemodynamic and ADH responses to central blood volume shifts in cardiac-denervated humans [NASA-TM-103471] p 287 N90-26485
- Adjustment and validation of the mathematical prediction model for sweat rate, heart rate, and body temperature under outdoor conditions [AD-A22599] p 287 N90-26486

HELICOPTER PERFORMANCE

- Helmet-mounted displays for helicopter pilotage - Design configuration trade-offs, analyses, and test p 293 A90-45204
- Predicting the performance of night vision devices using a simple contrast model p 295 A90-45219

HELMET MOUNTED DISPLAYS

- Helmet-mounted displays; Proceedings of the Meeting, Orlando, FL, Mar. 28, 29, 1989 [SPIE-1116] p 292 A90-45201
- Back from the past - The helmet integrated system of Albert Bacon Pratt (1916) p 293 A90-45202
- Optical approaches to the helmet mounted display p 293 A90-45203
- Helmet-mounted displays for helicopter pilotage - Design configuration trade-offs, analyses, and test p 293 A90-45204
- Visually coupled system integration — involving helmet displays p 293 A90-45205
- Helmet mounted displays and the emerging attack rotorcraft counterair mission p 293 A90-45206

- Digital image processing overview for helmet mounted displays p 293 A90-45207
- Hardware improvements to the helmet mounted projector on the Visual Display Research Tool (VDRT) at the naval training systems center p 293 A90-45208
- Photo based image generator — for driving Helmet Mounted Laser Projector p 294 A90-45209
- A helmet mounted display application for the Space Station Freedom extravehicular mobility unit p 294 A90-45210

- A helmet-mounted virtual environment display system p 294 A90-45211
- Evaluation of a helmet-mounted laser projector display p 294 A90-45212

- Eye tracker development on the fiber optic helmet mounted display p 294 A90-45213
- The effect of instantaneous field of view size on the acquisition of low level flight and 30-deg manual dive bombing tasks p 294 A90-45214
- Helmet integration - An overview of critical issues p 294 A90-45215

- Utility evaluation of a helmet-mounted display and sight p 295 A90-45216
- Ocular responses to monocular and binocular helmet-mounted display configurations p 295 A90-45217

- Tactical applications of the helmet display in fighter aircraft p 295 A90-45218
- Tilted cat helmet-mounted display p 296 A90-45240

- Performance and head movements using a helmet-mounted display with different fields-of-view p 296 A90-45243
- Neck injury in Advanced Military Aircraft Environments [AGARD-CP-471] p 281 N90-25459

- Aircrew neck injuries: A new, or an existing, misunderstood phenomenon p 283 N90-25467
- Effects of head mounted devices on head-neck dynamic response to +G(sub z) accelerations p 284 N90-25471

- Measurement techniques, evaluation criteria and injury probability assessment methodologies developed for Navy ejection and crashworthy seat evaluations p 285 N90-25479

- A helmet mounted display to adapt the telerobotic environment to human vision p 299 N90-25555
- Helmet-mounted head restraint [AD-D014536] p 300 N90-26491

- A real-time optical 3D tracker for head-mounted display systems [AD-A222747] p 303 N90-26508

HELMETS

- A survey of cervical pain in pilots of a Belgian F-16 Air Defence Wing p 282 N90-25462
- Aircrew neck injuries: A new, or an existing, misunderstood phenomenon p 283 N90-25467
- Analysis of the biomechanic and ergonomic aspects of the cervical spine under load p 283 N90-25470
- A computer simulation model for studying cervical spine injury prevention p 285 N90-25476

- HEMODYNAMIC RESPONSES**
- Hemodynamic and ADH responses to central blood volume shifts in cardiac-denervated humans [NASA-TM-103471] p 287 N90-26485

HEURISTIC METHODS

- An expert system to advise astronauts during experiments: The protocol manager module p 298 N90-25522

- Investigation of automated task learning, decomposition and scheduling [NASA-CR-186791] p 290 N90-26488

HIGH ACCELERATION

- Effects of head mounted devices on head-neck dynamic response to +G(sub z) accelerations p 284 N90-25471

- HIGH ALTITUDE BREATHING**
- Hypothesis on bubble volume of altitude decompression sickness and relation between O2 prebreathing time and pressure in space suits p 277 A90-44582

- Threshold altitude resulting in decompression sickness p 277 A90-44626
- High altitude protective equipment - A review of pressure systems p 292 A90-44651

- HIGH ALTITUDE ENVIRONMENTS**
- High altitude protective equipment - A review of pressure systems p 292 A90-44651

HIGH ALTITUDE TESTS

- Transport aircraft crew and decompression hazards - Study of a positive pressure schedule p 278 A90-44627

- HIGH GRAVITY ENVIRONMENTS**
- Changes of blood cells after hyper-gravity exposure p 267 A90-43458

- The electrocardiographic response to high +Gz centrifuge training p 278 A90-44632

- High G training and superficial phlebitis - A case report p 279 A90-44639
Thermoregulatory responses to +3Gz in rats at different time of day p 268 A90-44776
A mathematical model for response of the coronary circulation to high sustained gravitational force fields p 281 A90-45741
- HISTOCHEMICAL ANALYSIS**
Rat limb unloading - Soleus histochemistry, ultrastructure, and electromyography p 268 A90-44274
Experiment K-6-03. Gravity and skeletal growth, part 1. Part 2: Morphology and histochemistry of bone cells and vasculature of the tibia; Part 3: Nuclear volume analysis of osteoblast histogenesis in periodontal ligament cells; Part 4: Intervertebral disc swelling pressure associated with microgravity p 270 N90-26457
Experiment K-6-08. Biochemical and histochemical observations of vastus medialis p 271 N90-26462
- HOMEOSTASIS**
The effect of hyperdynamic fields on the oxidative metabolism of the paraventricular nucleus p 278 A90-44633
- HORMONES**
Experiment K-6-20. The effect of spaceflight on pituitary oxytocin and vasopressin content of rats p 274 N90-26473
- HUMAN BEHAVIOR**
Human performance models [FFI-90/7002] p 302 N90-26502
- HUMAN BODY**
Principles of variability in the control of the precision movements of humans p 292 A90-44908
Quantitative assessment of human motion using video motion analysis p 298 N90-25518
Biodynamic simulations of an aircraft pilot/passenger in various crash environments [NIAR-90-6] p 300 N90-26494
- HUMAN CENTRIFUGES**
The electrocardiographic response to high +Gz centrifuge training p 278 A90-44632
Neck injury prevention possibilities in a high-G-environment experience with high sustained +G(sub z) training of pilots in the GAF IAM human centrifuge p 284 N90-25474
- HUMAN FACTORS ENGINEERING**
Method for the realization of autonomy and stationarity principles in the synthesis of ergatic systems p 292 A90-44906
Evaluation of the effect of pilot errors on flight safety p 292 A90-44907
Ergonomic support of aircraft development processes p 292 A90-44909
Neck Injury in Advanced Military Aircraft Environments [AGARD-CP-471] p 281 N90-25459
The role of attention in information processing implications for the design of displays [AD-A219252] p 288 N90-25486
The human factors of workstation telepresence p 299 N90-25528
Human factors issues in telerobotic systems for Space Station Freedom servicing p 299 N90-25556
Pilot interaction with automated airborne decision making systems [NASA-CR-186730] p 300 N90-26492
Choosing a pilot subjective workload scale to fit flight operational requirements p 300 N90-26493
Human factors: The human interface with aircraft interiors [NIAR-90-18] p 301 N90-26496
Motion sickness, visual displays, and armored vehicle design [AD-A222678] p 302 N90-26506
- HUMAN PERFORMANCE**
Evaluation of the effect of pilot errors on flight safety p 292 A90-44907
Principles of variability in the control of the precision movements of humans p 292 A90-44908
Development of a meta-analytic technique to assess stress effects [AD-A220468] p 288 N90-25487
TOM: Test of multiple task performance, user manual [DLR-FB-89-60] p 289 N90-25490
Quantitative assessment of human motion using video motion analysis p 298 N90-25518
Performance-based workload assessment: Allocation strategy and added task sensitivity p 290 N90-25539
Human performance models [FFI-90/7002] p 302 N90-26502
- HUMAN REACTIONS**
Omni-directional human head-neck response [SAE-861893] p 285 N90-25478
Study of the application of a stress reactivity test in personnel selection [DLR-FB-89-54] p 289 N90-25489
- HUMAN TOLERANCES**
Neck injury prevention possibilities in a high-G-environment experience with high sustained +G(sub z) training of pilots in the GAF IAM human centrifuge p 284 N90-25474
- HYDRAZINE ENGINES**
U.S. Space Station Freedom waste fluid disposal system with consideration of hydrazine waste gas injection thrusters [AIAA PAPER 90-1944] p 290 A90-42700
- HYDROPONICS**
Utilization of the water soluble fraction of wheat straw as a plant nutrient source [NASA-TM-103497] p 268 N90-25455
- HYDROSTATIC PRESSURE**
The effect of hyperdynamic fields on the oxidative metabolism of the paraventricular nucleus p 278 A90-44633
- HYPERBARIC CHAMBERS**
Clinical hyperbaric medicine p 280 A90-44657
- HYPERCAPNIA**
Thyroarytenoid muscle activity during hypoxia, hypercapnia, and voluntary hyperventilation in humans p 277 A90-44275
- HYPERVENTILATION**
Thyroarytenoid muscle activity during hypoxia, hypercapnia, and voluntary hyperventilation in humans p 277 A90-44275
- HYPOBARIC ATMOSPHERES**
Threshold altitude resulting in decompression sickness p 277 A90-44626
- HYPOKINESIA**
The mitochondrial volume and fiber type transition of skeletal muscle after suspension hypokinesia in rat p 267 A90-43459
- HYPOTHERMIA**
Arctic cold weather medicine and accidental hypothermia [AD-A223090] p 287 N90-26487
- HYPOTHESES**
The retrieval of information from secondary memory: A review and new findings [AD-A222760] p 290 N90-26489
- HYPOXIA**
Thyroarytenoid muscle activity during hypoxia, hypercapnia, and voluntary hyperventilation in humans p 277 A90-44275
Sympathetic nerves control the new formation of microvessels induced by adaptation to hypoxia p 281 A90-45125
- ILLUMINATING**
Greenhouse design for a Martian colony: Structural, solar collection and light distribution systems [NASA-CR-186818] p 302 N90-26501
- IMAGE INTENSIFIERS**
Doing it better in the dark --- night vision goggles image intensification systems technology p 280 A90-44653
Predicting the performance of night vision devices using a simple contrast model p 295 A90-45219
Compatibility of aircraft cockpit lighting and image intensification night imaging systems p 296 A90-45242
PHIND, an analytical model to predict target acquisition distance with image intensifiers [IZF-1989-45] p 289 N90-25493
- IMAGE MOTION COMPENSATION**
Restoration of motion-degraded images in electro-optical displays p 295 A90-45222
- IMAGE ORTHICONS**
Photo based image generator --- for driving Helmet Mounted Laser Projector p 294 A90-45209
- IMAGE PROCESSING**
Digital image processing overview for helmet mounted displays p 293 A90-45207
- IMMUNOLOGY**
Experiment K-6-23. Effect of spaceflight on levels and function of immune cells p 275 N90-26476
- IMPACT ACCELERATION**
Omni-directional human head-neck response [SAE-861893] p 285 N90-25478
- INDEXES (DOCUMENTATION)**
Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 332) [NASA-SP-7011(332)] p 286 N90-25480
Aerospace medicine and biology: A continuing bibliography with indexes (supplement 337) [NASA-SP-7011(337)] p 286 N90-25481
Aerospace medicine and biology: A continuing bibliography with indexes (supplement 338) [NASA-SP-7011(338)] p 286 N90-25482
- INFORMATION RETRIEVAL**
The retrieval of information from secondary memory: A review and new findings [AD-A222760] p 290 N90-26489
- INFRARED IMAGERY**
Minimum resolvable temperature predictions, test methodology, and data analysis --- for thermal imaging p 291 A90-44151
- INFRARED RADIATION**
Implementation of sensor and control designs for bioregenerative systems [NASA-CR-186655] p 275 N90-26479
Development of eye-safe lidar for aerosol measurements [NASA-CR-186905] p 302 N90-26503
- INJURIES**
Clinical hyperbaric medicine p 280 A90-44657
Neck Injury in Advanced Military Aircraft Environments [AGARD-CP-471] p 281 N90-25459
Prevalence of G-induced cervical injury in US Air Force pilots p 281 N90-25460
Non-ejection neck injuries in high performance aircraft p 281 N90-25461
A survey of cervical pain in pilots of a Belgian F-16 Air Defence Wing p 282 N90-25462
Radiological investigation of the vertebral column of candidates for military flying training the the Royal Norwegian Air Force p 282 N90-25463
Electronystagmographic findings following cervical injuries p 282 N90-25466
Aircrew neck injuries: A new, or an existing, misunderstood phenomenon p 283 N90-25467
Flexion, extension and lateral bending responses of the cervical spine p 283 N90-25468
A kinematic/dynamic model for prediction of neck injury during impact acceleration p 283 N90-25469
Neck injury prevention possibilities in a high-G-environment experience with high sustained +G(sub z) training of pilots in the GAF IAM human centrifuge p 284 N90-25474
A computer simulation model for studying cervical spine injury prevention p 285 N90-25476
Measurement techniques, evaluation criteria and injury probability assessment methodologies developed for Navy ejection and crashworthy seat evaluations p 285 N90-25479
- INSPECTION**
The Flight Telerobotic Servicer (FTS) NASA's first operational robotic system p 299 N90-25537
- INTESTINES**
Experiment K-6-17. Structural changes and cell turnover in the rats small intestine induced by spaceflight p 273 N90-26470
- K**
- KERATITIS**
Present status of radial keratotomy myopia surgery - Aerospace considerations p 279 A90-44636
- KINEMATICS**
Neck Injury in Advanced Military Aircraft Environments [AGARD-CP-471] p 281 N90-25459
A kinematic/dynamic model for prediction of neck injury during impact acceleration p 283 N90-25469
Analysis of the biomechanic and ergonomic aspects of the cervical spine under load p 283 N90-25470
Omni-directional human head-neck response [SAE-861893] p 285 N90-25478
A global approach for using kinematic redundancy to minimize base reactions of manipulators [NASA-CR-186825] p 297 N90-25499
Biodynamic simulations of an aircraft pilot/passenger in various crash environments [NIAR-90-6] p 300 N90-26494
- KINESTHESIA**
Telepresence for space: The state of the concept p 298 N90-25526
- L**
- LARGE SPACE STRUCTURES**
A telerobotic system for automated assembly of large space structures [AAS PAPER 88-170] p 291 A90-43467
- LARYNX**
Thyroarytenoid muscle activity during hypoxia, hypercapnia, and voluntary hyperventilation in humans p 277 A90-44275
- LASER APPLICATIONS**
Evaluation of a helmet-mounted laser projector display p 294 A90-45212

LASERS

- Development of eye-safe lidar for aerosol measurements
[NASA-CR-186905] p 302 N90-26503

LENS DESIGN

- Polycarbonate ophthalmic lenses and night vision goggles in U.S. Army aviation p 295 A90-45220

LESIONS

- Experiment K-6-22. Growth hormone regulation, synthesis and secretion in microgravity. Part 1: Somatotroph physiology. Part 2: Immunohistochemical analysis of hypothalamic hormones. Part 3: Plasma analysis p 274 N90-26475

LIFE SCIENCES

- Life sciences strategy -- for future NASA space research
[AAS PAPER 88-227] p 267 A90-43480
Life sciences role in systems engineering of space programs
[AAS PAPER 88-228] p 267 A90-43481
USSR space life sciences digest, issue 27
[NASA-CR-3922(32)] p 269 N90-25457

LIFE SUPPORT SYSTEMS

- Utilization of the water soluble fraction of wheat straw as a plant nutrient source
[NASA-TM-103497] p 268 N90-25455
Design and implementation of sensor systems for control of a closed-loop life support system
[NASA-CR-186675] p 296 N90-25497
The environmental control and life support system advanced automation project. Phase 1: Application evaluation p 298 N90-25523
Automation of closed environments in space for human comfort and safety
[NASA-CR-186834] p 301 N90-26500
Development of membrane process for carbon dioxide separation from diving atmosphere
[AD-A222606] p 302 N90-26504
Aircrew life support systems enhancement
[AD-A222626] p 302 N90-26505

LIGAMENTS

- Non-ejection neck injuries in high performance aircraft p 281 N90-25461
Experiment K-6-03. Gravity and skeletal growth, part 1. Part 2: Morphology and histochemistry of bone cells and vasculature of the tibia; Part 3: Nuclear volume analysis of osteoblast histogenesis in periodontal ligament cells; Part 4: Intervertebral disc swelling pressure associated with microgravity p 270 N90-26457

LIGHTING EQUIPMENT

- Compatibility of aircraft cockpit lighting and image intensification night imaging systems p 296 A90-45242

LIMBS (ANATOMY)

- Principles of variability in the control of the precision movements of humans p 292 A90-44908

LININGS

- Experiment K-6-17. Structural changes and cell turnover in the rats small intestine induced by spaceflight p 273 N90-26470

LIQUID COOLING

- Development of local liquid cooling garment p 291 A90-44553

LIVER

- Experiment K-6-12. Morphometric studies of atrial or granules and hepatocytes. Part 1: Morphometric study of the liver; Part 2: The atrial granular accumulations p 272 N90-26466
Experiment K-6-14. Hepatic function in rats after spaceflight p 273 N90-26468

LOADS (FORCES)

- Radiological investigation of the vertebral column of candidates for military flying training the the Royal Norwegian Air Force p 282 N90-25463
Analysis of the biomechanic and ergonomic aspects of the cervical spine under load p 283 N90-25470
Effects of head mounted devices on head-neck dynamic response to +G(sub z) accelerations p 284 N90-25471
Dynamical modifications to the head, load factors from additional weight p 284 N90-25472
Mobility of the head and load effects: Experimental approach in a centrifuge p 284 N90-25473
Omni-directional human head-neck response [SAE-861893] p 285 N90-25478
Experiment K-6-07. Metabolic and morphologic properties of muscle fibers after spaceflight p 271 N90-26461

LONG DURATION SPACE FLIGHT

- Rat limb unloading - Soleus histochemistry, ultrastructure, and electromyography p 268 A90-44274
Effects of microgravity on rat muscle p 269 N90-26453

LOSSES

- Aircrew neck injuries: A new, or an existing, misunderstood phenomenon p 283 N90-25467

LUNAR BASES

- Man-machine interface for the control of a lunar transport machine
[NASA-CR-184935] p 296 N90-25495
Design of a device to remove lunar dust from space suits for the proposed lunar base
[NASA-CR-186679] p 296 N90-25496
Genesis lunar outpost criteria and design
[NASA-CR-186831] p 301 N90-26499

LUNAR DUST

- Design of a device to remove lunar dust from space suits for the proposed lunar base
[NASA-CR-186679] p 296 N90-25496

LUNAR OBSERVATORIES

- Genesis lunar outpost criteria and design
[NASA-CR-186831] p 301 N90-26499

LUNAR SURFACE

- Man-machine interface for the control of a lunar transport machine
[NASA-CR-184935] p 296 N90-25495
Genesis lunar outpost criteria and design
[NASA-CR-186831] p 301 N90-26499

LUNAR SURFACE VEHICLES

- Man-machine interface for the control of a lunar transport machine
[NASA-CR-184935] p 296 N90-25495

M

MALES

- Human performance in cockpit-related systems
[NIAR-90-7] p 301 N90-26495

MAN ENVIRONMENT INTERACTIONS

- Renal calculi in Army aviators p 279 A90-44638
Effectiveness of the Space Shuttle anti-exposure system in a cold water environment p 292 A90-44641

MAN MACHINE SYSTEMS

- Method for the realization of autonomy and stationarity principles in the synthesis of ergatic systems p 292 A90-44906
Man-machine interface for the control of a lunar transport machine
[NASA-CR-184935] p 296 N90-25495
Telepresence for space: The state of the concept p 298 N90-25526
Telepresence and Space Station Freedom workstation operations p 299 N90-25527
The human factors of workstation telepresence p 299 N90-25528
Human factors issues in telerobotic systems for Space Station Freedom servicing p 299 N90-25556
The JPL telerobot operator control station: Operational experiences p 300 N90-25565
Human performance models [FFI-90/7002] p 302 N90-26502
Psychophysiological assessment of pilot workload in an applied setting [AD-A222707] p 302 N90-26507

MAN-COMPUTER INTERFACE

- Method for the realization of autonomy and stationarity principles in the synthesis of ergatic systems p 292 A90-44906
The human factors of workstation telepresence p 299 N90-25528

MANIPULATORS

- Pushing the envelope - Space telerobotics at Carnegie Mellon University p 291 A90-43155
A global approach for using kinematic redundancy to minimize base reactions of manipulators [NASA-CR-186825] p 297 N90-25499
Telepresence and Space Station Freedom workstation operations p 299 N90-25527
The Flight Telerobotic Servicer (FTS) NASA's first operational robotic system p 299 N90-25537
The telerobot testbed: An architecture for remote servicing p 299 N90-25538

MANNED SPACE FLIGHT

- Survival in space: Medical problems of manned spaceflight -- Book p 281 A90-45781

MANUAL CONTROL

- Man-machine interface for the control of a lunar transport machine
[NASA-CR-184935] p 296 N90-25495

MARKERS

- Experiment K-6-18. Study of muscarinic and gaba (benzodiazepine) receptors in the sensory-motor cortex, hippocampus and spinal code p 273 N90-26471

MARS (PLANET)

- Greenhouse design for a Martian colony: Structural, solar collection and light distribution systems [NASA-CR-186818] p 302 N90-26501

MASS DISTRIBUTION

- A kinematic/dynamic model for prediction of neck injury during impact acceleration p 283 N90-25469

MATHEMATICAL MODELS

- A mathematical model for response of the coronary circulation to high sustained gravitational force fields p 281 A90-45741
A kinematic/dynamic model for prediction of neck injury during impact acceleration p 283 N90-25469
Effects of head mounted devices on head-neck dynamic response to +G(sub z) accelerations p 284 N90-25471
Adjustment and validation of the mathematical prediction model for sweat rate, heart rate, and body temperature under outdoor conditions [AD-A222599] p 287 N90-26486
Human performance models [FFI-90/7002] p 302 N90-26502

MECHANICAL PROPERTIES

- Flexion, extension and lateral bending responses of the cervical spine p 283 N90-25468

MEDICAL PERSONNEL

- Arctic cold weather medicine and accidental hypothermia [AD-A223090] p 287 N90-26487

MEDICAL SERVICES

- Arctic cold weather medicine and accidental hypothermia [AD-A223090] p 287 N90-26487

MEMBRANES

- Development of membrane process for carbon dioxide separation from diving atmosphere [AD-A222606] p 302 N90-26504

MEMORY

- The retrieval of information from secondary memory: A review and new findings [AD-A222760] p 290 N90-26489

MENTAL PERFORMANCE

- Pilot - Mental and physical performance -- Book p 287 A90-42663
The role of attention in information processing implications for the design of displays [AD-A219252] p 288 N90-25486
Performance-based workload assessment: Allocation strategy and added task sensitivity p 290 N90-25539
Real-time measurement of mental workload: A feasibility study p 290 N90-25540
Human performance in cockpit-related systems [NIAR-90-7] p 301 N90-26495

METABOLISM

- Experiment K-6-07. Metabolic and morphologic properties of muscle fibers after spaceflight p 271 N90-26461
Experiment K-6-08. Biochemical and histochemical observations of vastus medialis p 271 N90-26462
Experiment K-6-21. Effect of microgravity on 1) metabolic enzymes of type 1 and type 2 muscle fibers and on 2) metabolic enzymes, neurotransmitter amino acids, and neurotransmitter associated enzymes in motor and somatosensory cerebral cortex. Part 1: Metabolic enzymes of individual muscle fibers; Part 2: metabolic enzymes of hippocampus and spinal cord p 274 N90-26474

MIDDLE EAR PRESSURE

- Fitness of civil aviation passengers to fly after ear surgery p 279 A90-44637

MILITARY AIRCRAFT

- Renal calculi in Army aviators p 279 A90-44638

MILITARY TECHNOLOGY

- Neck Injury in Advanced Military Aircraft Environments [AGARD-CP-471] p 281 N90-25459

MINERALS

- Experiment K-6-01. Distribution and biochemistry of mineral and matrix in the femurs of rats p 270 N90-26455

MITOCHONDRIA

- The mitochondrial volume and fiber type transition of skeletal muscle after suspension hypokinesia in rat p 267 A90-43459

MITOSIS

- Experiment K-6-17. Structural changes and cell turnover in the rats small intestine induced by spaceflight p 273 N90-26470

MODELS

- Analysis of the biomechanic and ergonomic aspects of the cervical spine under load p 283 N90-25470

MOISTURE CONTENT

- Implementation of sensor and control designs for bioregenerative systems [NASA-CR-186655] p 275 N90-26479

MOLECULAR BIOLOGY

- Differential interaction of chiral beta-particles with enantiomers p 267 A90-44250
Photosynthesis in intact plants [DE90-013699] p 276 N90-26482

MOLECULAR INTERACTIONS

Binding of alpha-fetoprotein by immobilized monoclonal antibodies during episodes of zero-gravity obtained by parabolic flight p 279 A90-44634

MOLECULAR STRUCTURE

Photosynthesis in intact plants [DE90-013699] p 276 N90-26482
Computer simulation of chemical reactions in synthetic model compounds and genetically engineered active sites [AD-A22611] p 276 N90-26483

MOMENTS OF INERTIA

Dynamical modifications to the head, load factors from additional weight p 284 N90-25472

MONITORS

Real-time measurement of mental workload: A feasibility study p 290 N90-25540
Eye tracking device for the measurement of flight performance in simulators [AD-A220075] p 287 N90-26484

MONKEYS

Program review: The lifetime effects of space radiation in rhesus monkeys [AD-A221127] p 268 N90-25454
Experiment K-6-27. Analysis of radiographs and biosamples from primate studies p 275 N90-26478

MONOCULAR VISION

Ocular responses to monocular and binocular helmet-mounted display configurations p 295 A90-45217

MORPHOLOGY

Experiment K-6-02. Biomedical, biochemical and morphological alterations of muscle and dense, fibrous connective tissues during 14 days of spaceflight p 270 N90-26456
Experiment K-6-03. Gravity and skeletal growth, part 1. Part 2: Morphology and histochemistry of bone cells and vasculature of the tibia; Part 3: Nuclear volume analysis of osteoblast histogenesis in periodontal ligament cells; Part 4: Intervertebral disc swelling pressure associated with microgravity p 270 N90-26457
Experiment K-6-06. Morphometric and EM analyses of tibial epiphyseal plates from Cosmos 1887 rats p 271 N90-26460

Experiment K-6-08. Biochemical and histochemical observations of vastus medialis p 271 N90-26462
Experiment K-6-09. Morphological and biochemical investigation of microgravity-induced nerve and muscle breakdown. Part 1: Investigation of nerve and muscle breakdown during spaceflight; Part 2: Biochemical analysis of EDL and PLT muscles p 272 N90-26463

Experiment K-6-12. Morphometric studies of atrial or granules and hepatocytes. Part 1: Morphometric study of the liver; Part 2: The atrial granular accumulations p 272 N90-26466
Experiment K-6-13. Morphological and biochemical examination of heart tissue. Part 1: Effects of microgravity on the myocardial fine structure of rats flown on Cosmos 1887. Ultrastructure studies. Part 2: Cellular distribution of cyclic ampendent protein kinase regulatory subunits in heart muscle of rats flown on Cosmos 1887 p 273 N90-26467

Experiment K-6-16. Morphological examination of rat testes. The effect of Cosmos 1887 flight on spermatogonial population and testosterone level in rat testes p 273 N90-26469

MOTION AFTEREFFECTS

Generalization of tolerance to motion environments p 278 A90-44630

MOTION SICKNESS

Generalization of tolerance to motion environments p 278 A90-44630
The effects of fixation and restricted visual field on vection-induced motion sickness p 278 A90-44631
Motion sickness, visual displays, and armored vehicle design [AD-A22678] p 302 N90-26506

MUSCLES

Autonomic nervous system partially controls muscular activity in man p 277 A90-43454
Electronystagmographic findings following cervical injuries p 282 N90-25466
Effects of microgravity on rat muscle p 269 N90-26453

Experiment K-6-02. Biomedical, biochemical and morphological alterations of muscle and dense, fibrous connective tissues during 14 days of spaceflight p 270 N90-26456

Experiment K-6-04. Trace element balance in rats during spaceflight p 271 N90-26458

Experiment K-6-07. Metabolic and morphologic properties of muscle fibers after spaceflight p 271 N90-26461

Experiment K-6-08. Biochemical and histochemical observations of vastus medialis p 271 N90-26462

Experiment K-6-09. Morphological and biochemical investigation of microgravity-induced nerve and muscle breakdown. Part 1: Investigation of nerve and muscle breakdown during spaceflight; Part 2: Biochemical analysis of EDL and PLT muscles p 272 N90-26463

Experiment K-6-10. Effects of zero gravity on myofibril protein content and isomyosin distribution in rodent skeletal muscle p 272 N90-26464

Experiment K-6-11. Actin mRNA and cytochrome c mRNA concentrations in the triceps brachia muscle of rats p 272 N90-26465

Experiment K-6-21. Effect of microgravity on 1) metabolic enzymes of type 1 and type 2 muscle fibers and on 2) metabolic enzymes, neurotransmitter amino acids, and neurotransmitter associated enzymes in motor and somatosensory cerebral cortex. Part 1: Metabolic enzymes of individual muscle fibers; part 2: metabolic enzymes of hippocampus and spinal cord p 274 N90-26474

MUSCULAR FUNCTION

Rat limb unloading - Soleus histochemistry, ultrastructure, and electromyography p 268 A90-44274

Thyroarytenoid muscle activity during hypoxia, hypercapnia, and voluntary hyperventilation in humans p 277 A90-44275

Dynamical modifications to the head, load factors from additional weight p 284 N90-25472
Effects of microgravity on rat muscle p 269 N90-26453

Experiment K-6-07. Metabolic and morphologic properties of muscle fibers after spaceflight p 271 N90-26461

MUSCULOSKELETAL SYSTEM

The mitochondrial volume and fiber type transition of skeletal muscle after suspension hypokinesia in rat p 267 A90-43459

Neck injury prevention possibilities in a high-G-environment experience with high sustained +G(sub z) training of pilots in the GAF IAM human centrifuge p 284 N90-25474

Experiment K-6-07. Metabolic and morphologic properties of muscle fibers after spaceflight p 271 N90-26461

MYOELECTRIC POTENTIALS

The effects of fixation and restricted visual field on vection-induced motion sickness p 278 A90-44631

MYOPIA

Present status of radial keratotomy myopia surgery - Aerospace considerations p 279 A90-44636

N**NASA PROGRAMS**

Design of sensors for control of closed loop life support systems [NASA-CR-186656] p 300 N90-26490

NASA SPACE PROGRAMS

Life sciences strategy — for future NASA space research [AAS PAPER 88-227] p 267 A90-43480

NECK (ANATOMY)

Neck injury in Advanced Military Aircraft Environments [AGARD-CP-471] p 281 N90-25459

Prevalence of G-induced cervical injury in US Air Force pilots p 281 N90-25460

A kinematic/dynamic model for prediction of neck injury during impact acceleration p 283 N90-25469

Effects of head mounted devices on head-neck dynamic response to +G(sub z) accelerations p 284 N90-25471

Neck injury prevention possibilities in a high-G-environment experience with high sustained +G(sub z) training of pilots in the GAF IAM human centrifuge p 284 N90-25474

Risk of cervical injury in real and simulated accidents p 285 N90-25475

Biofidelity of a dummy's neck during automobile collision testing p 285 N90-25477

Omni-directional human head-neck response [SAE-861893] p 285 N90-25478

NERVES

Radiological investigation of the vertebral column of candidates for military flying training the the Royal Norwegian Air Force p 282 N90-25463

Experiment K-6-09. Morphological and biochemical investigation of microgravity-induced nerve and muscle breakdown. Part 1: Investigation of nerve and muscle breakdown during spaceflight; Part 2: Biochemical analysis of EDL and PLT muscles p 272 N90-26463

NETWORK SYNTHESIS

Investigation of automated task learning, decomposition and scheduling [NASA-CR-186791] p 290 N90-26488

NEURAL NETS

Investigation of automated task learning, decomposition and scheduling [NASA-CR-186791] p 290 N90-26488
Assembly via disassembly: A case in machine perceptual development [NASA-CR-186867] p 301 N90-26497

NEUROTRANSMITTERS

Experiment K-6-18. Study of muscarinic and gaba (benzodiazepine) receptors in the sensory-motor cortex, hippocampus and spinal code p 273 N90-26471

NIGHT VISION

Doing it better in the dark — night vision goggles image intensification systems technology p 280 A90-44653
Predicting the performance of night vision devices using a simple contrast model p 295 A90-45219
Polycarbonate ophthalmic lenses and night vision goggles in U.S. Army aviation p 295 A90-45220
Compatibility of aircraft cockpit lighting and image intensification night imaging systems p 296 A90-45242

NOISE INTENSITY

Sustained peripheral vasoconstriction while working in continuous intense noise p 278 A90-44628

NUCLEI (CYTOLOGY)

The effect of hyperdynamic fields on the oxidative metabolism of the paraventricular nucleus p 278 A90-44633

NUMERICAL CONTROL

System development and early biological tests in NASA's biomass production chamber [NASA-TM-103494] p 269 N90-25456

NUTRITION

Proximate composition of seed and biomass from soybean plants grown at different carbon monoxide (CO2) concentrations [NASA-TM-103496] p 276 N90-26480

O**OCULAR CIRCULATION**

Present status of radial keratotomy myopia surgery - Aerospace considerations p 279 A90-44636

OCULOMOTOR NERVES

Ocular responses to monocular and binocular helmet-mounted display configurations p 295 A90-45217

OLIGOMERS

DNH deoxyribonucleohelicates - Self assembly of oligonucleosidic double-helical metal complexes p 267 A90-43369

OPERATOR PERFORMANCE

Telepresence for space: The state of the concept p 298 N90-25526
The human factors of workstation telepresence p 299 N90-25528
A helmet mounted display to adapt the telerobotic environment to human vision p 299 N90-25555

OPERATORS (PERSONNEL)

The role of attention in information processing implications for the design of displays [AD-A218252] p 288 N90-25486

OPHTHALMOLOGY

Polycarbonate ophthalmic lenses and night vision goggles in U.S. Army aviation p 295 A90-45220

OPTICAL EQUIPMENT

Optical approaches to the helmet mounted display p 293 A90-45203

OPTICAL RADAR

Development of eye-safe lidar for aerosol measurements [NASA-CR-186905] p 302 N90-26503

ORBITAL ASSEMBLY

A telerobotic system for automated assembly of large space structures [AAS PAPER 88-170] p 291 A90-43467

ORBITAL MANEUVERING VEHICLES

SDIO robotics in space applications p 298 N90-25514

ORGANIC COMPOUNDS

Cometary delivery of organic molecules to the early earth p 303 A90-43385

ORGANOMETALLIC COMPOUNDS

DNH deoxyribonucleohelicates - Self assembly of oligonucleosidic double-helical metal complexes p 267 A90-43369

OXYGEN BREATHING

Clinical hyperbaric medicine p 280 A90-44657

OXYGEN MASKS

Hypothesis on bubble volume of altitude decompression sickness and relation between O2 prebreathing time and pressure in space suits p 277 A90-44582
Transport aircraft crew and decompression hazards - Study of a positive pressure schedule p 278 A90-44627

OXYGEN METABOLISM

The effect of hyperdynamic fields on the oxidative metabolism of the paraventricular nucleus
p 278 A90-44633

P

PAIN

A survey of cervical pain in pilots of a Belgian F-16 Air Defence Wing
p 282 N90-25462

PARABOLIC FLIGHT

Binding of alpha-fetoprotein by immobilized monoclonal antibodies during episodes of zero-gravity obtained by parabolic flight
p 279 A90-44634

PARAMETER IDENTIFICATION

Active perception and exploratory robotics [MS-CIS-89-65]
p 297 N90-25501

PASSENGERS

Biodynamic simulations of an aircraft pilot/passenger in various crash environments [NIAR-90-6]
p 300 N90-26494
Human factors: The human interface with aircraft interiors [NIAR-90-18]
p 301 N90-26496

PATIENTS

Electronystagmographic findings following cervical injuries
p 282 N90-25466

PENETRATION

Measurement techniques, evaluation criteria and injury probability assessment methodologies developed for Navy ejection and crashworthy seat evaluations
p 285 N90-25479

PERFORMANCE TESTS

The retrieval of information from secondary memory: A review and new findings [AD-A22760]
p 290 N90-26489

PERMEABILITY

Development of membrane process for carbon dioxide separation from diving atmosphere [AD-A22606]
p 302 N90-26504

PERSONALITY TESTS

Study of the application of a stress reactivity test in personnel selection [DLR-FB-89-54]
p 289 N90-25489

PHONEMES

In search of an inherent ordering of vowel phonemes, or do pilots hear like engineers do? p 288 A90-44642

PHOTOGRAPHIC TRACKING

Photo based image generator -- for driving Helmet Mounted Laser Projector
p 294 A90-45209

PHOTOSYNTHESIS

Carbon dioxide and water exchange rates by a wheat crop in NASA's biomass production chamber: Results from an 86-day study (January to April 1989) [NASA-TM-102788]
p 268 N90-25453
System development and early biological tests in NASA's biomass production chamber [NASA-TM-103494]
p 269 N90-25456
Gas exchange characteristics as indicators of the basic limiting factors in photosynthesis [DE90-012399]
p 276 N90-26481
Photosynthesis in intact plants [DE90-013699]
p 276 N90-26482
Greenhouse design for a Martian colony: Structural, solar collection and light distribution systems [NASA-CR-186818]
p 302 N90-26501

PHYSICAL EXERCISE

Effects of microgravity on rat muscle
p 269 N90-26453
Experiment K-6-09. Morphological and biochemical investigation of microgravity-induced nerve and muscle breakdown. Part 1: Investigation of nerve and muscle breakdown during spaceflight; Part 2: Biochemical analysis of EDL and PLT muscles
p 272 N90-26463

PHYSICAL FITNESS

Relationship between +Gz tolerance and physical characteristics during gradual and rapid onset runs
p 277 A90-43456

PHYSIOLOGICAL EFFECTS

Age related changes in physical performance and physiological functions of JASDF pilots
p 276 A90-43382

An overview of the space medicine program and development of the Health Maintenance Facility for Space Station
p 276 A90-43453

Relationship between +Gz tolerance and physical characteristics during gradual and rapid onset runs
p 277 A90-43456

Biochemical and physiological changes in glider pilots during multi-hour flights [ESA-TT-1183]
p 286 N90-25484

PHYSIOLOGICAL RESPONSES

Responses of rats to 3-week centrifugal accelerations
p 267 A90-43457

The electrocardiographic response to high +Gz centrifuge training
p 278 A90-44632

Adverse effect of negative Gz on subsequent high positive Gz - A need for research and education
p 280 A90-44660

The retrieval of information from secondary memory: A review and new findings [AD-A22760]
p 290 N90-26489

PHYSIOLOGICAL TESTS

Age-related changes in performance of pilots
p 288 A90-43381

PHYSIOLOGY

Effects of microgravity on rat bone, cartilage and connective tissues
p 270 N90-26454

PILOT ERROR

Evaluation of the effect of pilot errors on flight safety
p 292 A90-44907

PILOT PERFORMANCE

Pilot - Mental and physical performance -- Book
p 287 A90-42663

Age-related changes in performance of pilots
p 288 A90-43381

Age related changes in physical performance and physiological functions of JASDF pilots
p 276 A90-43382

Pilots' learning abilities and their ages in aircraft transition trainings. I - Analysis of final grades in transition trainings
p 288 A90-43383

USAF spatial disorientation training
p 280 A90-44654

Spatial disorientation in flight - Scope and limitations of training
p 280 A90-44655

Back from the past - The helmet integrated system of Albert Bacon Pratt (1916)
p 293 A90-45202

Helmet-mounted displays for helicopter pilotage - Design configuration trade-offs, analyses, and test
p 293 A90-45204

Predicting the performance of night vision devices using a simple contrast model
p 295 A90-45219

Mobility of the head and load effects: Experimental approach in a centrifuge
p 284 N90-25473

The prediction of professional success of licenced pilots: The validity of flight experience in comparison with standardized psychological aptitude tests
p 289 N90-25488

Eye tracking device for the measurement of flight performance in simulators
p 287 N90-26484

Pilot interaction with automated airborne decision making systems [NASA-CR-186730]
p 300 N90-26492

Psychophysiological assessment of pilot workload in an applied setting [AD-A22707]
p 302 N90-26507

PILOT SELECTION

The prediction of professional success of licenced pilots: The validity of flight experience in comparison with standardized psychological aptitude tests [DLR-FB-89-53]
p 289 N90-25488

Study of the application of a stress reactivity test in personnel selection [DLR-FB-89-54]
p 289 N90-25489

TOM: Test of multiple task performance, user manual [DLR-FB-89-60]
p 289 N90-25490

International application of the DLR test-system: First year of cooperation with IBERIA in pilot selection [DLR-FB-90-05]
p 289 N90-25491

PILOT TRAINING

Pilots' learning abilities and their ages in aircraft transition trainings. II - Questionnaire survey to student pilots and their instructors in transition trainings
p 288 A90-43384

GLC - A practical discussion -- Gravitational Loss of Consciousness
p 280 A90-44652

Doing it better in the dark -- night vision goggles image intensification systems technology
p 280 A90-44653

USAF spatial disorientation training
p 280 A90-44654

Spatial disorientation in flight - Scope and limitations of training
p 280 A90-44655

Neck injury prevention possibilities in a high-G-environment experience with high sustained +G(sub z) training of pilots in the GAF IAM human centrifuge
p 284 N90-25474

PINEAL GLAND

Experiment K-6-19. Pineal physiology in microgravity: Relation to rat gonadal function
p 274 N90-26472

PITUITARY GLAND

Experiment K-6-20. The effect of spaceflight on pituitary oxytocin and vasopressin content of rats
p 274 N90-26473

Experiment K-6-22. Growth hormone regulation, synthesis and secretion in microgravity. Part 1: Somatotroph physiology. Part 2: Immunohistochemical analysis of hypothalamic hormones. Part 3: Plasma analysis
p 274 N90-26475

PITUITARY HORMONES

Experiment K-6-22. Growth hormone regulation, synthesis and secretion in microgravity. Part 1: Somatotroph physiology. Part 2: Immunohistochemical analysis of hypothalamic hormones. Part 3: Plasma analysis
p 274 N90-26475

PLANETARY EVOLUTION

Cometary delivery of organic molecules to the early earth
p 303 A90-43385

PLANETARY SURFACES

Pushing the envelope - Space telerobotics at Carnegie Mellon University
p 291 A90-43155

PLANNING

Investigation of automated task learning, decomposition and scheduling [NASA-CR-186791]
p 290 N90-26488

PLANTING

A proposal to demonstrate production of salad crops in the space station mockup facility with particular attention to space, energy, and labor constraints [NASA-CR-186811]
p 297 N90-25500

PLANTS (BOTANY)

Medicinal protection with Chinese herb-compound against radiation damage
p 279 A90-44635

Design and implementation of sensor systems for control of a closed-loop life support system [NASA-CR-186675]
p 296 N90-25497

POLYMERIC FILMS

Development of membrane process for carbon dioxide separation from diving atmosphere [AD-A22606]
p 302 N90-26504

POLYPEPTIDES

Binding of alpha-fetoprotein by immobilized monoclonal antibodies during episodes of zero-gravity obtained by parabolic flight
p 279 A90-44634

POSITION SENSING

Assembly via disassembly: A case in machine perceptual development [NASA-CR-186867]
p 301 N90-26497

POSITIONING

Eye tracking device for the measurement of flight performance in simulators [AD-A220075]
p 287 N90-26484

PREDICTIONS

A kinematic/dynamic model for prediction of neck injury during impact acceleration
p 283 N90-25469

The prediction of professional success of licenced pilots: The validity of flight experience in comparison with standardized psychological aptitude tests [DLR-FB-89-53]
p 289 N90-25488

PRESSURE BREATHING

Transport aircraft crew and decompression hazards - Study of a positive pressure schedule
p 278 A90-44627

Pulmonary considerations of high sustained +Gz acceleration and G protection
p 280 A90-44661

PRESSURE EFFECTS

Fitness of civil aviation passengers to fly after ear surgery
p 279 A90-44637

PRESSURE SUITS

High altitude protective equipment - A review of pressure systems
p 292 A90-44651

Aircrew life support systems enhancement [AD-A22626]
p 302 N90-26505

PREVENTION

Non-ejection neck injuries in high performance aircraft
p 281 N90-25461

Neck injury prevention possibilities in a high-G-environment experience with high sustained +G(sub z) training of pilots in the GAF IAM human centrifuge
p 284 N90-25474

A computer simulation model for studying cervical spine injury prevention
p 285 N90-25476

PROBABILITY THEORY

Measurement techniques, evaluation criteria and injury probability assessment methodologies developed for Navy ejection and crashworthy seat evaluations
p 285 N90-25479

On the relation between various levels of target acquisition [IZF-1989-38]
p 289 N90-25492

PROBLEM SOLVING

Pilot interaction with automated airborne decision making systems [NASA-CR-186730]
p 300 N90-26492

PRODUCTIVITY

A proposal to demonstrate production of salad crops in the space station mockup facility with particular attention to space, energy, and labor constraints [NASA-CR-186811]
p 297 N90-25500

PROJECT MANAGEMENT

Ergonomic support of aircraft development processes
p 292 A90-44909

PROJECTORS

Evaluation of a helmet-mounted laser projector display
p 294 A90-45212

PROTECTION

- Non-ejection neck injuries in high performance aircraft
p 281 N90-25461
- Radiological investigation of the vertebral column of candidates for military flying training the Royal Norwegian Air Force
p 282 N90-25463

PROTECTIVE CLOTHING

- Development of local liquid cooling garment
p 291 A90-44553
- Effectiveness of the Space Shuttle anti-exposure system in a cold water environment
p 292 A90-44641

PROTECTIVE COATINGS

- Hazards protection for space suits and spacecraft [NASA-CASE-MSC-21366-1]
p 297 N90-25498

PROTEIN SYNTHESIS

- Experiment K-6-11. Actin mRNA and cytochrome c mRNA concentrations in the triceps brachia muscle of rats
p 272 N90-26465

PROTEINS

- Experiment K-6-10. Effects of zero gravity on myofibril protein content and isomyosin distribution in rodent skeletal muscle
p 272 N90-26464
- Experiment K-6-11. Actin mRNA and cytochrome c mRNA concentrations in the triceps brachia muscle of rats
p 272 N90-26465
- Experiment K-6-14. Hepatic function in rats after spaceflight
p 273 N90-26468
- Experiment K-6-20. The effect of spaceflight on pituitary oxytocin and vasopressin content of rats
p 274 N90-26473
- Proximate composition of seed and biomass from soybean plants grown at different carbon monoxide (CO₂) concentrations [NASA-TM-103496]
p 276 N90-26480
- PROTOCOL (COMPUTERS)**
- An expert system to advise astronauts during experiments: The protocol manager module
p 298 N90-25522

PROTOTYPES

- Measurement techniques, evaluation criteria and injury probability assessment methodologies developed for Navy ejection and crashworthy seat evaluations
p 285 N90-25479

PSYCHOLOGICAL TESTS

- The prediction of professional success of licenced pilots: The validity of flight experience in comparison with standardized psychological aptitude tests [DLR-FB-89-53]
p 289 N90-25488
- Study of the application of a stress reactivity test in personnel selection [DLR-FB-89-54]
p 289 N90-25489
- TOM: Test of multiple task performance, user manual [DLR-FB-89-60]
p 289 N90-25490
- International application of the DLR test-system: First year of cooperation with IBERIA in pilot selection [DLR-FB-90-05]
p 289 N90-25491
- Differential psychological analysis of a computer-based audio-visual test of vigilance [ESA-TT-1136]
p 289 N90-25494
- Human performance in cockpit-related systems [NIAH-90-7]
p 301 N90-26495

PSYCHOMOTOR PERFORMANCE

- Transport aircraft crew and decompression hazards - Study of a positive pressure schedule
p 278 A90-44627

PSYCHOPHYSIOLOGY

- Psychophysiological assessment of pilot workload in an applied setting [AD-A222707]
p 302 N90-26507

PULMONARY FUNCTIONS

- Pulmonary considerations of high sustained +Gz acceleration and G protection
p 280 A90-44661

R**RADAR MEASUREMENT**

- Development of eye-safe lidar for aerosol measurements [NASA-CR-186905]
p 302 N90-26503

RADIATION DAMAGE

- Medicinal protection with Chinese herb-compound against radiation damage
p 279 A90-44635

RADIATION DOSAGE

- The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 [NASA-TM-102254]
p 269 N90-26452
- Experiment K-6-24, K-6-25, K-6-26. Radiation dosimetry and spectrometry
p 275 N90-26477

RADIATION EFFECTS

- Program review: The lifetime effects of space radiation in rhesus monkeys [AD-A221127]
p 268 N90-25454

- Experiment K-6-16. Morphological examination of rat testes. The effect of Cosmos 1887 flight on spermatogonial population and testosterone level in rat testes
p 273 N90-26469

- Experiment K-6-24, K-6-25, K-6-26. Radiation dosimetry and spectrometry
p 275 N90-26477

RADIATION PROTECTION

- Medicinal protection with Chinese herb-compound against radiation damage
p 279 A90-44635
- Program review: The lifetime effects of space radiation in rhesus monkeys [AD-A221127]
p 268 N90-25454
- Hazards protection for space suits and spacecraft [NASA-CASE-MSC-21366-1]
p 297 N90-25498

RADIATION SHIELDING

- Experiment K-6-24, K-6-25, K-6-26. Radiation dosimetry and spectrometry
p 275 N90-26477

RADIATION THERAPY

- Medicinal protection with Chinese herb-compound against radiation damage
p 279 A90-44635

RADIATION TOLERANCE

- Program review: The lifetime effects of space radiation in rhesus monkeys [AD-A221127]
p 268 N90-25454

RADIOBIOLOGY

- Differential interaction of chiral beta-particles with enantiomers
p 267 A90-44250
- Program review: The lifetime effects of space radiation in rhesus monkeys [AD-A221127]
p 268 N90-25454
- Experiment K-6-24, K-6-25, K-6-26. Radiation dosimetry and spectrometry
p 275 N90-26477

RADIOGRAPHY

- Experiment K-6-27. Analysis of radiographs and biosamples from primate studies
p 275 N90-26478

RADIOLOGY

- Radiological investigation of the vertebral column of candidates for military flying training the Royal Norwegian Air Force
p 282 N90-25463

RADIOMETRIC RESOLUTION

- Minimum resolvable temperature predictions, test methodology, and data analysis — for thermal imaging
p 291 A90-44151

RAMAN SPECTRA

- Development of eye-safe lidar for aerosol measurements [NASA-CR-186905]
p 302 N90-26503

RATS

- Effects of microgravity on rat muscle
p 269 N90-26453
- Effects of microgravity on rat bone, cartilage and connective tissues
p 270 N90-26454
- Experiment K-6-01. Distribution and biochemistry of mineral and matrix in the femurs of rats
p 270 N90-26455
- Experiment K-6-03. Gravity and skeletal growth, part 1. Part 2: Morphology and histochemistry of bone cells and vasculature of the tibia; Part 3: Nuclear volume analysis of osteoblast histogenesis in periodontal ligament cells; Part 4: Intervertebral disc swelling pressure associated with microgravity
p 270 N90-26457
- Experiment K-6-04. Trace element balance in rats during spaceflight
p 271 N90-26458
- Experiment K-6-05. The maturation of bone and dentin matrices in rats flown on Cosmos 1887
p 271 N90-26459

- Experiment K-6-06. Morphometric and EM analyses of tibial epiphyseal plates from Cosmos 1887 rats
p 271 N90-26460

- Experiment K-6-08. Biochemical and histochemical observations of vastus medialis
p 271 N90-26462

- Experiment K-6-09. Morphological and biochemical investigation of microgravity-induced nerve and muscle breakdown. Part 1: Investigation of nerve and muscle breakdown during spaceflight; Part 2: Biochemical analysis of EDL and PLT muscles
p 272 N90-26463

- Experiment K-6-10. Effects of zero gravity on myofibril protein content and isomyosin distribution in rodent skeletal muscle
p 272 N90-26464

- Experiment K-6-11. Actin mRNA and cytochrome c mRNA concentrations in the triceps brachia muscle of rats
p 272 N90-26465

- Experiment K-6-12. Morphometric studies of atrial or granules and hepatocytes. Part 1: Morphometric study of the liver; Part 2: The atrial granular accumulations
p 272 N90-26466

- Experiment K-6-13. Morphological and biochemical examination of heart tissue. Part 1: Effects of microgravity on the myocardial fine structure of rats flown on Cosmos 1887. Ultrastructure studies. Part 2: Cellular distribution of cyclic amphoteric protein kinase regulatory subunits in heart muscle of rats flown on Cosmos 1887
p 273 N90-26467

- Experiment K-6-14. Hepatic function in rats after spaceflight
p 273 N90-26468

- Experiment K-6-16. Morphological examination of rat testes. The effect of Cosmos 1887 flight on spermatogonial population and testosterone level in rat testes
p 273 N90-26469

- Experiment K-6-17. Structural changes and cell turnover in the rats small intestine induced by spaceflight
p 273 N90-26470

- Experiment K-6-18. Study of muscarinic and gaba (benzodiazepine) receptors in the sensory-motor cortex, hippocampus and spinal cord
p 273 N90-26471

- Experiment K-6-19. Pineal physiology in microgravity: Relation to rat gonadal function
p 274 N90-26472

- Experiment K-6-20. The effect of spaceflight on pituitary oxytocin and vasopressin content of rats
p 274 N90-26473

- Experiment K-6-22. Growth hormone regulation, synthesis and secretion in microgravity. Part 1: Somatotroph physiology. Part 2: Immunohistochemical analysis of hypothalamic hormones. Part 3: Plasma analysis
p 274 N90-26475

- Experiment K-6-23. Effect of spaceflight on levels and function of immune cells
p 275 N90-26476

REACTION TIME

- Sustained peripheral vasoconstriction while working in continuous intense noise
p 278 A90-44628
- The retrieval of information from secondary memory: A review and new findings [AD-A222760]
p 290 N90-26489

REAL TIME OPERATION

- Real-time measurement of mental workload: A feasibility study
p 290 N90-25540
- A real-time optical 3D tracker for head-mounted display systems [AD-A222747]
p 303 N90-26508

REDUCED GRAVITY

- An overview of the space medicine program and development of the Health Maintenance Facility for Space Station
p 276 A90-43453

- A global approach for using kinematic redundancy to minimize base reactions of manipulators [NASA-CR-186825]
p 297 N90-25499

- A proposal to demonstrate production of salad crops in the space station mockup facility with particular attention to space, energy, and labor constraints [NASA-CR-186811]
p 297 N90-25500

- The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 [NASA-TM-102254]
p 269 N90-26452

- Effects of microgravity on rat muscle
p 269 N90-26453

- Effects of microgravity on rat bone, cartilage and connective tissues
p 270 N90-26454

- Experiment K-6-03. Gravity and skeletal growth, part 1. Part 2: Morphology and histochemistry of bone cells and vasculature of the tibia; Part 3: Nuclear volume analysis of osteoblast histogenesis in periodontal ligament cells; Part 4: Intervertebral disc swelling pressure associated with microgravity
p 270 N90-26457

- Experiment K-6-04. Trace element balance in rats during spaceflight
p 271 N90-26458

- Experiment K-6-05. The maturation of bone and dentin matrices in rats flown on Cosmos 1887
p 271 N90-26459

- Experiment K-6-06. Morphometric and EM analyses of tibial epiphyseal plates from Cosmos 1887 rats
p 271 N90-26460

- Experiment K-6-08. Biochemical and histochemical observations of vastus medialis
p 271 N90-26462

- Experiment K-6-12. Morphometric studies of atrial or granules and hepatocytes. Part 1: Morphometric study of the liver; Part 2: The atrial granular accumulations
p 272 N90-26466

- Experiment K-6-13. Morphological and biochemical examination of heart tissue. Part 1: Effects of microgravity on the myocardial fine structure of rats flown on Cosmos 1887. Ultrastructure studies. Part 2: Cellular distribution of cyclic amphoteric protein kinase regulatory subunits in heart muscle of rats flown on Cosmos 1887
p 273 N90-26467

- Experiment K-6-17. Structural changes and cell turnover in the rats small intestine induced by spaceflight
p 273 N90-26470

- Experiment K-6-19. Pineal physiology in microgravity: Relation to rat gonadal function
p 274 N90-26472

- Experiment K-6-20. The effect of spaceflight on pituitary oxytocin and vasopressin content of rats
p 274 N90-26473

- Experiment K-6-21. Effect of microgravity on 1) metabolic enzymes of type 1 and type 2 muscle fibers and on 2) metabolic enzymes, neurotransmitter amino acids, and neurotransmitter associated enzymes in motor and somatosensory cerebral cortex. Part 1: Metabolic enzymes of individual muscle fibers; part 2: metabolic enzymes of hippocampus and spinal cord
p 274 N90-26474

Experiment K-6-22. Growth hormone regulation, synthesis and secretion in microgravity. Part 1: Somatotroph physiology. Part 2: Immunohistochemical analysis of hypothalamic hormones. Part 3: Plasma analysis p 274 N90-26475

REDUNDANCY

A global approach for using kinematic redundancy to minimize base reactions of manipulators [NASA-CR-186825] p 297 N90-25499

REFLECTANCE

Implementation of sensor and control designs for bioregenerative systems [NASA-CR-186655] p 275 N90-26479

REGENERATION (PHYSIOLOGY)

Implementation of sensor and control designs for bioregenerative systems [NASA-CR-186655] p 275 N90-26479

REMOTE CONTROL

Telepresence for space: The state of the concept p 298 N90-25526

The telerobot testbed: An architecture for remote servicing p 299 N90-25538
Human factors issues in telerobotic systems for Space Station Freedom servicing p 299 N90-25556

REMOTE MANIPULATOR SYSTEM

Planning for space telerobotics - The Remote Mission Specialist p 291 A90-43156

REMOVAL

Assembly via disassembly: A case in machine perceptual development [NASA-CR-186867] p 301 N90-26497

RENAL FUNCTION

Renal calculi in Army aviators p 279 A90-44638

REPLACING

The telerobot testbed: An architecture for remote servicing p 299 N90-25538

REQUIREMENTS

A real-time optical 3D tracker for head-mounted display systems [AD-A222747] p 303 N90-26508

RESEARCH FACILITIES

Genesis lunar outpost criteria and design [NASA-CR-186831] p 301 N90-26499

RESPIRATION

Carbon dioxide and water exchange rates by a wheat crop in NASA's biomass production chamber: Results from an 86-day study (January to April 1989) [NASA-TM-102788] p 268 N90-25453

RESPIRATORY REFLEXES

Thyroarytenoid muscle activity during hypoxia, hypercapnia, and voluntary hyperventilation in humans p 277 A90-44275

RHEUMATIC DISEASES

High G training and superficial phlebitis - A case report p 279 A90-44639

RIDING QUALITY

Human factors: The human interface with aircraft interiors [NIAR-90-18] p 301 N90-26496

RISK

Progressive cervical osteoarthritis in high performance aircraft pilots p 282 N90-25465

ROBOT ARMS

Grasping with mechanical intelligence [NASA-CR-186864] p 301 N90-26498

ROBOT DYNAMICS

Assembly via disassembly: A case in machine perceptual development [NASA-CR-186867] p 301 N90-26497

ROBOTICS

Planning for space telerobotics - The Remote Mission Specialist p 291 A90-43156

A telerobotic system for automated assembly of large space structures [AAS PAPER 88-170] p 291 A90-43467

The 21st century in space: Future robotic technologies - An industrial researcher's view [AAS PAPER 88-183] p 291 A90-43469

Active perception and exploratory robotics [MS-CIS-89-65] p 297 N90-25501

SDIO robotics in space applications p 298 N90-25514

Telepresence for space: The state of the concept p 298 N90-25526

Telepresence and Space Station Freedom workstation operations p 299 N90-25527

The Flight Telerobotic Servicer (FTS) NASA's first operational robotic system p 299 N90-25537

The telerobot testbed: An architecture for remote servicing p 299 N90-25538

A helmet mounted display to adapt the telerobotic environment to human vision p 299 N90-25555

Human factors issues in telerobotic systems for Space Station Freedom servicing p 299 N90-25556

The JPL telerobot operator control station: Operational experiences p 300 N90-25565

Grasping with mechanical intelligence [NASA-CR-186864] p 301 N90-26498

ROBOTS

Pushing the envelope - Space telerobotics at Carnegie Mellon University p 291 A90-43155

An assessment of the development and application potential for robots to support Space Station operations [AAS PAPER 88-184] p 291 A90-43470

Telepresence for space: The state of the concept p 298 N90-25526

The human factors of workstation telepresence p 299 N90-25528

The Flight Telerobotic Servicer (FTS) NASA's first operational robotic system p 299 N90-25537

The telerobot testbed: An architecture for remote servicing p 299 N90-25538

The JPL telerobot operator control station: Operational experiences p 300 N90-25565

RODENTS

Experiment K-6-10. Effects of zero gravity on myofibril protein content and isomyosin distribution in rodent skeletal muscle p 272 N90-26464

ROTORCRAFT AIRCRAFT

Helmet mounted displays and the emerging attack rotorcraft counterair mission p 293 A90-45206

ROVING VEHICLES

Pushing the envelope - Space telerobotics at Carnegie Mellon University p 291 A90-43155

S**SAFETY**

Biofidelity of a dummy's neck during automobile collision testing p 285 N90-25477

SAFETY DEVICES

Helmet-mounted head restraint [AD-D014536] p 300 N90-26491

SCHEDULING

Investigation of automated task learning, decomposition and scheduling [NASA-CR-186791] p 290 N90-26488

SEAT BELTS

Risk of cervical injury in real and simulated accidents p 285 N90-25475

Biodynamic simulations of an aircraft pilot/passenger in various crash environments [NIAR-90-6] p 300 N90-26494

Human factors: The human interface with aircraft interiors [NIAR-90-18] p 301 N90-26496

SEATS

Biodynamic simulations of an aircraft pilot/passenger in various crash environments [NIAR-90-6] p 300 N90-26494

Human factors: The human interface with aircraft interiors [NIAR-90-18] p 301 N90-26496

SECRECTIONS

Experiment K-6-20. The effect of spaceflight on pituitary oxytocin and vasopressin content of rats p 274 N90-26473

Experiment K-6-22. Growth hormone regulation, synthesis and secretion in microgravity. Part 1: Somatotroph physiology. Part 2: Immunohistochemical analysis of hypothalamic hormones. Part 3: Plasma analysis p 274 N90-26475

SEEDS

Implementation of sensor and control designs for bioregenerative systems [NASA-CR-186655] p 275 N90-26479

Proximate composition of seed and biomass from soybean plants grown at different carbon monoxide (CO₂) concentrations [NASA-TM-103496] p 276 N90-26480

SENSORIMOTOR PERFORMANCE

Experiment K-6-18. Study of muscarinic and gaba (benzodiazepine) receptors in the sensory-motor cortex, hippocampus and spinal code p 273 N90-26471

SENSORY FEEDBACK

The human factors of workstation telepresence p 299 N90-25528

SENSORY PERCEPTION

Dynamical modifications to the head, load factors from additional weight p 284 N90-25472

SENSORY STIMULATION

Generalization of tolerance to motion environments p 278 A90-44630

SEX FACTOR

International application of the DLR test-system: First year of cooperation with IBERIA in pilot selection [DLR-FB-90-05] p 289 N90-25491

SIGNAL DETECTION

Gain, noise, and contrast sensitivity of linear visual neurons p 281 A90-44863

Differential psychological analysis of a computer-based audio-visual test of vigilance [ESA-TT-1136] p 289 N90-25494

SIGNAL PROCESSING

Active perception and exploratory robotics [MS-CIS-89-65] p 297 N90-25501

Assembly via disassembly: A case in machine perceptual development [NASA-CR-186867] p 301 N90-26497

SIMULATION

Biodynamic simulations of an aircraft pilot/passenger in various crash environments [NIAR-90-6] p 300 N90-26494

SKIN TEMPERATURE (BIOLOGY)

Thermoregulatory responses to +3Gz in rats at different time of day p 268 A90-44776

SLEEP

Sleep and fatigue of flight crew in long-haul aviation p 277 A90-43455

SMOOTHING

A global approach for using kinematic redundancy to minimize base reactions of manipulators [NASA-CR-186825] p 297 N90-25499

SOCIAL FACTORS

International application of the DLR test-system: First year of cooperation with IBERIA in pilot selection [DLR-FB-90-05] p 289 N90-25491

SOLIDS

Design and implementation of sensor systems for control of a closed-loop life support system [NASA-CR-186675] p 296 N90-25497

SOUND GENERATORS

The effects of acoustic orientation cues on instrument flight performance in a flight simulator p 288 A90-44629

SOYBEANS

Proximate composition of seed and biomass from soybean plants grown at different carbon monoxide (CO₂) concentrations [NASA-TM-103496] p 276 N90-26480

SPACE COLONIES

Greenhouse design for a Martian colony: Structural, solar collection and light distribution systems [NASA-CR-186818] p 302 N90-26501

SPACE ERECTABLE STRUCTURES

A telerobotic system for automated assembly of large space structures [AAS PAPER 88-170] p 291 A90-43467

SPACE EXPLORATION

Pushing the envelope - Space telerobotics at Carnegie Mellon University p 291 A90-43155

SPACE FLIGHT

Effects of microgravity on rat bone, cartilage and connective tissues p 270 N90-26454

Experiment K-6-02. Biomedical, biochemical and morphological alterations of muscle and dense, fibrous connective tissues during 14 days of spaceflight p 270 N90-26456

Experiment K-6-03. Gravity and skeletal growth, part 1. Part 2: Morphology and histochemistry of bone cells and vasculature of the tibia; Part 3: Nuclear volume analysis of osteoblast histogenesis in periodontal ligament cells; Part 4: Intervertebral disc swelling pressure associated with microgravity p 270 N90-26457

Experiment K-6-04. Trace element balance in rats during spaceflight p 271 N90-26458

Experiment K-6-05. The maturation of bone and dentin matrices in rats flown on Cosmos 1887 p 271 N90-26459

Experiment K-6-06. Morphometric and EM analyses of tibial epiphyseal plates from Cosmos 1887 rats p 271 N90-26460

Experiment K-6-07. Metabolic and morphologic properties of muscle fibers after spaceflight p 271 N90-26461

Experiment K-6-09. Morphological and biochemical investigation of microgravity-induced nerve and muscle breakdown. Part 1: Investigation of nerve and muscle breakdown during spaceflight; Part 2: Biochemical analysis of EDL and PLT muscles p 272 N90-26463

Experiment K-6-12. Morphometric studies of atrial or granules and hepatocytes. Part 1: Morphometric study of the liver; Part 2: The atrial granular accumulations p 272 N90-26466

Experiment K-6-14. Hepatic function in rats after spaceflight p 273 N90-26468

Experiment K-6-17. Structural changes and cell turnover in the rats small intestine induced by spaceflight p 273 N90-26470

Experiment K-6-19. Pineal physiology in microgravity: Relation to rat gonadal function p 274 N90-26472

Experiment K-6-20. The effect of spaceflight on pituitary oxytocin and vasopressin content of rats p 274 N90-26473

Experiment K-6-23. Effect of spaceflight on levels and function of immune cells p 275 N90-26476

Experiment K-6-27. Analysis of radiographs and biosamples from primate studies . p 275 N90-26478

SPACE FLIGHT STRESS
Survival in space: Medical problems of manned spaceflight — Book p 281 A90-45781

SPACE MAINTENANCE
SDIO robotics in space applications p 298 N90-25514
Telepresence for space: The state of the concept p 298 N90-25526
The Flight Telerobotic Servicer (FTS) NASA's first operational robotic system p 299 N90-25537
The telerobot testbed: An architecture for remote servicing p 299 N90-25538

SPACE ORIENTATION
USAF spatial disorientation training p 280 A90-44654
Spatial disorientation in flight - Scope and limitations of training p 280 A90-44655

SPACE PERCEPTION
Spatial disorientation in flight - Scope and limitations of training p 280 A90-44655

SPACE PROGRAMS
Life sciences role in systems engineering of space programs [AAS PAPER 88-228] p 267 A90-43481

SPACE STATIONS
U.S. Space Station Freedom waste fluid disposal system with consideration of hydrazine waste gas injection thrusters [AIAA PAPER 90-1944] p 290 A90-42700
An overview of the space medicine program and development of the Health Maintenance Facility for Space Station p 276 A90-43453
An assessment of the development and application potential for robots to support Space Station operations [AAS PAPER 88-184] p 291 A90-43470
A proposal to demonstrate production of salad crops in the space station mockup facility with particular attention to space, energy, and labor constraints [NASA-CR-186811] p 297 N90-25500
The environmental control and life support system advanced automation project. Phase 1: Application evaluation p 298 N90-25523
Telepresence and Space Station Freedom workstation operations p 299 N90-25527
The Flight Telerobotic Servicer (FTS) NASA's first operational robotic system p 299 N90-25537
Automation of closed environments in space for human comfort and safety [NASA-CR-186834] p 301 N90-26500

SPACE SUITS
Hypothesis on bubble volume of altitude decompression sickness and relation between O₂ prebreathing time and pressure in space suits p 277 A90-44582
Effectiveness of the Space Shuttle anti-exposure system in a cold water environment p 292 A90-44641
Design of a device to remove lunar dust from space suits for the proposed lunar base [NASA-CR-186679] p 296 N90-25496
Hazards protection for space suits and spacecraft [NASA-CASE-MSC-21366-1] p 297 N90-25498

SPACE TOOLS
Planning for space telerobotics - The Remote Mission Specialist p 291 A90-43156
The 21st century in space: Future robotic technologies - An industrial researcher's view [AAS PAPER 88-183] p 291 A90-43469
An assessment of the development and application potential for robots to support Space Station operations [AAS PAPER 88-184] p 291 A90-43470

SPACEBORNE EXPERIMENTS
An expert system to advise astronauts during experiments: The protocol manager module p 298 N90-25522
The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 [NASA-TM-102254] p 269 N90-26452
Experiment K-6-24, K-6-25, K-6-26. Radiation dosimetry and spectrometry p 275 N90-26477

SPACECRAFT CONSTRUCTION MATERIALS
Experiment K-6-24, K-6-25, K-6-26. Radiation dosimetry and spectrometry p 275 N90-26477

SPACECRAFT CONTROL
Planning for space telerobotics - The Remote Mission Specialist p 291 A90-43156

SPACECRAFT ENVIRONMENTS
The environmental control and life support system advanced automation project. Phase 1: Application evaluation p 298 N90-25523

SPACECRAFT MAINTENANCE
SDIO robotics in space applications p 298 N90-25514

SPECTROMETERS
Experiment K-6-24, K-6-25, K-6-26. Radiation dosimetry and spectrometry p 275 N90-26477

SPEECH RECOGNITION

In search of an inherent ordering of vowel phonemes, or do pilots hear like engineers do? p 288 A90-44642

SPERMATOZOA

Experiment K-6-16. Morphological examination of rat testes. The effect of Cosmos 1887 flight on spermatogonial population and testosterone level in rat testes p 273 N90-26469

SPINE

A survey of cervical pain in pilots of a Belgian F-16 Air Defence Wing p 282 N90-25462
Radiological investigation of the vertebral column of candidates for military flying training the the Royal Norwegian Air Force p 282 N90-25463
Data analysis in cervical trauma p 282 N90-25464
Electronystagmographic findings following cervical injuries p 282 N90-25466
Aircrew neck injuries: A new, or an existing, misunderstood phenomenon p 283 N90-25467
Flexion, extension and lateral bending responses of the cervical spine p 283 N90-25468
Analysis of the biomechanic and ergonomic aspects of the cervical spine under load p 283 N90-25470
Effects of head mounted devices on head-neck dynamic response to +G(sub z) accelerations p 284 N90-25471
A computer simulation model for studying cervical spine injury prevention p 285 N90-25476

SPLREEN

Experiment K-6-23. Effect of spaceflight on levels and function of immune cells p 275 N90-26476

STABILITY

Active perception and exploratory robotics [MS-CIS-89-65] p 297 N90-25501

STATISTICAL ANALYSIS

Data analysis in cervical trauma p 282 N90-25464

STEREOSCOPIC VISION

Telepresence and Space Station Freedom workstation operations p 299 N90-25527

STRAPS

Helmet-mounted head restraint [AD-D014536] p 300 N90-26491

STRATEGY

Prevalence of G-induced cervical injury in US Air Force pilots p 281 N90-25460

STRESS (PHYSIOLOGY)

Prevalence of G-induced cervical injury in US Air Force pilots p 281 N90-25460

STRESS (PSYCHOLOGY)

Development of a meta-analytic technique to assess stress effects [AD-A220468] p 288 N90-25487
Study of the application of a stress reactivity test in personnel selection [DLR-FB-89-54] p 289 N90-25489

STRUCTURAL ANALYSIS

Flexion, extension and lateral bending responses of the cervical spine p 283 N90-25468

SUPERSONIC AIRCRAFT

Prevalence of G-induced cervical injury in US Air Force pilots p 281 N90-25460

SUPPORTS

A global approach for using kinematic redundancy to minimize base reactions of manipulators [NASA-CR-186825] p 297 N90-25499

SURGERY

Present status of radial keratotomy myopia surgery - Aerospace considerations p 279 A90-44636

SURVEYS

A survey of cervical pain in pilots of a Belgian F-16 Air Defence Wing p 282 N90-25462

SWEAT

Adjustment and validation of the mathematical prediction model for sweat rate, heart rate, and body temperature under outdoor conditions [AD-A222599] p 287 N90-26486

SYMPATHETIC NERVOUS SYSTEM

Sympathetic nerves control the new formation of microvessels induced by adaptation to hypoxia p 281 A90-45125

SYSTEM EFFECTIVENESS

Development of a meta-analytic technique to assess stress effects [AD-A220468] p 288 N90-25487

SYSTEMS ENGINEERING

Life sciences role in systems engineering of space programs [AAS PAPER 88-228] p 267 A90-43481
System development and early biological tests in NASA's biomass production chamber [NASA-TM-103494] p 269 N90-25456
Ornithodirectional human head-neck response [SAE-861893] p 285 N90-25478
Automation of closed environments in space for human comfort and safety [NASA-CR-186834] p 301 N90-26500

SYSTEMS INTEGRATION

Visually coupled system integration — involving helmet displays p 293 A90-45205
Helmet integration - An overview of critical issues p 294 A90-45215

T**TANKS (COMBAT VEHICLES)**

Motion sickness, visual displays, and armored vehicle design [AD-A222678] p 302 N90-26506

TARGET ACQUISITION

On the relation between various levels of target acquisition [IZF-1989-38] p 289 N90-25492
PHIND, an analytical model to predict target acquisition distance with image intensifiers [IZF-1989-45] p 289 N90-25493

TARGET RECOGNITION

On the relation between various levels of target acquisition [IZF-1989-38] p 289 N90-25492
PHIND, an analytical model to predict target acquisition distance with image intensifiers [IZF-1989-45] p 289 N90-25493

TASK COMPLEXITY

TOM: Test of multiple task performance, user manual [DLR-FB-89-60] p 289 N90-25490
Performance-based workload assessment: Allocation strategy and added task sensitivity p 290 N90-25539

TASKS

Performance-based workload assessment: Allocation strategy and added task sensitivity p 290 N90-25539
Investigation of automated task learning, decomposition and scheduling [NASA-CR-186791] p 290 N90-26488

TELEOPERATORS

Planning for space telerobotics - The Remote Mission Specialist p 291 A90-43156
SDIO robotics in space applications p 298 N90-25514

Telepresence for space: The state of the concept p 298 N90-25526

Telepresence and Space Station Freedom workstation operations p 299 N90-25527

The human factors of workstation telepresence p 299 N90-25528

The Flight Telerobotic Servicer (FTS) NASA's first operational robotic system p 299 N90-25537

The telerobot testbed: An architecture for remote servicing p 299 N90-25538

A helmet mounted display to adapt the telerobotic environment to human vision p 299 N90-25555

Human factors issues in telerobotic systems for Space Station Freedom servicing p 299 N90-25556

The JPL telerobot operator control station: Operational experiences p 300 N90-25565

TEMPERATURE CONTROL

Design and implementation of sensor systems for control of a closed-loop life support system [NASA-CR-186675] p 296 N90-25497

TEMPERATURE MEASUREMENT

Minimum resolvable temperature predictions, test methodology, and data analysis — for thermal imaging p 291 A90-44151

TESTES

Experiment K-6-16. Morphological examination of rat testes. The effect of Cosmos 1887 flight on spermatogonial population and testosterone level in rat testes p 273 N90-26469

THERMAL ANALYSIS

Minimum resolvable temperature predictions, test methodology, and data analysis — for thermal imaging p 291 A90-44151

THERMOREGULATION

Thermoregulatory responses to +3Gz in rats at different time of day p 288 A90-44776

TIBIA

Experiment K-6-27. Analysis of radiographs and biosamples from primate studies p 275 N90-26478

TOUCH

Telepresence for space: The state of the concept p 298 N90-25526

TOXIC DISEASES

Clinical hyperbaric medicine p 280 A90-44657

TRACE ELEMENTS

Experiment K-6-04. Trace element balance in rats during spaceflight p 271 N90-26458

TRACKING (POSITION)

A helmet mounted display to adapt the telerobotic environment to human vision p 299 N90-25555
Eye tracking device for the measurement of flight performance in simulators [AD-A220075] p 287 N90-26484

- A real-time optical 3D tracker for head-mounted display systems
[AD-A222747] p 303 N90-26508
- TRAINING ANALYSIS**
Aircrew life support systems enhancement
[AD-A222626] p 302 N90-26505
- TRAINING DEVICES**
Hardware improvements to the helmet mounted projector on the Visual Display Research Tool (VDRT) at the naval training systems center p 293 A90-45208
- TRAINING EVALUATION**
High G training and superficial phlebitis - A case report p 279 A90-44639
- TRANSFER OF TRAINING**
Pilots' learning abilities and their ages in aircraft transition trainings. I - Analysis of final grades in transition trainings p 288 A90-43383
Pilots' learning abilities and their ages in aircraft transition trainings. II - Questionnaire survey to student pilots and their instructors in transition trainings p 288 A90-43384
- TRANSPIRATION**
Carbon dioxide and water exchange rates by a wheat crop in NASA's biomass production chamber: Results from an 86-day study (January to April 1989)
[NASA-TM-102788] p 268 N90-25453
System development and early biological tests in NASA's biomass production chamber
[NASA-TM-103494] p 269 N90-25456
- TRUSSES**
A telerobotic system for automated assembly of large space structures
[AAS PAPER 88-170] p 291 A90-43467

U

- U.S.S.R.**
USSR space life sciences digest, issue 27
[NASA-CR-3922(32)] p 269 N90-25457
- ULNA**
Experiment K-6-27. Analysis of radiographs and biosamples from primate studies p 275 N90-26478
- UNCONSCIOUSNESS**
GLC - A practical discussion --- Gravitational Loss of Consciousness p 280 A90-44652
- UNDERGROUND STRUCTURES**
Greenhouse design for a Martian colony: Structural, solar collection and light distribution systems
[NASA-CR-186818] p 302 N90-26501
- UNDERWATER BREATHING APPARATUS**
Development of membrane process for carbon dioxide separation from diving atmosphere
[AD-A222606] p 302 N90-26504
- URINE**
Effects of a time zone shift of 9 hours on the circadian rhythms in cockpit aircrew members on longhaul flights
[ESA-TT-1185] p 286 N90-25485

V

- VARIABILITY**
Usefulness of heart measures in flight simulation p 287 N90-25542
- VASOCONSTRICTION**
Sustained peripheral vasoconstriction while working in continuous intense noise p 278 A90-44628
- VEGETABLES**
A proposal to demonstrate production of salad crops in the space station mockup facility with particular attention to space, energy, and labor constraints
[NASA-CR-186811] p 297 N90-25500
- VERTEBRAE**
Radiological investigation of the vertebral column of candidates for military flying training the the Royal Norwegian Air Force p 282 N90-25463
Analysis of the biomechanic and ergonomic aspects of the cervical spine under load p 283 N90-25470
Risk of cervical injury in real and simulated accidents p 285 N90-25475
- VESTIBULAR TESTS**
Generalization of tolerance to motion environments p 278 A90-44630
- VISION**
Eye tracking device for the measurement of flight performance in simulators
[AD-A220075] p 287 N90-26484
- VISUAL DISCRIMINATION**
Telepresence for space: The state of the concept p 298 N90-25526
- VISUAL FIELDS**
A helmet mounted display to adapt the telerobotic environment to human vision p 299 N90-25555


- VISUAL PERCEPTION**
The effects of fixation and restricted visual field on vection-induced motion sickness p 278 A90-44631
Gain, noise, and contrast sensitivity of linear visual neurons p 281 A90-44863
Motion sickness, visual displays, and armored vehicle design
[AD-A222678] p 302 N90-26506
- VISUAL SIGNALS**
Differential psychological analysis of a computer-based audio-visual test of vigilance
[ESA-TT-1136] p 289 N90-25494
- VISUAL STIMULI**
Generalization of tolerance to motion environments p 278 A90-44630
The effects of fixation and restricted visual field on vection-induced motion sickness p 278 A90-44631
- VISUAL TASKS**
Visually coupled system integration --- involving helmet displays p 293 A90-45205
Hardware improvements to the helmet mounted projector on the Visual Display Research Tool (VDRT) at the naval training systems center p 293 A90-45208
The effect of instantaneous field of view size on the acquisition of low level flight and 30-deg manual dive bombing tasks p 294 A90-45214
Helmet integration - An overview of critical issues p 294 A90-45215
- VOWELS**
In search of an inherent ordering of vowel phonemes, or do pilots hear like engineers do? p 288 A90-44642

W

- WALKING MACHINES**
Man-machine interface for the control of a lunar transport machine
[NASA-CR-184935] p 296 N90-25495
- WASTE DISPOSAL**
U.S. Space Station Freedom waste fluid disposal system with consideration of hydrazine waste gas injection thrusters
[AIAA PAPER 90-1944] p 290 A90-42700
- WATER**
Carbon dioxide and water exchange rates by a wheat crop in NASA's biomass production chamber: Results from an 86-day study (January to April 1989)
[NASA-TM-102788] p 268 N90-25453
Utilization of the water soluble fraction of wheat straw as a plant nutrient source
[NASA-TM-103497] p 268 N90-25455
- WATER DEPRIVATION**
Experiment K-6-20. The effect of spaceflight on pituitary oxytocin and vasopressin content of rats p 274 N90-26473
- WATER IMMERSION**
Effectiveness of the Space Shuttle anti-exposure system in a cold water environment p 292 A90-44641
- WEAPON SYSTEMS**
Human performance models
[FFI-90/7002] p 302 N90-26502
- WEAPONS DELIVERY**
Helmet mounted displays and the emerging attack rotorcraft counterair mission p 293 A90-45206
- WEIGHTLESSNESS**
Study of brain supra-slow encephalofluorograph of rabbit during simulated weightlessness p 268 A90-44577
Binding of alpha-fetoprotein by immobilized monoclonal antibodies during episodes of zero-gravity obtained by parabolic flight p 279 A90-44634
Experiment K-6-08. Biochemical and histochemical observations of vastus medialis p 271 N90-26462
Experiment K-6-10. Effects of zero gravity on myofibril protein content and isomyosin distribution in rodent skeletal muscle p 272 N90-26464
Experiment K-6-11. Actin mRNA and cytochrome c mRNA concentrations in the triceps brachia muscle of rats p 272 N90-26465
Experiment K-6-14. Hepatic function in rats after spaceflight p 273 N90-26468
Experiment K-6-18. Study of muscarinic and gaba (benzodiazepine) receptors in the sensory-motor cortex, hippocampus and spinal cord p 273 N90-26471
Experiment K-6-21. Effect of microgravity on 1) metabolic enzymes of type 1 and type 2 muscle fibers and on 2) metabolic enzymes, neurotransmitter amino acids, and neurotransmitter associated enzymes in motor and somatosensory cerebral cortex. Part 1: Metabolic enzymes of individual muscle fibers; part 2: metabolic enzymes of hippocampus and spinal cord p 274 N90-26474
- WEIGHTLESSNESS SIMULATION**
Rat limb unloading - Soleus histochemistry, ultrastructure, and electromyography p 268 A90-44274

- WHEAT**
Carbon dioxide and water exchange rates by a wheat crop in NASA's biomass production chamber: Results from an 86-day study (January to April 1989)
[NASA-TM-102788] p 268 N90-25453
Utilization of the water soluble fraction of wheat straw as a plant nutrient source
[NASA-TM-103497] p 268 N90-25455
- WHIPLASH INJURIES**
Data analysis in cervical trauma p 282 N90-25464
Electronystagmographic findings following cervical injuries p 282 N90-25466
- WORK-REST CYCLE**
Effect of jet lag on the circadian rhythm of plasma melatonin p 280 A90-44777
Adjustment and validation of the mathematical prediction model for sweat rate, heart rate, and body temperature under outdoor conditions
[AD-A22599] p 287 N90-26486
- WORKLOADS (PSYCHOPHYSIOLOGY)**
Effect of jet lag on the circadian rhythm of plasma melatonin p 280 A90-44777
Performance-based workload assessment: Allocation strategy and added task sensitivity p 290 N90-25539
Real-time measurement of mental workload: A feasibility study p 290 N90-25540
Usefulness of heart measures in flight simulation p 287 N90-25542
Effects of microgravity on rat muscle p 269 N90-26453
Choosing a pilot subjective workload scale to fit flight operational requirements
[IAR-89-21] p 300 N90-26493
Human performance in cockpit-related systems
[NIAR-90-7] p 301 N90-26495
Psychophysiological assessment of pilot workload in an applied setting
[AD-A222707] p 302 N90-26507
- WORKSTATIONS**
Telepresence and Space Station Freedom workstation operations p 299 N90-25527
The human factors of workstation telepresence p 299 N90-25528

Typical Personal Author Index Listing



Listings in this index are arranged alphabetically by personal author. The title of the document provides the user with a brief description of the subject matter. The report number helps to indicate the type of document listed (e.g., NASA report, translation, NASA contractor report). The page and accession numbers are located beneath and to the right of the title. Under any one author's name the accession numbers are arranged in sequence with the AIAA accession numbers appearing first.

A

- ADAM, SUSAN C.**
Telepresence and Space Station Freedom workstation operations p 299 N90-25527
- AHLGREN-BECKENDORF, J. A.**
Differential interaction of chiral beta-particles with enantiomers p 267 A90-44250
- ALNWICK, LESLIE**
Design and implementation of sensor systems for control of a closed-loop life support system [NASA-CR-186675] p 296 N90-25497
- AMBURN, PHIL**
A helmet-mounted virtual environment display system p 294 A90-45211
- ANDARY, J.**
The Flight Telerobotic Servicer (FTS) NASA's first operational robotic system p 299 N90-25537
- ANDERSEN, HARALD T.**
Radiological investigation of the vertebral column of candidates for military flying training the the Royal Norwegian Air Force p 282 N90-25463
Data analysis in cervical trauma p 282 N90-25464
- ANDERSON, RICHARD B.**
The effects of fixation and restricted visual field on vection-induced motion sickness p 278 A90-44631
- ARBAK, CHRISTOPHER J.**
Utility evaluation of a helmet-mounted display and sight p 295 A90-45216
- ARNAUD, S.**
Experiment K-6-01. Distribution and biochemistry of mineral and matrix in the femurs of rats p 270 N90-26455
- ASHLEY, RICHARD**
Man-machine interface for the control of a lunar transport machine [NASA-CR-184935] p 296 N90-25495
- ASUKATA, ICHIRO**
Effect of jet lag on the circadian rhythm of plasma melatonin p 280 A90-44777
- AWWAL, A. A. S.**
Restoration of motion-degraded images in electro-optical displays p 295 A90-45222

B

- BACON, LORING**
Man-machine interface for the control of a lunar transport machine [NASA-CR-184935] p 296 N90-25495
- BAGIAN, JAMES P.**
Effectiveness of the Space Shuttle anti-exposure system in a cold water environment p 292 A90-44641
- BAIN, J.**
Experiment K-6-09. Morphological and biochemical investigation of microgravity-induced nerve and muscle breakdown. Part 1: Investigation of nerve and muscle breakdown during spaceflight; Part 2: Biochemical analysis of EDL and PLT muscles p 272 N90-26463
- BAIN, J. L. W.**
Rat limb unloading - Soleus histochemistry, ultrastructure, and electromyography p 268 A90-44274
- BAJCSY, RUZENA**
Active perception and exploratory robotics [MS-CIS-89-65] p 297 N90-25501
- BAJCSY, RUZENA K.**
Assembly via disassembly: A case in machine perceptual development [NASA-CR-186867] p 301 N90-26497
- BALDWIN, K.**
Experiment K-6-10. Effects of zero gravity on myofibril protein content and isomyosin distribution in rodent skeletal muscle p 272 N90-26464
- BALLARD, RODNEY W.**
The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 [NASA-TM-102254] p 269 N90-26452
- BARBARINO, MANFRED**
Study of the application of a stress reactivity test in personnel selection [DLR-FB-89-54] p 289 N90-25489
- BARNES, GRADY**
Binding of alpha-fetoprotein by immobilized monoclonal antibodies during episodes of zero-gravity obtained by parabolic flight p 279 A90-44634
- BARNES, WILLIAM J.**
Tactical applications of the helmet display in fighter aircraft p 295 A90-45218
- BARTHOLET, STEPHEN J.**
The 21st century in space: Future robotic technologies - An industrial researcher's view [AAS PAPER 88-183] p 291 A90-43469
- BASCHIERA, DINO J.**
Genesis lunar outpost criteria and design [NASA-CR-186831] p 301 N90-26499
- BATCHELOR, CHERYL L.**
Development of a meta-analytic technique to assess stress effects [AD-A220468] p 288 N90-25487
- BELL, JOHN STEVEN**
Psychophysiological assessment of pilot workload in an applied setting [AD-A222707] p 302 N90-26507
- BENJAMIN, B. A.**
Hemodynamic and ADH responses to central blood volume shifts in cardiac-denervated humans [NASA-TM-103471] p 287 N90-26485
- BENSON, ALAN J.**
Spatial disorientation in flight - Scope and limitations of training p 280 A90-44655
- BENTON, E. R.**
Experiment K-6-24, K-6-25, K-6-26. Radiation dosimetry and spectrometry p 275 N90-26477
- BENTON, E. V.**
Experiment K-6-24, K-6-25, K-6-26. Radiation dosimetry and spectrometry p 275 N90-26477
- BERRETTA, D.**
Experiment K-6-03. Gravity and skeletal growth, part 1. Part 2: Morphology and histochemistry of bone cells and vasculature of the tibia; Part 3: Nuclear volume analysis of osteoblast histogenesis in periodontal ligament cells; Part 4: Intervertebral disc swelling pressure associated with microgravity p 270 N90-26457

BERRY, W.

Experiment K-6-23. Effect of spaceflight on levels and function of immune cells p 275 N90-26476

BEYL, CAULA A.

A proposal to demonstrate production of salad crops in the space station mockup facility with particular attention to space, energy, and labor constraints [NASA-CR-186811] p 297 N90-25500

BIESEMANS, I.

A survey of cervical pain in pilots of a Belgian F-16 Air Defence Wing p 282 N90-25462

BISHOP, P. J.

A computer simulation model for studying cervical spine injury prevention p 285 N90-25476

BOCK, DITMAR H.

In search of an inherent ordering of vowel phonemes, or do pilots hear like engineers do? p 288 A90-44642

BOEHME, MIKE

USAF spatial disorientation training p 280 A90-44654

BONADIES, GREGORY A.

Usefulness of heart measures in flight simulation p 287 N90-25452

BOOTH, F. W.

Experiment K-6-11. Actin-mRNA and cytochrome c mRNA concentrations in the triceps brachia muscle of rats p 272 N90-26465

BOYDE, A.

Experiment K-6-01. Distribution and biochemistry of mineral and matrix in the femurs of rats p 270 N90-26455

BROMAGE, T.

Experiment K-6-01. Distribution and biochemistry of mineral and matrix in the femurs of rats p 270 N90-26455

BROOKS, CAROLYN A.

A proposal to demonstrate production of salad crops in the space station mockup facility with particular attention to space, energy, and labor constraints [NASA-CR-186811] p 297 N90-25500

BROOKSHAW, LEIGH

Cometary delivery of organic molecules to the early earth p 303 A90-43385

BROWDER, G. BLAIR

Evaluation of a helmet-mounted laser projector display p 294 A90-45212

BUCKENDAHL, P.

Experiment K-6-01. Distribution and biochemistry of mineral and matrix in the femurs of rats p 270 N90-26455

BURBIDGE, DICK

Hardware improvements to the helmet mounted projector on the Visual Display Research Tool (VDRT) at the naval training systems center p 293 A90-45208

BURCHARD, E. C.

Neck injury prevention possibilities in a high-G-environment experience with high sustained +G(sub z) training of pilots in the GAF IAM human centrifuge p 284 N90-25474

BUTLER, THOMAS M.

Program review: The lifetime effects of space radiation in rhesus monkeys [AD-A221127] p 268 N90-25454

C

CALKINS, DICK S.

Threshold altitude resulting in decompression sickness p 277 A90-44626

CANN, C.

Experiment K-6-27. Analysis of radiographs and biosamples from primate studies p 275 N90-26478

CANN, C. E.

Experiment K-6-04. Trace element balance in rats during spaceflight p 271 N90-26458

CARLTON, SCOTT TIM

Man-machine interface for the control of a lunar transport machine [NASA-CR-184935] p 296 N90-25495

E

- CAROLLO, JEROME T.**
Helmet-mounted displays; Proceedings of the Meeting, Orlando, FL, Mar. 28, 29, 1989
[SPIE-1116] p 292 A90-45201
- CARTER, J.**
Experiment K-6-21. Effect of microgravity on 1) metabolic enzymes of type 1 and type 2 muscle fibers and on 2) metabolic enzymes, neurotransmitter amino acids, and neurotransmitter associated enzymes in motor and somatosensory cerebral cortex. Part 1: Metabolic enzymes of individual muscle fibers; part 2: metabolic enzymes of hippocampus and spinal cord p 274 N90-26474
- CESARI, D.**
Biofidelity of a dummy's neck during automobile collision testing p 285 N90-25477
- CHAMBERS, RANDALL**
Human factors: The human interface with aircraft interiors
[NIAR-90-18] p 301 N90-26496
- CHAMBERS, RANDALL M.**
Choosing a pilot subjective workload scale to fit flight operational requirements p 300 N90-26493
[IAR-89-21] p 301 N90-26495
Human performance in cockpit-related systems
[NIAR-90-7] p 301 N90-26495
- CHAVEZ, ROSALIND A.**
Aircrew life support systems enhancement
[AD-A22626] p 302 N90-26505
- CHERNYSHEV, A. P.**
Ergonomic support of aircraft development processes p 292 A90-44909
- CHERRI, A. K.**
Restoration of motion-degraded images in electro-optical displays p 295 A90-45222
- CHI, VERNON**
A real-time optical 3D tracker for head-mounted display systems
[AD-A222747] p 303 N90-26508
- CHUNG, C. L.**
A global approach for using kinematic redundancy to minimize base reactions of manipulators
[NASA-CR-186825] p 297 N90-25499
- CHYBA, CHRISTOPHER F.**
Cometary delivery of organic molecules to the early earth p 303 A90-43385
- CIBELLA, FABIO**
Thyroarytenoid muscle activity during hypoxia, hypercapnia, and voluntary hyperventilation in humans p 277 A90-44275
- CIHANGIRLI, MIHRIBAN**
Human performance in cockpit-related systems
[NIAR-90-7] p 301 N90-26495
- CLARK, AMY**
Design and implementation of sensor systems for control of a closed-loop life support system
[NASA-CR-186675] p 296 N90-25497
- CLARK, JOSEPH Y.**
Renal calculi in Army aviators p 279 A90-44638
- CLERE, J. M.**
Mobility of the head and load effects: Experimental approach in a centrifuge p 284 N90-25473
- COBLENTZ, A.**
Dynamical modifications to the head, load factors from additional weight p 284 N90-25472
- COLLINS, RICHARD**
A mathematical model for response of the coronary circulation to high sustained gravitational force fields p 281 A90-45741
- COLOMBANO, SILVANO P.**
An expert system to advise astronauts during experiments: The protocol manager module p 298 N90-25522
- COMSTOCK, J. RAYMOND, JR.**
Usefulness of heart measures in flight simulation p 287 N90-25542
- CONNOLLY, JAMES P.**
The US Experiments Flown on the Soviet Biosatellite Cosmos 1887
[NASA-TM-102254] p 269 N90-26452
- CONVERTINO, V. A.**
Hemodynamic and ADH responses to central blood volume shifts in cardiac-denervated humans
[NASA-TM-103471] p 287 N90-26485
- CROSLEY, JOHN K.**
Polycarbonate ophthalmic lenses and night vision goggles in U.S. Army aviation p 295 A90-45220

D

- DALTON, NICHOLAS M.**
Photo based image generator p 294 A90-45209
- DAMELIO, F.**
Experiment K-6-18. Study of muscarinic and gaba (benzodiazepine) receptors in the sensory-motor cortex, hippocampus and spinal code p 273 N90-26471

- DAUNTON, N.**
Experiment K-6-18. Study of muscarinic and gaba (benzodiazepine) receptors in the sensory-motor cortex, hippocampus and spinal code p 273 N90-26471
- DAWN, FREDERIC S.**
Hazards protection for space suits and spacecraft
[NASA-CASE-MSC-21366-1] p 297 N90-25498
- DEBS, PATRICIA**
Design and implementation of sensor systems for control of a closed-loop life support system
[NASA-CR-186675] p 296 N90-25497
- DECKER, WILLIAM M.**
Predicting the performance of night vision devices using a simple contrast model p 295 A90-45219
- DEERING, CHARLES S.**
Photo based image generator p 294 A90-45209
- DEJONG, H. A. A.**
Electronystagmographic findings following cervical injuries p 282 N90-25466
- DESA, S.**
A global approach for using kinematic redundancy to minimize base reactions of manipulators
[NASA-CR-186825] p 297 N90-25499
- DEWBERRY, BRANDON S.**
The environmental control and life support system advanced automation project. Phase 1: Application evaluation p 298 N90-25523
- DIAMOND, STANLEY**
Present status of radial keratotomy myopia surgery - Aerospace considerations p 279 A90-44636
- DIEDRICH, RONALD W.**
Adverse effect of negative Gz on subsequent high positive Gz - A need for research and education p 280 A90-44660
- DIXON, KEVIN W.**
The effect of instantaneous field of view size on the acquisition of low level flight and 30-day manual dive bombing tasks p 294 A90-45214
Eye tracking device for the measurement of flight performance in simulators
[AD-A220075] p 287 N90-26484
- DOBIE, THOMAS G.**
Generalization of tolerance to motion environments p 278 A90-44630
- DOHERTY, BRIAN J.**
Flexion, extension and lateral bending responses of the cervical spine p 283 N90-25468
- DOTY, S.**
Effects of microgravity on rat bone, cartilage and connective tissues p 270 N90-26454
Experiment K-6-03. Gravity and skeletal growth, part 1. Part 2: Morphology and histochemistry of bone cells and vasculature of the tibia; Part 3: Nuclear volume analysis of osteoblast histogenesis in periodontal ligament cells; Part 4: Intervertebral disc swelling pressure associated with microgravity p 270 N90-26457
- DRESCHEL, T. W.**
System development and early biological tests in NASA's biomass production chamber
[NASA-TM-103494] p 269 N90-25456
- DRISKELL, JAMES E.**
Development of a meta-analytic technique to assess stress effects
[AD-A220468] p 288 N90-25487
- DROESSLER, JUSTIN G.**
Tilted cat helmet-mounted display p 296 A90-45240
- DU, GUOJIE**
Development of local liquid cooling garment p 291 A90-44553
- DUDDIN, V.**
Experiment K-6-24, K-6-25, K-6-26. Radiation dosimetry and spectrometry p 275 N90-26477
- DUKE, P. J.**
Experiment K-6-06. Morphometric and EM analyses of tibial epiphyseal plates from Cosmos 1887 rats p 271 N90-26460
- DURNOVA, G.**
Experiment K-6-01. Distribution and biochemistry of mineral and matrix in the femurs of rats p 270 N90-26455
- DURNOVA, G.**
Experiment K-6-03. Gravity and skeletal growth, part 1. Part 2: Morphology and histochemistry of bone cells and vasculature of the tibia; Part 3: Nuclear volume analysis of osteoblast histogenesis in periodontal ligament cells; Part 4: Intervertebral disc swelling pressure associated with microgravity p 270 N90-26457
Experiment K-6-04. Trace element balance in rats during spaceflight p 271 N90-26458
Experiment K-6-05. The maturation of bone and dentin matrices in rats flown on Cosmos 1887 p 271 N90-26459
Experiment K-6-06. Morphometric and EM analyses of tibial epiphyseal plates from Cosmos 1887 rats p 271 N90-26460

- EDGERTON, R.**
Experiment K-6-07. Metabolic and morphologic properties of muscle fibers after spaceflight p 271 N90-26461
- EDWARDS, DAVID C.**
Pilot - Mental and physical performance p 287 A90-42663
- ELLIOTT, J.**
Experiment K-6-01. Distribution and biochemistry of mineral and matrix in the femurs of rats p 270 N90-26455
- ELLIS, S.**
Experiment K-6-09. Morphological and biochemical investigation of microgravity-induced nerve and muscle breakdown. Part 1: Investigation of nerve and muscle breakdown during spaceflight; Part 2: Biochemical analysis of EDL and PLT muscles p 272 N90-26463
- EPSTEIN, Y.**
Adjustment and validation of the mathematical prediction model for sweat rate, heart rate, and body temperature under outdoor conditions
[AD-A222599] p 287 N90-26486
- ERCOLINE, WILLIAM R.**
The effects of acoustic orientation cues on instrument flight performance in a flight simulator p 288 A90-44629
- ERMER, GAYLE**
Biodynamic simulations of an aircraft pilot/passenger in various crash environments
[NIAR-90-6] p 300 N90-26494
- ESHAGHIAN, BIJAN**
Aircrew life support systems enhancement
[AD-A22626] p 302 N90-26505
- EVANS, J.**
Experiment K-6-20. The effect of spaceflight on pituitary oxytocin and vasopressin content of rats p 274 N90-26473

F

- FELL, R. D.**
Experiment K-6-08. Biochemical and histochemical observations of vastus medialis p 271 N90-26462
- FERNANDEZ, JEFFREY**
Human factors: The human interface with aircraft interiors
[NIAR-90-18] p 301 N90-26496
- FIEBER, JOE PAUL**
Genesis lunar outpost criteria and design
[NASA-CR-186831] p 301 N90-26499
- FINELL, GEORGE H.**
TOM: Test of multiple task performance, user manual
[DLR-FB-89-80] p 289 N90-25490
Differential psychological analysis of a computer-based audio-visual test of vigilance
[ESA-TT-1136] p 289 N90-25494
- FLORENCE, G.**
Transport aircraft crew and decompression hazards - Study of a positive pressure schedule p 278 A90-44627
- FORET-BRUNO, J. Y.**
Risk of cervical injury in real and simulated accidents p 285 N90-25475
- FRANCZEK, CHRIS**
Design and implementation of sensor systems for control of a closed-loop life support system
[NASA-CR-186675] p 296 N90-25497
- FRANK, A.**
Experiment K-6-24, K-6-25, K-6-26. Radiation dosimetry and spectrometry p 275 N90-26477
- FRISCH, GEORGE D.**
Measurement techniques, evaluation criteria and injury probability assessment methodologies developed for Navy ejection and crashworthy seat evaluations p 285 N90-25479
- FRISCH, PAUL H.**
Measurement techniques, evaluation criteria and injury probability assessment methodologies developed for Navy ejection and crashworthy seat evaluations p 285 N90-25479
- FUCHS, B.**
Experiment K-6-23. Effect of spaceflight on levels and function of immune cells p 275 N90-26476
- FUCHS, HENRY**
A real-time optical 3D tracker for head-mounted display systems
[AD-A222747] p 303 N90-26508
- FUJITA, YUMIKO**
Effect of jet lag on the circadian rhythm of plasma melatonin p 280 A90-44777

FULLER, CHARLES A.

The effect of hyperdynamic fields on the oxidative metabolism of the paraventricular nucleus p 278 A90-44633

G**GARAY, A. S.**

Differential interaction of chiral beta-particles with enantiomers p 267 A90-44250

GARETTO, L.

Experiment K-6-03. Gravity and skeletal growth, part 1. Part 2: Morphology and histochemistry of bone cells and vasculature of the tibia; Part 3: Nuclear volume analysis of osteoblast histogenesis in periodontal ligament cells; Part 4: Intervertebral disc swelling pressure associated with microgravity p 270 N90-26457

GARLAND, J. L.

Utilization of the water soluble fraction of wheat straw as a plant nutrient source [NASA-TM-103497] p 268 N90-25455

GARSHNEK, VICTORIA

USSR space life sciences digest, issue 27 [NASA-CR-3922(32)] p 269 N90-25457

GAWRON, VALERIE J.

In search of an inherent ordering of vowel phonemes, or do pilots hear like engineers do? p 288 A90-44642

GE, SHENRAN

Development of local liquid cooling garment p 291 A90-44553

GERECHT, KLAUS

Biochemical and physiological changes in glider pilots during multi-hour flights [ESA-TT-1183] p 286 N90-25484

GILLAN, DOUGLAS J.

Telepresence for space: The state of the concept p 298 N90-25526

GILLEN, MARTIN H.

Progressive cervical osteoarthritis in high performance aircraft pilots p 282 N90-25465

GILLINGHAM, KENT K.

The effects of acoustic orientation cues on instrument flight performance in a flight simulator p 288 A90-44629

GLAISTER, DAVID H.

Pulmonary considerations of high sustained +Gz acceleration and G protection p 280 A90-44661

GOETERS, KLAUS-MARTIN

International application of the DLR test-system: First year of cooperation with IBERIA in pilot selection [DLR-FB-90-05] p 289 N90-25491

GOLGO, V. N.

Evaluation of the effect of pilot errors on flight safety p 292 A90-44907

GONSALVES, M.

Experiment K-6-03. Gravity and skeletal growth, part 1. Part 2: Morphology and histochemistry of bone cells and vasculature of the tibia; Part 3: Nuclear volume analysis of osteoblast histogenesis in periodontal ligament cells; Part 4: Intervertebral disc swelling pressure associated with microgravity p 270 N90-26457

GOOD, TOM

Design and implementation of sensor systems for control of a closed-loop life support system [NASA-CR-186675] p 296 N90-25497

GORDON, E. P.

Hemodynamic and ADH responses to central blood volume shifts in cardiac-denervated humans [NASA-TM-103471] p 287 N90-26485

GOT, C.

Risk of cervical injury in real and simulated accidents p 285 N90-25475

GOTT, S.

Experiment K-6-03. Gravity and skeletal growth, part 1. Part 2: Morphology and histochemistry of bone cells and vasculature of the tibia; Part 3: Nuclear volume analysis of osteoblast histogenesis in periodontal ligament cells; Part 4: Intervertebral disc swelling pressure associated with microgravity p 270 N90-26457

GRENNANDER, SVEN

Planning for space telerobotics - The Remote Mission Specialist p 291 A90-43156

GREY, LINDA

Flexion, extension and lateral bending responses of the cervical spine p 283 N90-25468

GRINDELAND, R.

Experiment K-6-02. Biomedical, biochemical and morphological alterations of muscle and dense, fibrous connective tissues during 14 days of spaceflight p 270 N90-26456

Experiment K-6-20. The effect of spaceflight on pituitary oxytocin and vasopressin content of rats p 274 N90-26473

Experiment K-6-22. Growth hormone regulation, synthesis and secretion in microgravity. Part 1: Somatotroph physiology. Part 2: Immunohistochemical analysis of hypothalamic hormones. Part 3: Plasma analysis p 274 N90-26475

GRINDELAND, RICHARD E.

The US Experiments Flown on the Soviet Biosatellite Cosmos 1887 [NASA-TM-102254] p 269 N90-26452

GROLEAU, NICOLAS

An expert system to advise astronauts during experiments: The protocol manager module p 298 N90-25522

GRYNPAS, M.

Experiment K-6-05. The maturation of bone and dentin matrices in rats flown on Cosmos 1887 p 271 N90-26459

GUCCIONE, S. J., JR.

A kinematic/dynamic model for prediction of neck injury during impact acceleration p 283 N90-25469

GUIKEMA, JAMES A.

Binding of alpha-fetoprotein by immobilized monoclonal antibodies during episodes of zero-gravity obtained by parabolic flight p 279 A90-44634

GULL, FREDERICK C.

Aircrew neck injuries: A new, or an existing, misunderstood phenomenon p 283 N90-25467

GUILLON, F.

Risk of cervical injury in real and simulated accidents p 285 N90-25475

H**HALTERMAN, K.**

The Flight Telerobotic Servicer (FTS) NASA's first operational robotic system p 299 N90-25537

HAMMER, JOHN M.

Pilot interaction with automated airborne decision making systems [NASA-CR-186730] p 300 N90-26492

HANSMANN, TIMOTHY

Genesis lunar outpost criteria and design [NASA-CR-186831] p 301 N90-26499

HARDING, MARGARET M.

DNH deoxyribonucleohelicases - Self assembly of oligonucleosidic double-helical metal complexes p 267 A90-43369

HARDING, RICHARD

Survival in space: Medical problems of manned spaceflight p 281 A90-45781

HARGENS, A.

Experiment K-6-03. Gravity and skeletal growth, part 1. Part 2: Morphology and histochemistry of bone cells and vasculature of the tibia; Part 3: Nuclear volume analysis of osteoblast histogenesis in periodontal ligament cells; Part 4: Intervertebral disc swelling pressure associated with microgravity p 270 N90-26457

HARGROVE, J.

Experiment K-6-14. Hepatic function in rats after spaceflight p 273 N90-26468

HARRINGTON, DAVID

Design of a device to remove lunar dust from space suits for the proposed lunar base [NASA-CR-186679] p 296 N90-25496

HARRIS, RANDALL L. SR.

Usefulness of heart measures in flight simulation p 287 N90-25542

HASENCLEVER, SILKE RUTH

Effects of a time zone shift of 9 hours on the circadian rhythms in cockpit aircrew members on longhaul flights [ESA-TT-1185] p 286 N90-25485

HASKELL, W. L.

Hemodynamic and ADH responses to central blood volume shifts in cardiac-denervated humans [NASA-TM-103471] p 287 N90-26485

HATTORI, MASAOKI

Autonomic nervous system partially controls muscular activity in man p 277 A90-45454

HAVENS, JACK

Design of a device to remove lunar dust from space suits for the proposed lunar base [NASA-CR-186679] p 296 N90-25496

HAYES, PATRICK

Data analysis in cervical trauma p 282 N90-25464

HAYMANN-HABER, GUIDO

An expert system to advise astronauts during experiments: The protocol manager module p 298 N90-25522

HENNING, P. Y.

Dynamical modifications to the head, load factors from additional weight p 284 N90-25472

HERD, G. RONALD

Aircrew neck injuries: A new, or an existing, misunderstood phenomenon p 283 N90-25467

HERRICK, R.

Experiment K-6-10. Effects of zero gravity on myofibril protein content and isomyosin distribution in rodent skeletal muscle p 272 N90-26464

HESTER, DANIEL

Design of a device to remove lunar dust from space suits for the proposed lunar base [NASA-CR-186679] p 296 N90-25496

HEWITT, D.

The Flight Telerobotic Servicer (FTS) NASA's first operational robotic system p 299 N90-25537

HINKLE, C. R.

System development and early biological tests in NASA's biomass production chamber [NASA-TM-103494] p 269 N90-25456

HOEL, M.

Experiment K-6-14. Hepatic function in rats after spaceflight p 273 N90-26468

HOERMANN, HANS-JUERGEN

The prediction of professional success of licenced pilots: The validity of flight experience in comparison with standardized psychological aptitude tests [DLR-FB-89-53] p 289 N90-25488

TOM: Test of multiple task performance, user manual [DLR-FB-89-60] p 289 N90-25490

International application of the DLR test-system: First year of cooperation with IBERIA in pilot selection [DLR-FB-90-05] p 289 N90-25491

HOLLEY, D.

Experiment K-6-19. Pineal physiology in microgravity: Relation to rat gonadal function p 274 N90-26472

HOLLOWAY, HARRY C.

Life sciences strategy [AAS PAPER 88-227] p 267 A90-43480

HOLST, GERALD C.

Minimum resolvable temperature predictions, test methodology, and data analysis p 291 A90-44151

HOLTON, E.

Experiment K-6-03. Gravity and skeletal growth, part 1. Part 2: Morphology and histochemistry of bone cells and vasculature of the tibia; Part 3: Nuclear volume analysis of osteoblast histogenesis in periodontal ligament cells; Part 4: Intervertebral disc swelling pressure associated with microgravity p 270 N90-26457

HU, SENQI

The effects of fixation and restricted visual field onvection-induced motion sickness p 278 A90-44631

HUBBARD, DAVID C.

The effect of instantaneous field of view size on the acquisition of low level flight and 30-deg manual dive bombing tasks p 294 A90-45214

HUMPHREY, DARRYL

Real-time measurement of mental workload: A feasibility study p 290 N90-25540

HYMER, W.

Experiment K-6-22. Growth hormone regulation, synthesis and secretion in microgravity. Part 1: Somatotroph physiology. Part 2: Immunohistochemical analysis of hypothalamic hormones. Part 3: Plasma analysis p 274 N90-26475

I**IKAWA, SACHIO**

Responses of rats to 3-week centrifugal accelerations p 267 A90-43457

ILIFF, RICHARD

SDIO robotics in space applications p 298 N90-25514

ILYINA-KAKUEVA, E.

Experiment K-6-07. Metabolic and morphologic properties of muscle fibers after spaceflight p 271 N90-26461

INGELS, M.

A survey of cervical pain in pilots of a Belgian F-16 Air Defence Wing p 282 N90-25462

INSALACO, GIUSEPPE

Thyroarytenoid muscle activity during hypoxia, hypercapnia, and voluntary hyperventilation in humans p 277 A90-44275

ISOBE, YOSHIKAKI

Thermoregulatory responses to +3Gz in rats at different time of day p 268 A90-44776

ITOH, HIROSHI

Sleep and fatigue of flight crew in long-haul aviation p 277 A90-43455

IVOS, J. J.

On the relation between various levels of target acquisition [IZF-1989-38] p 289 N90-25492

J

JENSEN, DEAN G.

Telepresence and Space Station Freedom workstation operations p 299 N90-25527

JONES, D.

Experiment K-6-14. Hepatic function in rats after spaceflight p 273 N90-26468

K

KABASHIMA, TUKASA

Sleep and fatigue of flight crew in long-haul aviation p 277 A90-43455

KADDIS, F.

Experiment K-6-19. Pineal physiology in microgravity: Relation to rat gonadal function p 274 N90-26472

KALEPS, INTS

Effects of head mounted devices on head-neck dynamic response to +G(sub z) accelerations p 284 N90-25471

KAN, EDWIN P.

The JPL telerobot operator control station: Operational experiences p 300 N90-25565

KAPLANSKI, A.

Experiment K-6-02. Biomedical, biochemical and morphological alterations of muscle and dense, fibrous connective tissues during 14 days of spaceflight p 270 N90-26456

Experiment K-6-22. Growth hormone regulation, synthesis and secretion in microgravity. Part 1: Somatotroph physiology. Part 2: Immunohistochemical analysis of hypothalamic hormones. Part 3: Plasma analysis p 270 N90-26475

KAPLANSKY, A.

Experiment K-6-03. Gravity and skeletal growth, part 1. Part 2: Morphology and histochemistry of bone cells and vasculature of the tibia; Part 3: Nuclear volume analysis of osteoblast histogenesis in periodontal ligament cells; Part 4: Intervertebral disc swelling pressure associated with microgravity p 270 N90-26457

Experiment K-6-04. Trace element balance in rats during spaceflight p 271 N90-26458

KARIM, M. A.

Restoration of motion-degraded images in electro-optical displays p 295 A90-45222

KAROLKOV, V.

Experiment K-6-27. Analysis of radiographs and biosamples from primate studies p 275 N90-26478

KATO, K.

Experiment K-6-13. Morphological and biochemical examination of heart tissue. Part 1: Effects of microgravity on the myocardial fine structure of rats flown on Cosmos 1887. Ultrastructure studies. Part 2: Cellular distribution of cyclic adenosine triphosphate kinase regulatory subunits in heart muscle of rats flown on Cosmos 1887 p 273 N90-26467

Experiment K-6-16. Morphological examination of rat testes. The effect of Cosmos 1887 flight on spermatogonial population and testosterone level in rat testes p 273 N90-26469

KATZ, E.

Experiment K-6-01. Distribution and biochemistry of mineral and matrix in the femurs of rats p 270 N90-26455

KAUFMAN, JONATHAN W.

Effectiveness of the Space Shuttle anti-exposure system in a cold water environment p 292 A90-44841

KAZARIAN, LEON E.

Data analysis in cervical trauma p 282 N90-25464

KEIL, L.

Experiment K-6-20. The effect of spaceflight on pituitary oxytocin and vasopressin content of rats p 274 N90-26473

KEIL, L. C.

Experiment K-6-12. Morphometric studies of atrial or granules and hepatocytes. Part 1: Morphometric study of the liver; Part 2: The atrial granular accumulations p 272 N90-26466

Hemodynamic and ADH responses to central blood volume shifts in cardiac-denervated humans [NASA-TM-103471] p 287 N90-26485

KERGUELEN, M.

Transport aircraft crew and decompression hazards - Study of a positive pressure schedule p 278 A90-44627

KHARCHENKO, A. V.

Method for the realization of autonomy and stationarity principles in the synthesis of ergatic systems p 292 A90-44906

KILMER, KEVIN J.

Choosing a pilot subjective workload scale to fit flight operational requirements [IAR-89-21] p 300 N90-26493

KINDWALL, ERIC P.

Clinical hyperbaric medicine p 280 A90-44657

KINGMA, G. G.

Electronystagmographic findings following cervical injuries p 282 N90-25466

KINKER, LAWRENCE E.

Measurement techniques, evaluation criteria and injury probability assessment methodologies developed for Navy ejection and crashworthy seat evaluations p 285 N90-25479

KNOTT, W. M.

System development and early biological tests in NASA's biomass production chamber [NASA-TM-103494] p 269 N90-25456

KOCH, KENNETH L.

The effects of fixation and restricted visual field on vection-induced motion sickness p 278 A90-44631

KOERT, ULRICH

DNH deoxyribonucleohelicases - Self assembly of oligonucleosidic double-helical metal complexes p 267 N90-43369

KONDASHEVSKAIA, M. V.

Sympathetic nerves control the new formation of microvessels induced by adaptation to hypoxia p 281 A90-45125

KONSTANTINOVA, I.

Experiment K-6-23. Effect of spaceflight on levels and function of immune cells p 275 N90-26476

KORTSCHOT, H. W.

Electronystagmographic findings following cervical injuries p 282 N90-25466

KOSHELEV, V. B.

Sympathetic nerves control the new formation of microvessels induced by adaptation to hypoxia p 281 A90-45125

KOSMO, JOSEPH J.

Hazards protection for space suits and spacecraft [NASA-CASE-MSC-21366-1] p 297 N90-25498

KRAFT, L. M.

Experiment K-6-12. Morphometric studies of atrial or granules and hepatocytes. Part 1: Morphometric study of the liver; Part 2: The atrial granular accumulations p 272 N90-26466

KRAMER, ARTHUR

Real-time measurement of mental workload: A feasibility study p 290 N90-25540

KRAMER, ARTHUR F.

The retrieval of information from secondary memory: A review and new findings [AD-A222760] p 290 N90-26489

KRASNOV, I.

Experiment K-6-18. Study of muscarinic and gaba (benzodiazepine) receptors in the sensory-motor cortex, hippocampus and spinal cord p 273 N90-26471

Experiment K-6-19. Pineal physiology in microgravity: Relation to rat gonadal function p 274 N90-26472

Experiment K-6-20. The effect of spaceflight on pituitary oxytocin and vasopressin content of rats p 274 N90-26473

Experiment K-6-21. Effect of microgravity on 1) metabolic enzymes of type 1 and type 2 muscle fibers and on 2) metabolic enzymes, neurotransmitter amino acids, and neurotransmitter associated enzymes in motor and somatosensory cerebral cortex. Part 1: Metabolic enzymes of individual muscle fibers; part 2: metabolic enzymes of hippocampus and spinal cord p 274 N90-26474

Experiment K-6-22. Growth hormone regulation, synthesis and secretion in microgravity. Part 1: Somatotroph physiology. Part 2: Immunohistochemical analysis of hypothalamic hormones. Part 3: Plasma analysis p 274 N90-26475

KRUEGER, GRETCHEN M.

The effect of instantaneous field of view size on the acquisition of low level flight and 30-deg manual dive bombing tasks p 294 A90-45214

Eye tracking device for the measurement of flight performance in simulators [AD-A220075] p 287 N90-26484

KRUTZ, ROBERT W., JR.

Aircrew life support systems enhancement [AD-A222626] p 302 N90-26505

KUMAR, K. V.

Threshold altitude resulting in decompression sickness p 277 A90-44626

KUNA, SAMUEL T.

Thyroarytenoid muscle activity - during hypoxia, hypercapnia, and voluntary hyperventilation in humans p 277 A90-44275

KURIHARA, YOSHINORI

Age related changes in physical performance and physiological functions of JASDF pilots p 276 A90-43382

KUROSAKI, YUKO

Sleep and fatigue of flight crew in long-haul aviation p 277 A90-43455

L

LANGHOFF, J.

Neck injury prevention possibilities in a high-G-environment experience with high sustained +G(sub z) training of pilots in the GAF IAM human centrifuge p 284 N90-25474

LANKARANI, HAMID

Biodynamic simulations of an aircraft pilot/passenger in various crash environments [NIAR-90-6] p 300 N90-26494

LECOZ, J. Y.

Risk of cervical injury in real and simulated accidents p 285 N90-25475

LEGER, A.

Mobility of the head and load effects: Experimental approach in a centrifuge p 284 N90-25473

LEGER, J. J.

Experiment K-6-07. Metabolic and morphologic properties of muscle fibers after spaceflight p 271 N90-26461

LEHN, JEAN-MARIE

DNH deoxyribonucleohelicases - Self assembly of oligonucleosidic double-helical metal complexes p 267 N90-43369

LEIBOWITZ, HERSCHEL W.

The effects of fixation and restricted visual field on vection-induced motion sickness p 278 A90-44631

LEJEUNE, D.

Transport aircraft crew and decompression hazards - Study of a positive pressure schedule p 278 A90-44627

LESNYAK, A.

Experiment K-6-23. Effect of spaceflight on levels and function of immune cells p 275 N90-26476

LEVIN, LEIF A.

Data analysis in cervical trauma p 282 N90-25464

LIN, ZIYUAN

Development of local liquid cooling garment p 291 A90-44553

LIU, ANDREW

A helmet mounted display to adapt the telerobotic environment to human vision p 299 N90-25555

LIVINGSTON, DAVID L.

Investigation of automated task learning, decomposition and scheduling [NASA-CR-186791] p 290 N90-26488

LOCKE, CHRISTOPHER

Pushing the envelope - Space telerobotics at Carnegie Mellon University p 291 A90-43155

LOHMANN, ROBERT A.

Helmet-mounted displays for helicopter pilotage - Design configuration trade-offs, analyses, and test p 293 A90-45204

LOKHANDNALA, K. A.

Development of membrane process for carbon dioxide separation from diving atmosphere [AD-A222606] p 302 N90-26504

LOWRY, O.

Experiment K-6-21. Effect of microgravity on 1) metabolic enzymes of type 1 and type 2 muscle fibers and on 2) metabolic enzymes, neurotransmitter amino acids, and neurotransmitter associated enzymes in motor and somatosensory cerebral cortex. Part 1: Metabolic enzymes of individual muscle fibers; part 2: metabolic enzymes of hippocampus and spinal cord p 274 N90-26474

LYONS, TERENCE J.

The effects of acoustic orientation cues on instrument flight performance in a flight simulator p 288 A90-44629

M

MA, DEREN

Biodynamic simulations of an aircraft pilot/passenger in various crash environments [NIAR-90-6] p 300 N90-26494

MACKOWIAK, C. L.

Utilization of the water soluble fraction of wheat straw as a plant nutrient source [NASA-TM-103497] p 268 N90-25455

System development and early biological tests in NASA's biomass production chamber [NASA-TM-103494] p 269 N90-25456

Proximate composition of seed and biomass from soybean plants grown at different carbon monoxide (CO₂) concentrations [NASA-TM-103496] p 276 N90-26480

MAGGIE, M.-Y. CHI

Experiment K-6-21. Effect of microgravity on 1) metabolic enzymes of type 1 and type 2 muscle fibers and on 2) metabolic enzymes, neurotransmitter amino acids, and neurotransmitter associated enzymes in motor and somatosensory cerebral cortex. Part 1: Metabolic enzymes of individual muscle fibers; part 2: metabolic enzymes of hippocampus and spinal cord p 274 N90-26474

MAKINO, TOSHIKO

Thermoregulatory responses to +3Gz in rats at different time of day p 268 A90-44776

MALONE, THOMAS B.

Human factors issues in telerobotic systems for Space Station Freedom servicing p 299 N90-25556

MANCHESTER, J.

Experiment K-6-21. Effect of microgravity on 1) metabolic enzymes of type 1 and type 2 muscle fibers and on 2) metabolic enzymes, neurotransmitter amino acids, and neurotransmitter associated enzymes in motor and somatosensory cerebral cortex. Part 1: Metabolic enzymes of individual muscle fibers; part 2: metabolic enzymes of hippocampus and spinal cord p 274 N90-26474

MANDEL, A. D.

Experiment K-6-23. Effect of spaceflight on levels and function of immune cells p 275 N90-26476

MANZIEY, DIETRICH

TOM: Test of multiple task performance, user manual [DLR-FB-89-60] p 289 N90-25490

International application of the DLR test-system: First year of cooperation with IBERIA in pilot selection [DLR-FB-90-05] p 289 N90-25491

MARENENYI, A.

Experiment K-6-24, K-6-25, K-6-26. Radiation dosimetry and spectrometry p 275 N90-26477

MARINI, J.

Experiment K-6-07. Metabolic and morphologic properties of muscle fibers after spaceflight p 271 N90-26461

MARKLEY, C.

Experiment K-6-19. Pineal physiology in microgravity: Relation to rat gonadal function p 274 N90-26472

MAROTTE, H.

Transport aircraft crew and decompression hazards - Study of a positive pressure schedule p 278 A90-44627

MARSHALL, GERALD F.

Back from the past - The helmet integrated system of Albert Bacon Pratt (1916) p 293 A90-45202

MARTIN, THOMAS P.

Experiment K-6-07. Metabolic and morphologic properties of muscle fibers after spaceflight p 271 N90-26461

MASCHKE, PETER

The prediction of professional success of licenced pilots: The validity of flight experience in comparison with standardized psychological aptitude tests [DLR-FB-89-53] p 289 N90-25488

Differential psychological analysis of a computer-based audio-visual test of vigilance [ESA-TT-1136] p 289 N90-25494

MASON, RICK

Doing it better in the dark p 280 A90-44653

MASTI, CHANDRASHEKAR L.

Investigation of automated task learning, decomposition and scheduling [NASA-CR-186791] p 290 N90-26488

MATEEVA, EMILIA

A mathematical model for response of the coronary circulation to high sustained gravitational force fields p 281 A90-45741

MATJEVIC, J. R.

The telerobot testbed: An architecture for remote servicing p 299 N90-25538

MATSUMOTO, FUKIKO

Autonomic nervous system partially controls muscular activity in man p 277 A90-43454

MAY, JAMES G.

Generalization of tolerance to motion environments p 278 A90-44630

MAY, MARK

Man-machine interface for the control of a lunar transport machine [NASA-CR-184935] p 296 N90-25495

MCDUGAL, D., JR.

Experiment K-6-21. Effect of microgravity on 1) metabolic enzymes of type 1 and type 2 muscle fibers and on 2) metabolic enzymes, neurotransmitter amino acids, and neurotransmitter associated enzymes in motor and somatosensory cerebral cortex. Part 1: Metabolic enzymes of individual muscle fibers; part 2: metabolic enzymes of hippocampus and spinal cord p 274 N90-26474

MCELHANEY, JAMES H.

Flexion, extension and lateral bending responses of the cervical spine p 283 N90-25468

MECHANIC, G.

Experiment K-6-01. Distribution and biochemistry of mineral and matrix in the femurs of rats p 270 N90-26455

MECKLINGER, AXEL

Real-time measurement of mental workload: A feasibility study p 290 N90-25540

MEDNIEKS, M. I.

Experiment K-6-13. Morphological and biochemical examination of heart tissue. Part 1: Effects of microgravity on the myocardial fine structure of rats flown on Cosmos 1887. Ultrastructure studies. Part 2: Cellular distribution of cyclic ampendent protein kinase regulatory subunits in heart muscle of rats flown on Cosmos 1887 p 273 N90-26467

MERRILL, A., JR.

Experiment K-6-14. Hepatic function in rats after spaceflight p 273 N90-26468

MILLAR, KEITH

Sustained peripheral vasoconstriction while working in continuous intense noise p 278 A90-44628

MIQUEL, JAIME

Experiment K-6-13. Morphological and biochemical examination of heart tissue. Part 1: Effects of microgravity on the myocardial fine structure of rats flown on Cosmos 1887. Ultrastructure studies. Part 2: Cellular distribution of cyclic ampendent protein kinase regulatory subunits in heart muscle of rats flown on Cosmos 1887 p 273 N90-26467

MIU, B.

Experiment K-6-07. Metabolic and morphologic properties of muscle fibers after spaceflight p 271 N90-26461

MIZUMOTO, CHIEKO

Relationship between +Gz tolerance and physical characteristics during gradual and rapid onset runs p 277 A90-43456

MOFFITT, KIRK

Ocular responses to monocular and binocular helmet-mounted display configurations p 295 A90-45217

MOLLARD, R.

Dynamical modifications to the head, load factors from additional weight p 284 A90-25472

MONTUFAR-SOLIS, D.

Experiment K-6-06. Morphometric and EM analyses of tibial epiphyseal plates from Cosmos 1887 rats p 271 N90-26460

MOON, D. L.

Restoration of motion-degraded images in electro-optical displays p 295 A90-45222

MOORE, GARY T.

Genesis lunar outpost criteria and design [NASA-CR-186831] p 301 N90-26499

MOORE, JIMMY

Man-machine interface for the control of a lunar transport machine [NASA-CR-184935] p 296 N90-25495

MORAN, D.

Adjustment and validation of the mathematical prediction model for sweat rate, heart rate, and body temperature under outdoor conditions [AD-A225599] p 287 N90-26486

MORISHITA, TAKASHI

Changes of blood cells after hyper-gravity exposure p 267 A90-43458

MORRISON, P. R.

Experiment K-6-11. Actin mRNA and cytochrome c mRNA concentrations in the triceps brachia muscle of rats p 272 N90-26465

MOSER, MICHAEL

Fitness of civil aviation passengers to fly after ear surgery p 279 A90-44637

MOTHS, JANIS HUEBNER

Genesis lunar outpost criteria and design [NASA-CR-186831] p 301 N90-26499

MULLEN, BRIAN

Development of a meta-analytic technique to assess stress effects [AD-A220468] p 288 N90-25487

MULLINS, R.

Experiment K-6-14. Hepatic function in rats after spaceflight p 273 N90-26468

MURAKAMI, DEAN M.

The effect of hyperdynamic fields on the oxidative metabolism of the paraventricular nucleus p 278 A90-44633

MURRAY, PAUL M.

Hardware improvements to the helmet mounted projector on the Visual Display Research Tool (VDRT) at the naval training systems center p 293 A90-45208

MUSACCHIA, X. J.

Experiment K-6-08. Biochemical and histochemical observations of vastus medialis p 271 N90-26462

MYERS, BARRY S.

Flexion, extension and lateral bending responses of the cervical spine p 283 N90-25468

N**NAGASAWA, YUKO**

Age-related changes in performance of pilots p 288 A90-43381

NAGATSUKA, KYOICHI

Age-related changes in performance of pilots p 288 A90-43381

NAKAMURA, YOSHIHIRO

Changes of blood cells after hyper-gravity exposure p 267 A90-43458

NANDIGAM, SRIKANTH

Human factors: The human interface with aircraft interiors [NIAR-90-18] p 301 N90-26496

NEMETH, PATTI M.

Experiment K-6-21. Effect of microgravity on 1) metabolic enzymes of type 1 and type 2 muscle fibers and on 2) metabolic enzymes, neurotransmitter amino acids, and neurotransmitter associated enzymes in motor and somatosensory cerebral cortex. Part 1: Metabolic enzymes of individual muscle fibers; part 2: metabolic enzymes of hippocampus and spinal cord p 274 N90-26474

NESTHUS, THOMAS E.

Aircrew life support systems enhancement [AD-A222626] p 302 N90-26505

NOLES, CHERIE J.

Aircrew life support systems enhancement [AD-A222626] p 302 N90-26505

NORRIS, BEVERLY

Experiment K-6-21. Effect of microgravity on 1) metabolic enzymes of type 1 and type 2 muscle fibers and on 2) metabolic enzymes, neurotransmitter amino acids, and neurotransmitter associated enzymes in motor and somatosensory cerebral cortex. Part 1: Metabolic enzymes of individual muscle fibers; part 2: metabolic enzymes of hippocampus and spinal cord p 274 N90-26474

O**OKLEY, CAROLYN**

The effects of acoustic orientation cues on instrument flight performance in a flight simulator p 288 A90-44629

OATMAN, LYNN C.

The role of attention in information processing implications for the design of displays [AD-A219252] p 288 N90-25486

OGANOV, V.

Experiment K-6-07. Metabolic and morphologic properties of muscle fibers after spaceflight p 271 N90-26461

Experiment K-6-09. Morphological and biochemical investigation of microgravity-induced nerve and muscle breakdown. Part 1: Investigation of nerve and muscle breakdown during spaceflight; Part 2: Biochemical analysis of EDL and PLT muscles p 272 N90-26463

Experiment K-6-10. Effects of zero gravity on myofibril protein content and isomyosin distribution in rodent skeletal muscle p 272 N90-26464

OGANOV, V. S.

Experiment K-6-08. Biochemical and histochemical observations of vastus medialis p 271 N90-26462

Experiment K-6-11. Actin mRNA and cytochrome c mRNA concentrations in the triceps brachia muscle of rats p 272 N90-26465

OHARA, KOKICHI

Thermoregulatory responses to +3Gz in rats at different time of day p 268 A90-44776

OHIRA, YOSHINOBU

The mitochondrial volume and fiber type transition of skeletal muscle after suspension hypokinesia in rat p 267 A90-43459

OHKOSHI, HIROFUMI

Effect of jet lag on the circadian rhythm of plasma melatonin p 280 A90-44777

OKADA, TADASHI

Changes of blood cells after hyper-gravity exposure p 267 A90-43458

OKAUE, MIYAKO

Pilots' learning abilities and their ages in aircraft transition trainings. I - Analysis of final grades in transition trainings p 288 A90-43383

Pilots' learning abilities and their ages in aircraft transition trainings. II - Questionnaire survey to student pilots and their instructors in transition trainings p 288 A90-43384

OOSTERVELD, W. J.

Electronystagmographic findings following cervical injuries p 282 N90-25466

OSNABRUEGGE, GABRIELE

International application of the DLR test-system: First year of cooperation with IBERIA in pilot selection [DLR-FB-90-05] p 289 N90-25491

OSSARD, G.

Mobility of the head and load effects: Experimental approach in a centrifuge p 284 N90-25473

P

PALANISWAMY, VANKATESH

Human factors: The human interface with aircraft interiors [NIAR-90-18] p 301 N90-26496

PARISE, MICHAEL J.

Digital image processing overview for helmet mounted displays p 293 A90-45207

PATCH, ROBERT

GLC - A practical discussion p 280 A90-44652

PATTERSON-BUCKENDAH, P.

Experiment K-6-04: Trace element balance in rats during spaceflight p 271 N90-26458

PATTERSON, MICHAEL H.

Helmet-mounted head restraint [AD-D014536] p 300 N90-26491

PAVER, JACQUELINE G.

Flexion, extension and lateral bending responses of the cervical spine p 283 N90-25468

PEEK, DENNIS

Man-machine interface for the control of a lunar transport machine [NASA-CR-184935] p 296 N90-25495

PERMENTER, KATHRYN E.

Human factors issues in telerobotic systems for Space Station Freedom servicing p 299 N90-25556

PHILLIPS, R. W.

Experiment K-6-17: Structural changes and cell turnover in the rats small intestine induced by spaceflight p 273 N90-26470

PHILPOTT, D. E.

Experiment K-6-13: Morphological and biochemical examination of heart tissue. Part 1: Effects of microgravity on the myocardial fine structure of rats flown on Cosmos 1887. Ultrastructure studies. Part 2: Cellular distribution of cyclic ampendent protein kinase regulatory subunits in heart muscle of rats flown on Cosmos 1887 p 273 N90-26467

Experiment K-6-16: Morphological examination of rat testes. The effect of Cosmos 1887 flight on spermatogonial population and testosterone level in rat testes p 273 N90-26469

POOL, SAM LEE

An overview of the space medicine program and development of the Health Maintenance Facility for Space Station p 276 A90-43453

POPOVA, I.

Experiment K-6-14: Hepatic function in rats after spaceflight p 273 N90-26468

POPOVA, I. A.

Experiment K-6-12: Morphometric studies of atrial or granules and hepatocytes. Part 1: Morphometric study of the liver; Part 2: The atrial granular accumulations p 272 N90-26466

Experiment K-6-13: Morphological and biochemical examination of heart tissue. Part 1: Effects of microgravity on the myocardial fine structure of rats flown on Cosmos 1887. Ultrastructure studies. Part 2: Cellular distribution of cyclic ampendent protein kinase regulatory subunits in heart muscle of rats flown on Cosmos 1887 p 273 N90-26467

Experiment K-6-16: Morphological examination of rat testes. The effect of Cosmos 1887 flight on spermatogonial population and testosterone level in rat testes p 273 N90-26469

PRINCE, R. P.

System development and early biological tests in NASA's biomass production chamber [NASA-TM-103494] p 269 N90-25456

PRIVITZER, EBERHARDT

Effects of head mounted devices on head-neck dynamic response to +G(sub z) accelerations p 284 N90-25471

PROBE, JOHN D.

Quantitative assessment of human motion using video motion analysis p 298 N90-25518

PUSATERI, M.

Experiment K-6-21: Effect of microgravity on 1) metabolic enzymes of type 1 and type 2 muscle fibers and on 2) metabolic enzymes, neurotransmitter amino acids, and neurotransmitter associated enzymes in motor and somatosensory cerebral cortex. Part 1: Metabolic enzymes of individual muscle fibers; part 2: metabolic enzymes of hippocampus and spinal cord p 274 N90-26474

Q

QIAN, JINKANG

Medicinal protection with Chinese herb-compound against radiation damage p 279 A90-44635

R

RAKHMANOV, A.

Experiment K-6-27: Analysis of radiographs and biosamples from primate studies p 275 N90-26478

RASH, CLARENCE E.

Compatibility of aircraft cockpit lighting and image intensification night imaging systems p 296 A90-45242

RAYMOND, DENIS

Progressive cervical osteoarthritis in high performance aircraft pilots p 282 N90-25465

REBO, ROBERT K.

A helmet-mounted virtual environment display system p 294 A90-45211

RHODES, MARVIN D.

A telerobotic system for automated assembly of large space structures [AAS PAPER 88-170] p 291 A90-43467

RILEY, D. A.

Rat limb unloading - Soleus histochemistry, ultrastructure, and electromyography p 268 A90-44274

Effects of microgravity on rat muscle p 269 N90-26453

Experiment K-6-09: Morphological and biochemical investigation of microgravity-induced nerve and muscle breakdown. Part 1: Investigation of nerve and muscle breakdown during spaceflight; Part 2: Biochemical analysis of EDL and PLT muscles p 272 N90-26463

RIPKENS, MICHAEL

Studies on predicting the resynchronization of the circadian system after transmeridian flights [ESA-TT-1177] p 286 N90-25483

ROBERTS, W.

Experiment K-6-03: Gravity and skeletal growth, part 1. Part 2: Morphology and histochemistry of bone cells and vasculature of the tibia; Part 3: Nuclear volume analysis of osteoblast histogenesis in periodontal ligament cells; Part 4: Intervertebral disc swelling pressure associated with microgravity p 270 N90-26457

ROBINSON, RICHARD M.

Eye tracker development on the fiber optic helmet mounted display p 294 A90-45213

RODIONOV, I. M.

Sympathetic nerves control the new formation of microvessels induced by adaptation to hypoxia p 281 A90-45125

RODRIGUES, PEDRO

Design and implementation of sensor systems for control of a closed-loop life support system [NASA-CR-186675] p 296 N90-25497

RODRIGUEZ, PEDRO R.

Implementation of sensor and control designs for bioregenerative systems [NASA-CR-186655] p 275 N90-26479

ROJAS, VICTORIA A.

The effect of instantaneous field of view size on the acquisition of low level flight and 30-deg manual dive bombing tasks p 294 A90-45214

Eye tracking device for the measurement of flight performance in simulators [AD-A220075] p 287 N90-26484

ROKEY, MARK

Planning for space telerobotics - The Remote Mission Specialist p 291 A90-43156

ROOSCH, E. R.

Analysis of the biomechanic and ergonomic aspects of the cervical spine under load p 283 N90-25470

ROSENBERG, G.

Experiment K-6-05: The maturation of bone and dentin matrices in rats flown on Cosmos 1887 p 271 N90-26459

ROSENTHAL, DON

An expert system to advise astronauts during experiments: The protocol manager module p 298 N90-25522

ROTIER, DONALD J.

Optical approaches to the helmet mounted display p 293 A90-45203

Tilted cat helmet-mounted display p 296 A90-45240

ROWE, JOSEPH

USSR space life sciences digest, issue 27 [NASA-CR-3922(32)] p 269 N90-25457

ROY, R.

Experiment K-6-07: Metabolic and morphologic properties of muscle fibers after spaceflight p 271 N90-26461

S

SAATCHI, M. R.

Electroencephalographic findings following cervical injuries p 282 N90-25466

SABELHAUS, P.

The Flight Telerobotic Servicer (FTS) NASA's first operational robotic system p 299 N90-25537

SAGAN, CARL

Cometary delivery of organic molecules to the early earth p 303 A90-43385

SAGER, J. C.

Carbon dioxide and water exchange rates by a wheat crop in NASA's biomass production chamber: Results from an 86-day study (January to April 1989) [NASA-TM-102788] p 268 N90-25453

System development and early biological tests in NASA's biomass production chamber [NASA-TM-103494] p 269 N90-25456

Proximate composition of seed and biomass from soybean plants grown at different carbon monoxide (CO2) concentrations [NASA-TM-103496] p 276 N90-26480

SAIKI, HISASHI

The mitochondrial volume and fiber type transition of skeletal muscle after suspension hypokinesia in rat p 267 A90-43459

SANDLER, H.

Hemodynamic and ADH responses to central blood volume shifts in cardiac-denervated humans [NASA-TM-103471] p 287 N90-26485

SANDOR, P.

Mobility of the head and load effects: Experimental approach in a centrifuge p 284 N90-25473

SAPP, W.

Experiment K-6-13: Morphological and biochemical examination of heart tissue. Part 1: Effects of microgravity on the myocardial fine structure of rats flown on Cosmos 1887. Ultrastructure studies. Part 2: Cellular distribution of cyclic ampendent protein kinase regulatory subunits in heart muscle of rats flown on Cosmos 1887 p 273 N90-26467

Experiment K-6-16: Morphological examination of rat testes. The effect of Cosmos 1887 flight on spermatogonial population and testosterone level in rat testes p 273 N90-26469

SASAKI, AKIRA

Effect of jet lag on the circadian rhythm of plasma melatonin p 280 A90-44777

SASAKI, MITUO

Sleep and fatigue of flight crew in long-haul aviation p 277 A90-43455

SAVIN, W. M.

Hemodynamic and ADH responses to central blood volume shifts in cardiac-denervated humans [NASA-TM-103471] p 287 N90-26485

SAWCHENKO, P.

Experiment K-6-22: Growth hormone regulation, synthesis and secretion in microgravity. Part 1: Somatotroph physiology. Part 2: Immunohistochemical analysis of hypothalamic hormones. Part 3: Plasma analysis p 274 N90-26475

SAWYER, H. R.

Experiment K-6-17: Structural changes and cell turnover in the rats small intestine induced by spaceflight p 273 N90-26470

SCHALL, DAVID G.

Non-ejection neck injuries in high performance aircraft p 281 N90-25461

SCHNEIDER, WILLIAM C.

Life sciences role in systems engineering of space programs [AAS PAPER 88-228] p 267 A90-43481

SCHROEDER, J. S.

Hemodynamic and ADH responses to central blood volume shifts in cardiac-denervated humans [NASA-TM-103471] p 287 N90-26485

SCOTT, WILLIAM R.

Aircrew life support systems enhancement [AD-A222626] p 302 N90-26505

SEARS, WILLIAM J.

High altitude protective equipment - A review of pressure systems p 292 A90-44651

SEDLAK, F.

Experiment K-6-09: Morphological and biochemical investigation of microgravity-induced nerve and muscle breakdown. Part 1: Investigation of nerve and muscle breakdown during spaceflight; Part 2: Biochemical analysis of EDL and PLT muscles p 272 N90-26463

SEDLAK, F. R.

Rat limb unloading - Soleus histochemistry, ultrastructure, and electromyography p 268 A90-44274

- SEROVA, L. V.**
Experiment K-6-13. Morphological and biochemical examination of heart tissue. Part 1: Effects of microgravity on the myocardial fine structure of rats flown on Cosmos 1887. Ultrastructure studies. Part 2: Cellular distribution of cyclic ampendent protein kinase regulatory subunits in heart muscle of rats flown on Cosmos 1887 p 273 N90-26467
Experiment K-6-16. Morphological examination of rat testes. The effect of Cosmos 1887 flight on spermatogonial population and testosterone level in rat testes p 273 N90-26469
- SERPEN, GURSEL**
Investigation of automated task learning, decomposition and scheduling [NASA-CR-186791] p 290 N90-26488
- SHAPIRO, Y.**
Adjustment and validation of the mathematical prediction model for sweat rate, heart rate, and body temperature under outdoor conditions [AD-A225599] p 287 N90-26486
- SHARKEY, THOMAS D.**
Gas exchange characteristics as indicators of the basic limiting factors in photosynthesis [DE90-012399] p 276 N90-26481
- SHARMA, GOVIND C.**
A proposal to demonstrate production of salad crops in the space station mockup facility with particular attention to space, energy, and labor constraints [NASA-CR-186811] p 297 N90-25500
- SHEN, XIANYUN**
Study of brain supra-slow encephalofluorograph of rabbit during simulated weightlessness p 268 A90-44577
- SIMCIK, LUKE**
Eye tracking device for the measurement of flight performance in simulators [AD-A220075] p 287 N90-26484
- SIMMONS, D.**
Experiment K-6-05. The maturation of bone and dentin matrices in rats flown on Cosmos 1887 p 271 N90-26459
- SINGH, UPENDRA N.**
Development of eye-safe lidar for aerosol measurements [NASA-CR-186905] p 302 N90-26503
- SIREVAAG, ERIK**
Real-time measurement of mental workload: A feasibility study p 290 N90-25540
- SIVOV, N. S.**
Method for the realization of autonomy and stationarity principles in the synthesis of ergatic systems p 292 A90-44906
- SKARE, OIVIND**
Human performance models [FFI-90/7002] p 302 N90-26502
- SLOCUM, G.**
Experiment K-6-09. Morphological and biochemical investigation of microgravity-induced nerve and muscle breakdown. Part 1: Investigation of nerve and muscle breakdown during spaceflight; Part 2: Biochemical analysis of EDL and PLT muscles p 272 N90-26463
- SLOCUM, G. R.**
Rat limb unloading - Soleus histochemistry, ultrastructure, and electromyography p 268 A90-44274
- SMIRNOV, K. V.**
Experiment K-6-17. Structural changes and cell turnover in the rats small intestine induced by spaceflight p 273 N90-26470
- SMITH, KARL U.**
The human factors of workstation telepresence p 299 N90-25528
- SMITH, RANDY L.**
Telepresence for space: The state of the concept p 298 N90-25526
- SMITH, THOMAS J.**
The human factors of workstation telepresence p 299 N90-25528
- SNIJDERS, C. J.**
Analysis of the biomechanic and ergonomic aspects of the cervical spine under load p 283 N90-25470
- SOLIMAN, M. R. I.**
Experiment K-6-19. Pineal physiology in microgravity: Relation to rat gonadal function p 274 N90-26472
- SONNENFELD, G.**
Experiment K-6-23. Effect of spaceflight on levels and function of immune cells p 275 N90-26476
- SOWA, T. E.**
Rat limb unloading - Soleus histochemistry, ultrastructure, and electromyography p 268 A90-44274
- SPEIDEL, FRANCIS X.**
High G training and superficial phlebitis - A case report p 279 A90-44639
- SPOONER, BRIAN S.**
Binding of alpha-fetoprotein by immobilized monoclonal antibodies during episodes of zero-gravity obtained by parabolic flight p 279 A90-44634
- STARK, LAWRENCE**
A helmet mounted display to adapt the telerobotic environment to human vision p 299 N90-25555
- STEELES, MARK J.**
Sustained peripheral vasoconstriction while working in continuous intense noise p 278 A90-44628
- STEFFEN, J. M.**
Experiment K-6-08. Biochemical and histochemical observations of vastus medialis p 271 N90-26462
- STERBA, JOHN A.**
Arctic cold weather medicine and accidental hypothermia [AD-A223090] p 287 N90-26487
- STERN, ROBERT M.**
The effects of fixation and restricted visual field onvection-induced motion sickness p 278 A90-44631
- STERN, S. A.**
Development of membrane process for carbon dioxide separation from diving atmosphere [AD-A222606] p 302 N90-26504
- STEVENSON, J.**
Experiment K-6-13. Morphological and biochemical examination of heart tissue. Part 1: Effects of microgravity on the myocardial fine structure of rats flown on Cosmos 1887. Ultrastructure studies. Part 2: Cellular distribution of cyclic ampendent protein kinase regulatory subunits in heart muscle of rats flown on Cosmos 1887 p 273 N90-26467
Experiment K-6-16. Morphological examination of rat testes. The effect of Cosmos 1887 flight on spermatogonial population and testosterone level in rat testes p 273 N90-26469
- STONE, LYDIA RAZRAN**
USSR space life sciences digest, issue 27 [NASA-CR-3922(32)] p 269 N90-25457
- STRAMLER, JAMES H.**
Telepresence and Space Station Freedom workstation operations p 299 N90-25527
- STRAYER, DAVID L.**
The retrieval of information from secondary memory: A review and new findings [AD-A222760] p 290 N90-26489
- STRAYER, R. F.**
System development and early biological tests in NASA's biomass production chamber [NASA-TM-103494] p 269 N90-25456
- STUART, MARK A.**
Telepresence for space: The state of the concept p 298 N90-25526
- SUDOH, MASAMICHI**
Responses of rats to 3-week centrifugal accelerations p 267 A90-43457
- SUGIE, ISAMU**
Changes of blood cells after hyper-gravity exposure p 267 A90-43458
- SVERDRUP, HARALD U.**
Data analysis in cervical trauma p 282 N90-25464
- SZOLOVITS, PETER**
An expert system to advise astronauts during experiments: The protocol manager module p 298 N90-25522
- T**
- TAKASHIMA, ZENJI**
Pilots' learning abilities and their ages in aircraft transition trainings. I - Analysis of final grades in transition trainings p 288 A90-43383
Pilots' learning abilities and their ages in aircraft transition trainings. II - Questionnaire survey to student pilots and their instructors in transition trainings p 288 A90-43384
- TAKEKURA, HIROAKI**
The mitochondrial volume and fiber type transition of skeletal muscle after suspension hypokinesia in rat p 267 A90-43459
- TAKEUCHI, YOSHINORI**
Age-related changes in performance of pilots p 288 A90-43381
- TARASOV, V. B.**
Ergonomic support of aircraft development processes p 292 A90-44909
- TARRIERE, C.**
Risk of cervical injury in real and simulated accidents p 285 N90-25475
- TATRO, JON S.**
Helmet mounted displays and the emerging attack rotorcraft counterair mission p 293 A90-45206
- TAYLOR, G.**
Experiment K-6-23. Effect of spaceflight on levels and function of immune cells p 275 N90-26476
- TAYLOR, ROBERT R.**
Helmet mounted displays and the emerging attack rotorcraft counterair mission p 293 A90-45206
- TEAS, DON C.**
The effects of acoustic orientation cues on instrument flight performance in a flight simulator p 288 A90-44629
- TEETER, RONALD**
USSR space life sciences digest, issue 27 [NASA-CR-3922(32)] p 269 N90-25457
- TESAR, DELBERT**
An assessment of the development and application potential for robots to support Space Station operations [AAS PAPER 88-184] p 291 A90-43470
- THARP, GREGORY**
A helmet mounted display to adapt the telerobotic environment to human vision p 299 N90-25555
- THOMAS, MELVIN L.**
Eye tracker development on the fiber optic helmet mounted display p 294 A90-45213
- THOMAS, PAUL J.**
Cometary delivery of organic molecules to the early earth p 303 A90-43385
- THOMAS, ROBERT M.**
Visually coupled system integration p 293 A90-45205
- THOMASON, D. B.**
Experiment K-6-11. Actin mRNA and cytochrome c mRNA concentrations in the triceps brachia muscle of rats p 272 N90-26465
- THOMPSON, C. A.**
Hemodynamic and ADH responses to central blood volume shifts in cardiac-denervated humans [NASA-TM-103471] p 287 N90-26485
- TKACHUK, V. G.**
Principles of variability in the control of the precision movements of humans p 292 A90-44908
- TOURE, C.**
Transport aircraft crew and decompression hazards - Study of a positive pressure schedule p 278 A90-44627
- TRITSCH, CONSTANCE L.**
A helmet mounted display application for the Space Station Freedom extravehicular mobility unit p 294 A90-45210
- TSIKOS, CONSTANTINE J.**
Assembly via disassembly: A case in machine perceptual development [NASA-CR-186867] p 301 N90-26497
- U**
- UCHINO, KINJI**
Autonomic nervous system partially controls muscular activity in man p 277 A90-43454
- UEMATSU, MIKIO**
Effect of jet lag on the circadian rhythm of plasma melatonin p 280 A90-44777
- ULRICH, NATHAN THATCHER**
Grasping with mechanical intelligence [NASA-CR-186864] p 301 N90-26498
- V**
- VAILAS, A.**
Experiment K-6-02. Biomedical, biochemical and morphological alterations of muscle and dense, fibrous connective tissues during 14 days of spaceflight p 270 N90-26456
- VALE, W.**
Experiment K-6-22. Growth hormone regulation, synthesis and secretion in microgravity. Part 1: Somatotroph physiology. Part 2: Immunohistochemical analysis of hypothalamic hormones. Part 3: Plasma analysis p 274 N90-26475
- VANDENBOSCH, P.**
A survey of cervical pain in pilots of a Belgian F-16 Air Defence Wing p 282 N90-25462
- VANMEETEREN, A.**
PHIND, an analytical model to predict target acquisition distance with image intensifiers [IZF-1989-45] p 289 N90-25493
- VASQUES, M.**
Experiment K-6-16. Morphological examination of rat testes. The effect of Cosmos 1887 flight on spermatogonial population and testosterone level in rat testes p 273 N90-26469
Experiment K-6-22. Growth hormone regulation, synthesis and secretion in microgravity. Part 1: Somatotroph physiology. Part 2: Immunohistochemical analysis of hypothalamic hormones. Part 3: Plasma analysis p 274 N90-26475

VENDERBEEK, RODGER D.

Prevalence of G-induced cervical injury in US Air Force pilots p 281 N90-25460

VENTURINO, MICHAEL

Performance and head movements using a helmet-mounted display with different fields-of-view p 296 A90-45243

VERONA, ROBERT W.

Compatibility of aircraft cockpit lighting and image intensification night imaging systems p 296 A90-45242

VICTOROV, I.

Experiment K-6-22. Growth hormone regulation, synthesis and secretion in microgravity. Part 1: Somatotroph physiology. Part 2: Immunohistochemical analysis of hypothalamic hormones. Part 3: Plasma analysis p 274 N90-26475

VIDULICH, MICHAEL A.

Performance-based workload assessment: Allocation strategy and added task sensitivity p 290 N90-25539

VILLEPONTEAUX, REGINALD D.

Thyroarytenoid muscle activity during hypoxia, hypercapnia, and voluntary hyperventilation in humans p 277 A90-44275

VOS, J. J.

PHIND, an analytical model to predict target acquisition distance with image intensifiers [IZF-1989-45] p 289 N90-25493

W
WAKAMATSU, SHINJI

Changes of blood cells after hyper-gravity exposure p 267 A90-43458

WALIGORA, JAMES M.

Threshold altitude resulting in decompression sickness p 277 A90-44626

WANG, BAOZHEN

Medicinal protection with Chinese herb-compound against radiation damage p 279 A90-44635

WANG, E.

Experiment K-6-14. Hepatic function in rats after spaceflight p 273 N90-26468

WANG, JIH-FANG

A real-time optical 3D tracker for head-mounted display systems [AD-A222747] p 303 N90-26508

WARSHEL, ARIEH

Computer simulation of chemical reactions in synthetic model compounds and genetically engineered active sites [AD-A222611] p 276 N90-26483

WATKINS, TERRY A.

A kinematic/dynamic model for prediction of neck injury during impact acceleration p 283 N90-25469

WATSON, ANDREW B.

Gain, noise, and contrast sensitivity of linear visual neurons p 281 A90-44863

WEBB, JAMES T.

Aircrew life support systems enhancement [AD-A222626] p 302 N90-26505

WEISS, MARC S.

A kinematic/dynamic model for prediction of neck injury during impact acceleration p 283 N90-25469

WEISZ, ALEXANDER Z.

Helmet-mounted displays for helicopter pilotage - Design configuration trade-offs, analyses, and test p 293 A90-45204

WELLHAUSEN, S. R.

Experiment K-6-23. Effect of spaceflight on levels and function of immune cells p 275 N90-26476

WELLS, MAXWELL J.

Performance and head movements using a helmet-mounted display with different fields-of-view p 296 A90-45243

WELLS, R. P.

A computer simulation model for studying cervical spine injury prevention p 285 N90-25476

WEN, XIULAN

Medicinal protection with Chinese herb-compound against radiation damage p 279 A90-44635

WETZEL, PAUL A.

Eye tracker development on the fiber optic helmet mounted display p 294 A90-45213

WHEELER, R. M.

Carbon dioxide and water exchange rates by a wheat crop in NASA's biomass production chamber: Results from an 86-day study (January to April 1989) [NASA-TM-102788] p 268 N90-25453
System development and early biological tests in NASA's biomass production chamber [NASA-TM-103494] p 269 N90-25456

Proximate composition of seed and biomass from soybean plants grown at different carbon monoxide (CO₂) concentrations [NASA-TM-103496] p 276 N90-26480

WHINNERY, JAMES E.

The electrocardiographic response to high +Gz centrifuge training p 278 A90-44632

WHITCRAFT, ROBERT J.

Helmet integration - An overview of critical issues p 294 A90-45215

WIEGMAN, JANET F.

Aircrew life support systems enhancement [AD-A222626] p 302 N90-26505

WILDERSON, THOMAS D.

Development of eye-safe lidar for aerosol measurements [NASA-CR-186905] p 302 N90-26503

WILL, RALPH W.

A telerobotic system for automated assembly of large space structures [AAS PAPER 88-170] p 291 A90-43467

WILLIAMS, C.

Experiment K-6-16. Morphological examination of rat testes. The effect of Cosmos 1887 flight on spermatogonial population and testosterone level in rat testes p 273 N90-26469

WILLINGER, R.

Biofidelity of a dummy's neck during automobile collision testing p 285 N90-25477

WILMINGTON, ROBERT P.

Telepresence and Space Station Freedom workstation operations p 299 N90-25527

WINTERS, BRIAN A.

U.S. Space Station Freedom waste fluid disposal system with consideration of hydrazine waste gas injection thrusters [AIAA PAPER 90-1944] p 290 A90-42700

WISE, MARION A.

A telerobotic system for automated assembly of large space structures [AAS PAPER 88-170] p 291 A90-43467

WISMANS, J.

Omni-directional human head-neck response [SAE-861893] p 285 N90-25478

WURSTER, W. H.

Neck injury prevention possibilities in a high-G-environment experience with high sustained +G(sub z) training of pilots in the GAF IAM human centrifuge p 284 N90-25474

X
XU, GUOLIN

Hypothesis on bubble volume of altitude decompression sickness and relation between O₂ prebreathing time and pressure in space suits p 277 A90-44582

Y
YAMASHITA, HITOMI

A helmet mounted display to adapt the telerobotic environment to human vision p 299 N90-25555

YANG, GUANGHUA

Medicinal protection with Chinese herb-compound against radiation damage p 279 A90-44635

YOSHIOKA, TOSHITADA

The mitochondrial volume and fiber type transition of skeletal muscle after suspension hypokinesia in rat p 267 A90-43459

YOUNG, LAURENCE R.

An expert system to advise astronauts during experiments: The protocol manager module p 298 N90-25522

Z
ZERNICKE, R.

Experiment K-6-02. Biomedical, biochemical and morphological alterations of muscle and dense, fibrous connective tissues during 14 days of spaceflight p 270 N90-26456

ZHANG, RUGUO

Hypothesis on bubble volume of altitude decompression sickness and relation between O₂ prebreathing time and pressure in space suits p 277 A90-44582

ZHANG, RUJUN

Medicinal protection with Chinese herb-compound against radiation damage p 279 A90-44635

ZHOU, SOPHIA HUAI


A mathematical model for response of the coronary circulation to high sustained gravitational force fields p 281 A90-45741

CORPORATE SOURCE INDEX

AEROSPACE MEDICINE AND BIOLOGY / A Continuing Bibliography (Supplement 342)

November 1990

Typical Corporate Source Index Listing



Listings in this index are arranged alphabetically by corporate source. The title of the document is used to provide a brief description of the subject matter. The page number and the accession number are included in each entry to assist the user in locating the abstract in the abstract section. If applicable, a report number is also included as an aid in identifying the document.

A

- Abbott Labs., North Chicago, IL.**
Binding of alpha-fetoprotein by immobilized monoclonal antibodies during episodes of zero-gravity obtained by parabolic flight p 279 A90-44634
- Advisory Group for Aerospace Research and Development, Neuilly-Sur-Seine (France).**
Neck injury in Advanced Military Aircraft Environments [AGARD-CP-471] p 281 N90-25459
- Aerospace Medical Research Labs., Wright-Patterson AFB, OH.**
Performance-based workload assessment: Allocation strategy and added task sensitivity p 290 N90-25539
- Air Force Human Resources Lab., Williams AFB, AZ.**
Eye tracking device for the measurement of flight performance in simulators [AD-A220075] p 287 N90-26484
- Air Force Medical Group (347th), Moody AFB, GA.**
Prevalence of G-induced cervical injury in US Air Force pilots p 281 N90-25460
- Air Force Systems Command, Wright-Patterson AFB, OH.**
SDIO robotics in space applications p 298 N90-25514
- Alabama A & M Univ., Normal.**
A proposal to demonstrate production of salad crops in the space station mockup facility with particular attention to space, energy, and labor constraints [NASA-CR-186811] p 297 N90-25500
- Amsterdam Univ. (Netherlands).**
Electroretinographic findings following cervical injuries p 282 N90-25466
- Association Peugeot-Renault, Nanterre (France).**
Risk of cervical injury in real and simulated accidents p 285 N90-25475

B

- Belgian Air Force, Beauvechain.**
A survey of cervical pain in pilots of a Belgian F-16 Air Defence Wing p 282 N90-25462
- Blonetics Corp., Cocoa Beach, FL.**
Utilization of the water soluble fraction of wheat straw as a plant nutrient source [NASA-TM-103497] p 268 N90-25455
- Bureau of Mines, Minneapolis, MN.**
The human factors of workstation telepresence p 299 N90-25528

C

- California Univ., Berkeley.**
A helmet mounted display to adapt the telerobotic environment to human vision p 299 N90-25555
- California Univ., Davis.**
The effect of hyperdynamic fields on the oxidative metabolism of the paraventricular nucleus p 278 A90-44633
- California Univ., Irvine.**
Experiment K-6-10. Effects of zero gravity on myofibril protein content and isomyosin distribution in rodent skeletal muscle p 272 N90-26464
- California Univ., Los Angeles.**
Experiment K-6-07. Metabolic and morphologic properties of muscle fibers after spaceflight p 271 N90-26461
- California Univ., San Francisco.**
Experiment K-6-04. Trace element balance in rats during spaceflight p 271 N90-26458
- Calspan Corp., Buffalo, NY.**
Effects of head mounted devices on head-neck dynamic response to +G(sub z) accelerations p 284 N90-25471
- Carlrow Associates, Inc., Fairfax, VA.**
Human factors issues in telerobotic systems for Space Station Freedom servicing p 299 N90-25556
- Carnegie-Mellon Univ., Pittsburgh, PA.**
A global approach for using kinematic redundancy to minimize base reactions of manipulators [NASA-CR-186825] p 297 N90-25499
- Colorado State Univ., Fort Collins.**
Experiment K-6-17. Structural changes and cell turnover in the rats small intestine induced by spaceflight p 273 N90-26470
- Columbia Univ., New York, NY.**
Effects of microgravity on rat bone, cartilage and connective tissues p 270 N90-26454
- Cornell Univ., Ithaca, NY.**
Cometary delivery of organic molecules to the early earth p 303 A90-43385

D

- Department of Energy, Washington, DC.**
ECUT: Energy Conversion and Utilization Technologies program. Biocatalysis project [NASA-CR-186866] p 269 N90-25458
- Department of the Navy, Washington, DC.**
Helmet-mounted head restraint [AD-D014536] p 300 N90-26491
- Deutsche Forschungsanstalt fuer Luft- und Raumfahrt, Hamburg (Germany, F.R.).**
The prediction of professional success of licenced pilots: The validity of flight experience in comparison with standardized psychological aptitude tests [DLR-FB-89-53] p 289 N90-25488
- Study of the application of a stress reactivity test in personnel selection [DLR-FB-89-54] p 289 N90-25489
- TOM: Test of multiple task performance, user manual [DLR-FB-89-60] p 289 N90-25490
- International application of the DLR test-system: First year of cooperation with IBERIA in pilot selection [DLR-FB-90-05] p 289 N90-25491
- Duke Univ., Durham, NC.**
Flexion, extension and lateral bending responses of the cervical spine p 283 N90-25468

E

- Eagle Technology, Inc., Winter Park, FL.**
Development of a meta-analytic technique to assess stress effects [AD-A220468] p 288 N90-25487
- Emory Univ., Atlanta, GA.**
Experiment K-6-14. Hepatic function in rats after spaceflight p 273 N90-26468
- Erasmus Univ., Rotterdam (Netherlands).**
Analysis of the biomechanic and ergonomic aspects of the cervical spine under load p 283 N90-25470
- European Space Agency, Paris (France).**
Studies on predicting the resynchronization of the circadian system after transmeridian flights [ESA-TT-1177] p 286 N90-25483
- Biochemical and physiological changes in glider pilots during multi-hour flights [ESA-TT-1183] p 286 N90-25484
- Effects of a time zone shift of 9 hours on the circadian rhythms in cockpit aircrew members on longhaul flights [ESA-TT-1185] p 286 N90-25485
- Differential psychological analysis of a computer-based audio-visual test of vigilance [ESA-TT-1136] p 289 N90-25494

F

- Florida Technological Univ., Orlando.**
Design and implementation of sensor systems for control of a closed-loop life support system [NASA-CR-186675] p 296 N90-25497
- Florida Univ., Gainesville.**
Implementation of sensor and control designs for bioregenerative systems [NASA-CR-186655] p 275 N90-26479
- Design of sensors for control of closed loop life support systems [NASA-CR-186656] p 300 N90-26490

G

- Georgia Inst. of Tech., Atlanta.**
Man-machine interface for the control of a lunar transport machine [NASA-CR-184935] p 296 N90-25495
- Pilot interaction with automated airborne decision making systems [NASA-CR-186730] p 300 N90-26492
- German Air Force, Fuerstenfeldbruck (Germany, F.R.).**
Neck injury prevention possibilities in a high-G-environment experience with high sustained +G(sub z) training of pilots in the GAF IAM human centrifuge p 284 N90-25474

H

- Human Engineering Labs., Aberdeen Proving Ground, MD.**
The role of attention in information processing implications for the design of displays [AD-A219252] p 288 N90-25486

I

- Idaho Univ., Moscow.**
Greenhouse design for a Martian colony: Structural, solar collection and light distribution systems [NASA-CR-186818] p 302 N90-26501
- Illinois Univ., Champaign.**
The retrieval of information from secondary memory: A review and new findings [AD-A222760] p 290 N90-26489
- Illinois Univ., Urbana.**
Photosynthesis in intact plants [DE90-013699] p 276 N90-26482
- Illinois Univ., Urbana-Champaign.**
Real-time measurement of mental workload: A feasibility study p 290 N90-25540

N

- Psychophysiological assessment of pilot workload in an applied setting
[AD-A22707] p 302 N90-26507
- Institut de Recherche de Transports, Bron (France).**
Biofidelity of a dummy's neck during automobile collision testing p 285 N90-25477
- Institute for Perception RVO-TNO, Soesterberg (Netherlands).**
On the relation between various levels of target acquisition
[IZF-1989-38] p 289 N90-25492
PHIND, an analytical model to predict target acquisition distance with image intensifiers
[IZF-1989-45] p 289 N90-25493

J

- Jet Propulsion Lab., California Inst. of Tech., Pasadena.**
Planning for space telerobotics - The Remote Mission Specialist p 291 A90-43156
ECUT: Energy Conversion and Utilization Technologies program. Biocatalysis project
[NASA-CR-186866] p 269 N90-25458
The telerobot testbed: An architecture for remote servicing p 299 N90-25538
The JPL telerobot operator control station: Operational experiences p 300 N90-25565

K

- Kaiser Electronics, San Jose, CA.**
Helmet-mounted displays: Proceedings of the Meeting, Orlando, FL, Mar. 28, 29, 1989
[SPIE-1116] p 292 A90-45201
- Kansas State Univ., Manhattan.**
Binding of alpha-fetoprotein by immobilized monoclonal antibodies during episodes of zero-gravity obtained by parabolic flight p 279 A90-44634
Automation of closed environments in space for human comfort and safety
[NASA-CR-186834] p 301 N90-26500
- Krug International, Houston, TX.**
Threshold altitude resulting in decompression sickness p 277 A90-44626
- Krug International, San Antonio, TX.**
Aircrew life support systems enhancement
[AD-A22626] p 302 N90-26505

L

- Laboratoire de Medecine Aerospatiale, Bretigny-sur-Orge (France).**
Mobility of the head and load effects: Experimental approach in a centrifuge p 284 N90-25473
- Lockheed Engineering and Sciences Co., Houston, TX.**
Quantitative assessment of human motion using video motion analysis p 298 N90-25518
Telepresence for space: The state of the concept p 298 N90-25526
- Lockheed Engineering and Sciences Co., Washington, DC.**
USSR space life sciences digest, issue 27
[NASA-CR-3922(32)] p 269 N90-25457
- Louisville Univ., KY.**
Experiment K-6-08. Biochemical and histochemical observations of vastus medialis p 271 N90-26462

M

- Maryland Univ., College Park.**
Development of eye-safe lidar for aerosol measurements
[NASA-CR-186905] p 302 N90-26503
- McDonnell-Douglas Space Systems Co., Huntington Beach, CA.**
U.S. Space Station Freedom waste fluid disposal system with consideration of hydrazine waste gas injection thrusters
[AIAA PAPER 90-1944] p 290 A90-42700
- Medical Coll. of Wisconsin, Milwaukee.**
Rat limb unloading - Soleus histochemistry, ultrastructure, and electromyography p 268 A90-44274
Effects of microgravity on rat muscle p 269 N90-26453
Experiment K-6-09. Morphological and biochemical investigation of microgravity-induced nerve and muscle breakdown. Part 1: Investigation of nerve and muscle breakdown during spaceflight; Part 2: Biochemical analysis of EDL and PLT muscles p 272 N90-26463

National Aeronautics and Space Administration, Washington, DC.

- Aerospace medicine and biology: A cumulative index to a continuing bibliography (supplement 332)
[NASA-SP-7011(332)] p 286 N90-25480
- Aerospace medicine and biology: A continuing bibliography with indexes (supplement 337)
[NASA-SP-7011(337)] p 286 N90-25481
- Aerospace medicine and biology: A continuing bibliography with indexes (supplement 338)
[NASA-SP-7011(338)] p 286 N90-25482
- National Aeronautics and Space Administration. Ames Research Center, Moffett Field, CA.**
Gain, noise, and contrast sensitivity of linear visual neurons p 281 A90-44863
The US Experiments Flown on the Soviet Biosatellite Cosmos 1887
[NASA-TM-102254] p 269 N90-26452
Experiment K-6-01. Distribution and biochemistry of mineral and matrix in the femurs of rats p 270 N90-26455
Experiment K-6-02. Biomedical, biochemical and morphological alterations of muscle and dense, fibrous connective tissues during 14 days of spaceflight p 270 N90-26456
Experiment K-6-03. Gravity and skeletal growth, part 1. Part 2: Morphology and histochemistry of bone cells and vasculature of the tibia; Part 3: Nuclear volume analysis of osteoblast histogenesis in periodontal ligament cells; Part 4: Intervertebral disc swelling pressure associated with microgravity p 270 N90-26457
Experiment K-6-12. Morphometric studies of atrial or granules and hepatocytes. Part 1: Morphometric study of the liver; Part 2: The atrial granular accumulations p 272 N90-26466
Experiment K-6-13. Morphological and biochemical examination of heart tissue. Part 1: Effects of microgravity on the myocardial fine structure of rats flown on Cosmos 1887. Ultrastructure studies. Part 2: Cellular distribution of cyclic adenosine triphosphate dependent protein kinase regulatory subunits in heart muscle of rats flown on Cosmos 1887 p 273 N90-26467
Experiment K-6-16. Morphological examination of rat testes. The effect of Cosmos 1887 flight on spermatogonial population and testosterone level in rat testes p 273 N90-26469
Experiment K-6-18. Study of muscarinic and gaba (benzodiazepine) receptors in the sensory-motor cortex, hippocampus and spinal cord p 273 N90-26471
Experiment K-6-20. The effect of spaceflight on pituitary oxytocin and vasopressin content of rats p 274 N90-26473
Experiment K-6-22. Growth hormone regulation, synthesis and secretion in microgravity. Part 1: Somatotroph physiology. Part 2: Immunohistochemical analysis of hypothalamic hormones. Part 3: Plasma analysis p 274 N90-26475
Experiment K-6-23. Effect of spaceflight on levels and function of immune cells p 275 N90-26476
- National Aeronautics and Space Administration. Goddard Space Flight Center, Greenbelt, MD.**
The Flight Telerobotic Servicer (FTS) NASA's first operational robotic system p 299 N90-25537
- National Aeronautics and Space Administration. John F. Kennedy Space Center, Cocoa Beach, FL.**
Carbon dioxide and water exchange rates by a wheat crop in NASA's biomass production chamber: Results from an 86-day study (January to April 1989)
[NASA-TM-102788] p 268 N90-25453
System development and early biological tests in NASA's biomass production chamber
[NASA-TM-103494] p 269 N90-25456
Proximate composition of seed and biomass from soybean plants grown at different carbon monoxide (CO₂) concentrations
[NASA-TM-103496] p 276 N90-26480
Hemodynamic and ADH responses to central blood volume shifts in cardiac-denervated humans
[NASA-TM-103471] p 287 N90-26485
- National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, TX.**
An overview of the space medicine program and development of the Health Maintenance Facility for Space Station p 276 A90-43453
Threshold altitude resulting in decompression sickness p 277 A90-44626
Effectiveness of the Space Shuttle anti-exposure system in a cold water environment p 292 A90-44641
Hazards protection for space suits and spacecraft
[NASA-CASE-MSC-21366-1] p 297 N90-25498
Telepresence and Space Station Freedom workstation operations p 299 N90-25527

National Aeronautics and Space Administration.

- Langley Research Center, Hampton, VA.**
A telerobotic system for automated assembly of large space structures
[AAS PAPER 88-170] p 291 A90-43467
Usefulness of heart measures in flight simulation p 287 N90-25542
- National Aeronautics and Space Administration. Marshall Space Flight Center, Huntsville, AL.**
The environmental control and life support system advanced automation project. Phase 1: Application evaluation p 298 N90-25523
- National Defence Medical Centre, Ottawa (Ontario).**
Progressive cervical osteoarthritis in high performance aircraft pilots p 282 N90-25465
- Naval Air Development Center, Warminster, PA.**
Effectiveness of the Space Shuttle anti-exposure system in a cold water environment p 292 A90-44641
Measurement techniques, evaluation criteria and injury probability assessment methodologies developed for Navy ejection and crashworthy seat evaluations p 285 N90-25479
- Naval Air Systems Command, Washington, DC.**
Aircrew neck injuries: A new, or an existing, misunderstood phenomenon p 283 N90-25467
- Naval Biodynamics Lab., New Orleans, LA.**
A kinematic/dynamic model for prediction of neck injury during impact acceleration p 283 N90-25469
- Naval Postgraduate School, Monterey, CA.**
Motion sickness, visual displays, and armored vehicle design
[AD-A22678] p 302 N90-26506
- Navy Experimental Diving Unit, Panama City, FL.**
Arctic cold weather medicine and accidental hypothermia
[AD-A223090] p 287 N90-26487
- Nebraska Univ., Omaha.**
Non-ejection neck injuries in high performance aircraft p 281 N90-25461
- North Carolina Univ., Chapel Hill.**
A real-time optical 3D tracker for head-mounted display systems
[AD-A222747] p 303 N90-26508
- Norwegian Defence Research Establishment, Kjeller.**
Human performance models
[FFI-90/7002] p 302 N90-26502
- Old Dominion Univ., Norfolk, VA.**
Investigation of automated task learning, decomposition and scheduling
[NASA-CR-186791] p 290 N90-26488
- Organisatie voor Toegepast Natuurwetenschappelijk Onderzoek, Delft (Netherlands).**
Omni-directional human head-neck response
[SAE-861893] p 285 N90-25478
- Paris V Univ. (France).**
Dynamical modifications to the head, load factors from additional weight p 284 N90-25472
- Pennsylvania State Univ., Hershey.**
The effects of fixation and restricted visual field on vection-induced motion sickness p 278 A90-44631
- Pennsylvania State Univ., University Park.**
The effects of fixation and restricted visual field on vection-induced motion sickness p 278 A90-44631
- Pennsylvania Univ., Philadelphia.**
Active perception and exploratory robotics
[MS-CIS-89-65] p 297 N90-25501
Assembly via disassembly: A case in machine perceptual development
[NASA-CR-186867] p 301 N90-26497
Grasping with mechanical intelligence
[NASA-CR-186864] p 301 N90-26498
- PRC Kentron, Inc., Hampton, VA.**
A telerobotic system for automated assembly of large space structures
[AAS PAPER 88-170] p 291 A90-43467
- Royal Norwegian Air Force, Oslo.**
Radiological investigation of the vertebral column of candidates for military flying training the the Royal Norwegian Air Force p 282 N90-25463
Data analysis in cervical trauma p 282 N90-25464

R

S

San Francisco Univ., CA.

Experiment K-6-24, K-6-25, K-6-26. Radiation dosimetry and spectrometry p 275 N90-26477
 Experiment K-6-27. Analysis of radiographs and biosamples from primate studies p 275 N90-26478

San Jose State Univ., CA.

Experiment K-6-19. Pineal physiology in microgravity: Relation to rat gonadal function p 274 N90-26472

Southwest Foundation for Biomedical Research, San Antonio, TX.

Program review: The lifetime effects of space radiation in rhesus monkeys p 268 N90-25454
 [AD-A221127]

Stanford Univ., CA.

An expert system to advise astronauts during experiments: The protocol manager module p 298 N90-25522

Syracuse Univ., NY.

Development of membrane process for carbon dioxide separation from diving atmosphere p 302 N90-26504
 [AD-A222606]

Y

Yale Univ., New Haven, CT.

Cometary delivery of organic molecules to the early earth p 303 A90-43385

T

Tel-Aviv Univ. (Israel).

Adjustment and validation of the mathematical prediction model for sweat rate, heart rate, and body temperature under outdoor conditions p 287 N90-26486
 [AD-A222599]

Texas Univ., Austin.

Design of a device to remove lunar dust from space suits for the proposed lunar base p 296 N90-25496
 [NASA-CR-186679]

Texas Univ., Galveston.

Experiment K-6-05. The maturation of bone and dentin matrices in rats flown on Cosmos 1887 p 271 N90-26459

Texas Univ. Health Science Center, Houston.

Experiment K-6-06. Morphometric and EM analyses of tibial epiphyseal plates from Cosmos 1887 rats p 271 N90-26460

Experiment K-6-11. Actin mRNA and cytochrome c mRNA concentrations in the triceps brachia muscle of rats p 272 N90-26465

U

Universal Energy Systems, Inc., Dayton, OH.

The retrieval of information from secondary memory: A review and new findings p 290 N90-26489
 [AD-A222760]

University of Southern California, Los Angeles.

Computer simulation of chemical reactions in synthetic model compounds and genetically engineered active sites p 276 N90-26483
 [AD-A222611]

W

Washington Univ., Saint Louis, MO.

Experiment K-6-21. Effect of microgravity on 1) metabolic enzymes of type 1 and type 2 muscle fibers and on 2) metabolic enzymes, neurotransmitter amino acids, and neurotransmitter associated enzymes in motor and somatosensory cerebral cortex. Part 1: Metabolic enzymes of individual muscle fibers; part 2: metabolic enzymes of hippocampus and spinal cord p 274 N90-26474

Waterloo Univ. (Ontario).

A computer simulation model for studying cervical spine injury prevention p 285 N90-25476

Wichita State Univ., KS.

Choosing a pilot subjective workload scale to fit flight operational requirements p 300 N90-26493
 [IAR-89-21]

Biodynamic simulations of an aircraft pilot/passenger in various crash environments p 300 N90-26494
 [NIAR-90-6]

Human performance in cockpit-related systems p 301 N90-26495
 [NIAR-90-7]

Human factors: The human interface with aircraft interiors p 301 N90-26496
 [NIAR-90-18]


Wisconsin Univ., Madison.

Gas exchange characteristics as indicators of the basic limiting factors in photosynthesis p 276 N90-26481
 [DE90-012399]

Wisconsin Univ., Milwaukee.

Genesis lunar outpost criteria and design p 301 N90-26499
 [NASA-CR-186831]

Typical Foreign Technology Index Listing



Listings in this index are arranged alphabetically by country of intellectual origin. The title of the document is used to provide a brief description of the subject matter. The page number and the accession number are included in each entry to assist the user in locating the citation in the abstract section. If applicable, a report number is also included as an aid in identifying the document.

A

AUSTRIA
Fitness of civil aviation passengers to fly after ear surgery p 279 A90-44637

B

BELGIUM
A survey of cervical pain in pilots of a Belgian F-16 Air Defence Wing p 282 N90-25462

C

CANADA
Progressive cervical osteoarthritis in high performance aircraft pilots p 282 N90-25465
A computer simulation model for studying cervical spine injury prevention p 285 N90-25476

CHINA, PEOPLE'S REPUBLIC OF
Development of local liquid cooling garment p 291 A90-44553
Study of brain supra-slow encephalofluorograph of rabbit during simulated weightlessness p 268 A90-44577
Hypothesis on bubble volume of altitude decompression sickness and relation between O₂ prebreathing time and pressure in space suits p 277 A90-44582
Medicinal protection with Chinese herb-compound against radiation damage p 279 A90-44635

F

FRANCE
DNH deoxyribonucleohelicates - Self assembly of oligonucleosidic double-helical metal complexes p 267 A90-43369

Transport aircraft crew and decompression hazards - Study of a positive pressure schedule p 278 A90-44627
Neck Injury in Advanced Military Aircraft Environments [AGARD-CP-471] p 281 N90-25459
Dynamical modifications to the head, load factors from additional weight p 284 N90-25472
Mobility of the head and load effects: Experimental approach in a centrifuge p 284 N90-25473
Risk of cervical injury in real and simulated accidents p 285 N90-25475
Biofidelity of a dummy's neck during automobile collision testing p 285 N90-25477

G

GERMANY, FEDERAL REPUBLIC OF
Neck injury prevention possibilities in a high-G-environment experience with high sustained +G(sub z) training of pilots in the GAF IAM human centrifuge p 284 N90-25474
Studies on predicting the resynchronization of the circadian system after transmeridian flights [ESA-TT-1177] p 286 N90-25483
Biochemical and physiological changes in glider pilots during multi-hour flights [ESA-TT-1183] p 286 N90-25484
Effects of a time zone shift of 9 hours on the circadian rhythms in cockpit aircrew members on longhaul flights [ESA-TT-1185] p 286 N90-25485
The prediction of professional success of licenced pilots: The validity of flight experience in comparison with standardized psychological aptitude tests [DLR-FB-89-53] p 289 N90-25488
Study of the application of a stress reactivity test in personnel selection [DLR-FB-89-54] p 289 N90-25489
TOM: Test of multiple task performance, user manual [DLR-FB-89-60] p 289 N90-25490
International application of the DLR test-system: First year of cooperation with IBERIA in pilot selection [DLR-FB-90-05] p 289 N90-25491
Differential psychological analysis of a computer-based audio-visual test of vigilance [ESA-TT-1136] p 289 N90-25494

I

ISRAEL
Adjustment and validation of the mathematical prediction model for sweat rate, heart rate, and body temperature under outdoor conditions [AD-A222599] p 287 N90-26486

J

JAPAN
Age-related changes in performance of pilots p 288 A90-43381
Age related changes in physical performance and physiological functions of JASDF pilots p 276 A90-43382
Pilots' learning abilities and their ages in aircraft transition trainings. I - Analysis of final grades in transition trainings p 288 A90-43383
Pilots' learning abilities and their ages in aircraft transition trainings. II - Questionnaire survey to student pilots and their instructors in transition trainings p 288 A90-43384
Autonomic nervous system partially controls muscular activity in man p 277 A90-43454
Sleep and fatigue of flight crew in long-haul aviation p 277 A90-43455
Relationship between +Gz tolerance and physical characteristics during gradual and rapid onset runs p 277 A90-43456
Responses of rats to 3-week centrifugal accelerations p 267 A90-43457
Changes of blood cells after hyper-gravity exposure p 267 A90-43458

The mitochondrial volume and fiber type transition of skeletal muscle after suspension hypokinesia in rat p 267 A90-43459
Thermoregulatory responses to +3Gz in rats at different time of day p 268 A90-44776
Effect of jet lag on the circadian rhythm of plasma melatonin p 280 A90-44777

N

NETHERLANDS
Electronystagmographic findings following cervical injuries p 282 N90-25466
Analysis of the biomechanic and ergonomic aspects of the cervical spine under load p 283 N90-25470
Omni-directional human head-neck response [SAE-861893] p 285 N90-25478
On the relation between various levels of target acquisition [IZF-1989-38] p 289 N90-25492
PHIND, an analytical model to predict target acquisition distance with image intensifiers [IZF-1989-45] p 289 N90-25493
NORWAY
Radiological investigation of the vertebral column of candidates for military flying training the the Royal Norwegian Air Force p 282 N90-25463
Data analysis in cervical trauma p 282 N90-25464
Human performance models [FFI-90/7002] p 302 N90-26502

U

U.S.S.R.
Method for the realization of autonomy and stationarity principles in the synthesis of ergatic systems p 292 A90-44906
Evaluation of the effect of pilot errors on flight safety p 292 A90-44907
Principles of variability in the control of the precision movements of humans p 292 A90-44908
Ergonomic support of aircraft development processes p 292 A90-44909
Sympathetic nerves control the new formation of microvessels induced by adaptation to hypoxia p 281 A90-45125


UNITED KINGDOM
Sustained peripheral vasoconstriction while working in continuous intense noise p 278 A90-44628
Spatial disorientation in flight - Scope and limitations of training p 280 A90-44655
Pulmonary considerations of high sustained +Gz acceleration and G protection p 280 A90-44661
Hardware improvements to the helmet mounted projector on the Visual Display Research Tool (VDRT) at the naval training systems center p 293 A90-45208
Survival in space: Medical problems of manned spaceflight p 281 A90-45781

CONTRACT NUMBER INDEX

AEROSPACE MEDICINE AND BIOLOGY / A Continuing Bibliography (Supplement 342)

November 1990

Typical Contract Number Index Listing



Listings in this index are arranged alphanumerically by contract number. Under each contract number, the accession numbers denoting documents that have been produced as a result of research done under the contract are arranged in ascending order with the AIAA accession numbers appearing first. The accession number denotes the number by which the citation is identified in the abstract section. Preceding the accession number is the page number on which the citation may be found.

AF PROJ. 1710 p 288 N90-25487
 AF PROJ. 2313 p 290 N90-26489
 AF PROJ. 7757 p 268 N90-25454
 AF PROJ. 7930 p 302 N90-26505
 A85/D/110 p 289 N90-25492
 p 289 N90-25493
 BOA-104230-87-H-0001 p 297 N90-25501
 DA PROJ. 1L1-61102-B-74-A p 288 N90-25486
 DA PROJ. 3E1-62777-A-879 p 287 N90-26486
 DAAG29-84-K-0061 p 297 N90-25501
 DAA29-84-K-0061 p 301 N90-26497
 DAA29-84-9-0027 p 301 N90-26497
 DAMD17-85-G-5044 p 287 N90-26486
 DE-A101-86CE-90239 p 269 N90-25458
 DE-FG02-86ER-13594 p 276 N90-26482
 DE-FG02-87ER-13785 p 276 N90-26481
 DSS-W7711-7-7029 p 281 A90-45741
 F33615-81-C-0012 p 294 A90-45213
 F33615-84-D-0505 p 290 N90-26489
 F33615-85-C-4503 p 302 N90-26505
 F33615-87-D-0627 p 268 N90-25454
 F33615-88-C-0017 p 288 N90-25487
 F49620-85-K-0018 p 297 N90-25501
 p 301 N90-26497
 NAGW-1023 p 303 A90-43385
 NAGW-1197 p 279 A90-44634
 NAG1-962 p 290 N90-26488
 NAG2-123 p 300 N90-26492
 NAG2-239 p 272 N90-26465
 NAG2-308 p 290 N90-25540
 NAG2-349 p 278 A90-44633
 NAG2-460 p 268 A90-44274
 NAG2-552 p 268 A90-44274
 NAG3-811 p 297 N90-25499
 NAG5-1045 p 301 N90-26497
 p 301 N90-26498
 NAG5-1114 p 302 N90-26503
 NAG9-118 p 278 A90-44631
 NAG9-235 p 275 N90-26477
 NASW-4292 p 269 N90-25457
 NASW-4435 p 296 N90-25496
 p 296 N90-25497
 p 275 N90-26479
 p 300 N90-26490
 p 301 N90-26499
 NAS10-10285 p 287 N90-26485
 NAS10-11624 p 268 N90-25455
 p 276 N90-26480
 NAS7-918 p 269 N90-25458
 NATO-0224/85 p 301 N90-26497
 NCC2-521 p 275 N90-26477

NCC2-607 p 297 N90-25500
 NGR-33-010-101 p 303 A90-43385
 NGR-33-010-220 p 303 A90-43385
 NGT-21-002-800 p 296 N90-25495
 p 301 N90-26500
 p 302 N90-26501
 NGT-50302 p 303 A90-43385
 NIH-HL-20122 p 277 A90-44275
 NIH-HL-27520 p 277 A90-44275
 NIH-RR-02170 p 303 N90-26508
 NIH-RR-73 p 277 A90-44275
 NSF DCR-82-19196 p 301 N90-26498
 NSF DCR-84-10771 p 297 N90-25501
 p 301 N90-26498
 NSF DMC-85-17315 p 301 N90-26497
 p 301 N90-26498
 NSF INT-85-14199 p 301 N90-26497
 p 301 N90-26498
 NSF IRI-84-10413 p 301 N90-26497
 NSF MCS-82-19196 p 301 N90-26497
 NSF MEA-81-19884 p 301 N90-26498
 N00014-83-K-0610 p 303 A90-43385
 N00014-85-K-0807 p 297 N90-25501
 p 301 N90-26497
 N00014-86-K-0680 p 303 N90-26508
 N00014-87-K-0507 p 276 N90-26483
 N00014-89-J-1493 p 290 N90-25540
 N00140-85-K-0807 p 301 N90-26498
 N00205-88-M-E058 p 278 A90-44630
 N61339-82-O-0096 p 293 A90-45208
 N61339-88-R-0042 p 293 A90-45208
 R49/CCR402396-02 p 283 N90-25468
 199-08-12 p 269 N90-26452


CONTRACT

REPORT NUMBER INDEX

AEROSPACE MEDICINE AND BIOLOGY / A Continuing Bibliography (Supplement 342)

November 1990

Typical Report Number Index Listing



Listings in this index are arranged alphanumerically by report number. The page number indicates the page on which the citation is located. The accession number denotes the number by which the citation is identified. An asterisk (*) indicates that the item is a NASA report. A pound sign (#) indicates that the item is available on microfiche.

A-90013	p 269	N90-26452 *	#
AAMRL-TR-88-041	p 290	N90-26489	#
AAS PAPER 88-170	p 291	A90-43467 *	
AAS PAPER 88-183	p 291	A90-43469	
AAS PAPER 88-184	p 291	A90-43470	
AAS PAPER 88-227	p 267	A90-43480	
AAS PAPER 88-228	p 267	A90-43481	
AD-A219252	p 288	N90-25486	#
AD-A220075	p 287	N90-26484	#
AD-A220468	p 288	N90-25487	#
AD-A221127	p 268	N90-25454	#
AD-A222599	p 287	N90-26486	#
AD-A222606	p 302	N90-26504	#
AD-A222611	p 276	N90-26483	#
AD-A222626	p 302	N90-26505	#
AD-A222678	p 302	N90-26506	#
AD-A222707	p 302	N90-26507	#
AD-A222747	p 303	N90-26508	#
AD-A222760	p 290	N90-26489	#
AD-A223090	p 287	N90-26487	#
AD-D014536	p 300	N90-26491	
AD-E501236	p 302	N90-26507	#
AFHRL-TP-89-18	p 287	N90-26484	#
AFHRL-TP-89-19	p 288	N90-25487	#
AFIT/CI/CIA-90-026	p 302	N90-26507	#
AGARD-CP-471	p 281	N90-25459	#
AIAA PAPER 90-1944	p 290	A90-42700 *	#
BN-1114	p 302	N90-26503 *	#
BRL-CR-629	p 302	N90-26506	#
CMU-RI-TR-89-9	p 297	N90-25499 *	#
DE90-012399	p 276	N90-26481	#
DE90-013699	p 276	N90-26482	#
DFVLR-FB-88-23	p 289	N90-25494	#
DFVLR-FB-89-10	p 286	N90-25483	#
DLR-FB-89-29	p 286	N90-25484	#
DLR-FB-89-31	p 286	N90-25485	#
DLR-FB-89-53	p 289	N90-25488	#
DLR-FB-89-54	p 289	N90-25489	#
DLR-FB-89-60	p 289	N90-25490	#
DLR-FB-90-05	p 289	N90-25491	#
DOE/CS-66001/13	p 269	N90-25458 *	#
DOE/ER-13594/3	p 276	N90-26482	#
DOE/ER-13785/3	p 276	N90-26481	#
ESA-TT-1136	p 289	N90-25494	#
ESA-TT-1177	p 286	N90-25483	#
ESA-TT-1183	p 286	N90-25484	#
ESA-TT-1185	p 286	N90-25485	#
ETN-90-96457	p 289	N90-25488	#
ETN-90-96458	p 289	N90-25489	#
ETN-90-96997	p 289	N90-25492	#
ETN-90-96998	p 289	N90-25493	#
ETN-90-97010	p 289	N90-25490	#
ETN-90-97014	p 289	N90-25491	#
ETN-90-97035	p 302	N90-26502	#
ETN-90-97073	p 289	N90-25494	#
ETN-90-97079	p 286	N90-25483	#
ETN-90-97082	p 286	N90-25484	#
ETN-90-97084	p 286	N90-25485	#
FFI-90/7002	p 302	N90-26502	#
GRASP-LAB-173	p 301	N90-26497 *	#
GRASP-LAB-190	p 301	N90-26498 *	#
HEL-TN-14-89	p 288	N90-25486	#
IAR-89-21	p 300	N90-26493	#
ISBN-0-938744-69-0	p 301	N90-26499 *	#
ISBN-92-835-0541-7	p 281	N90-25459	#
ISSN-0171-1342	p 289	N90-25488	#
ISSN-0171-1342	p 289	N90-25489	#
ISSN-0171-1342	p 289	N90-25490	#
ISSN-0171-1342	p 289	N90-25491	#
ISSN-0802-2437	p 302	N90-26502	#
IZF-1989-38	p 289	N90-25492	#
IZF-1989-45	p 289	N90-25493	#
ME-4182	p 296	N90-25495 *	#
MS-CIS-89-04	p 301	N90-26497 *	#
MS-CIS-89-51	p 301	N90-26498 *	#
MS-CIS-89-65	p 297	N90-25501	#
NAS 1.15:102254	p 269	N90-26452 *	#
NAS 1.15:102788	p 268	N90-25453	#
NAS 1.15:103471	p 287	N90-26485	#
NAS 1.15:103494	p 269	N90-25456	#
NAS 1.15:103496	p 276	N90-26480	#
NAS 1.15:103497	p 268	N90-25455	#
NAS 1.21:7011(332)	p 286	N90-25480	#
NAS 1.21:7011(337)	p 286	N90-25481	#
NAS 1.21:7011(338)	p 286	N90-25482	#
NAS 1.26:184935	p 296	N90-25495 *	#
NAS 1.26:186655	p 275	N90-26479	#
NAS 1.26:186656	p 300	N90-26490	#
NAS 1.26:186675	p 296	N90-25497	#
NAS 1.26:186679	p 296	N90-25496	#
NAS 1.26:186730	p 300	N90-26492	#
NAS 1.26:186791	p 290	N90-26488	#
NAS 1.26:186811	p 297	N90-25500	#
NAS 1.26:186818	p 302	N90-26501	#
NAS 1.26:186825	p 297	N90-25499	#
NAS 1.26:186831	p 301	N90-26499	#
NAS 1.26:186834	p 301	N90-26500	#
NAS 1.26:186864	p 301	N90-26498	#
NAS 1.26:186866	p 269	N90-25458	#
NAS 1.26:186867	p 301	N90-26497	#
NAS 1.26:186905	p 302	N90-26503	#
NAS 1.26:3922(32)	p 269	N90-25457	#
NASA-CASE-MSC-21366-1	p 297	N90-25498 *	
NASA-CR-184935	p 296	N90-25495 *	#
NASA-CR-186655	p 275	N90-26479	#
NASA-CR-186656	p 300	N90-26490	#
NASA-CR-186675	p 296	N90-25497	#
NASA-CR-186679	p 296	N90-25496	#
NASA-CR-186730	p 300	N90-26492	#
NASA-CR-186791	p 290	N90-26488	#
NASA-CR-186811	p 297	N90-25500	#
NASA-CR-186818	p 302	N90-26501	#
NASA-CR-186825	p 297	N90-25499	#
NASA-CR-186831	p 301	N90-26499	#
NASA-CR-186834	p 301	N90-26500	#
NASA-CR-186864	p 301	N90-26498	#
NASA-CR-186866	p 269	N90-25458	#
NASA-CR-186867	p 301	N90-26497	#
NASA-CR-186905	p 302	N90-26503	#
NASA-CR-186905	p 302	N90-26503	#
NASA-CR-3922(32)	p 269	N90-25457	#
NASA-SP-7011(332)	p 286	N90-25480 *	#
NASA-SP-7011(337)	p 286	N90-25481 *	#
NASA-SP-7011(338)	p 286	N90-25482 *	#
NASA-TM-102254	p 269	N90-26452 *	#
NASA-TM-102788	p 268	N90-25453	#
NASA-TM-103471	p 287	N90-26485	#
NASA-TM-103494	p 269	N90-25456	#
NASA-TM-103496	p 276	N90-26480	#
NASA-TM-103497	p 268	N90-25455	#
NCSC-CR-20C-1-90	p 302	N90-26504	#
NEDU-2-90	p 287	N90-26487	#
NIAR-90-18	p 301	N90-26496	#
NIAR-90-6	p 300	N90-26494	#
NIAR-90-7	p 301	N90-26495	#
R90-1	p 301	N90-26499 *	#
SAE-861893	p 285	N90-25478	#
SPIE-1116	p 292	A90-45201	
TD-89-4139	p 289	N90-25492	#
TD-89-4144	p 289	N90-25493	#
UP-GRASP-LAB-191	p 297	N90-25501	#
US-PATENT-APPL-SN-213880	p 297	N90-25498 *	
US-PATENT-APPL-SN-266955	p 300	N90-26491	
US-PATENT-CLASS-428-252	p 297	N90-25498 *	
US-PATENT-CLASS-428-290	p 297	N90-25498 *	
US-PATENT-CLASS-428-328	p 297	N90-25498 *	
US-PATENT-CLASS-428-422	p 297	N90-25498 *	
US-PATENT-CLASS-428-447	p 297	N90-25498 *	
US-PATENT-CLASS-428-458	p 297	N90-25498 *	
US-PATENT-CLASS-428-474.4	p 297	N90-25498 *	
US-PATENT-4,909,459	p 300	N90-26491	
US-PATENT-4,923,741	p 297	N90-25498 *	
USAFSAM-TR-89-26	p 302	N90-26505	#
USAFSAM-TR-90-3	p 268	N90-25454	#


REPORT

ACCESSION NUMBER INDEX

AEROSPACE MEDICINE AND BIOLOGY / A Continuing Bibliography (Supplement 342)

November 1990

Typical Accession Number Index Listing



Listings in this index are arranged alphanumerically by accession number. The page number listed to the right indicates the page on which the citation is located. An asterisk (*) indicates that the item is a NASA report. A pound sign (#) indicates that the item is available on microfiche.

N90-25475	#	p 285	N90-26493	#	p 300
N90-25476	#	p 285	N90-26494	#	p 300
N90-25477	#	p 285	N90-26495	#	p 301
N90-25478	#	p 285	N90-26496	#	p 301
N90-25479	#	p 285	N90-26497	* #	p 301
N90-25480	#	p 286	N90-26498	* #	p 301
N90-25481	*	p 286	N90-26499	* #	p 301
N90-25482	*	p 286	N90-26500	* #	p 301
N90-25483	#	p 286	N90-26501	* #	p 302
N90-25484	#	p 286	N90-26502	#	p 302
N90-25485	#	p 286	N90-26503	* #	p 302
N90-25486	#	p 288	N90-26504	#	p 302
N90-25487	#	p 288	N90-26505	#	p 302
N90-25488	#	p 289	N90-26506	#	p 302
N90-25489	#	p 289	N90-26507	#	p 302
N90-25490	#	p 289	N90-26508	#	p 303
N90-25491	#	p 289			
N90-25492	#	p 289			
N90-25493	#	p 289			
N90-25494	#	p 289			
N90-25495	* #	p 296			
N90-25496	* #	p 296			
N90-25497	* #	p 296			
N90-25498	*	p 297			
N90-25499	* #	p 297			
N90-25500	* #	p 297			
N90-25501	#	p 297			
N90-25514	* #	p 298			
N90-25518	* #	p 298			
N90-25522	* #	p 298			
N90-25523	* #	p 298			
N90-25526	* #	p 298			
N90-25527	#	p 299			
N90-25528	* #	p 299			
N90-25537	* #	p 299			
N90-25538	* #	p 299			
N90-25539	* #	p 299			
N90-25540	* #	p 299			
N90-25542	* #	p 287			
N90-25555	* #	p 299			
N90-25556	* #	p 299			
N90-25565	* #	p 300			
N90-26452	* #	p 269			
N90-26453	* #	p 269			
N90-26454	* #	p 270			
N90-26455	* #	p 270			
N90-26456	* #	p 270			
N90-26457	* #	p 270			
N90-26458	* #	p 271			
N90-26459	* #	p 271			
N90-26460	* #	p 271			
N90-26461	* #	p 271			
N90-26462	* #	p 271			
N90-26463	* #	p 272			
N90-26464	* #	p 272			
N90-26465	* #	p 272			
N90-26466	* #	p 272			
N90-26467	* #	p 273			
N90-26468	* #	p 273			
N90-26469	* #	p 273			
N90-26470	* #	p 273			
N90-26471	* #	p 273			
N90-26472	* #	p 274			
N90-26473	* #	p 274			
N90-26474	* #	p 274			
N90-26475	* #	p 274			
N90-26476	* #	p 275			
N90-26477	* #	p 275			
N90-26478	* #	p 275			
N90-26479	* #	p 275			
N90-26480	* #	p 276			
N90-26481	* #	p 276			
N90-26482	* #	p 276			
N90-26483	* #	p 276			
N90-26484	* #	p 287			
N90-26485	* #	p 287			
N90-26486	* #	p 287			
N90-26487	* #	p 287			
N90-26488	* #	p 290			
N90-26489	* #	p 290			
N90-26490	* #	p 300			
N90-26491	* #	p 300			
N90-26492	* #	p 300			

A90-42663	#	p 287	A90-44863	*	p 281
A90-42700	* #	p 290	A90-44906	#	p 292
A90-43155	#	p 291	A90-44907	#	p 292
A90-43156	*	p 291	A90-44908	#	p 292
A90-43369	#	p 267	A90-44909	#	p 292
A90-43381	#	p 288	A90-45125	#	p 281
A90-43382	#	p 276	A90-45201	#	p 292
A90-43383	#	p 288	A90-45202	#	p 293
A90-43384	#	p 288	A90-45203	#	p 293
A90-43385	*	p 303	A90-45204	#	p 293
A90-43453	* #	p 276	A90-45205	#	p 293
A90-43454	#	p 277	A90-45206	#	p 293
A90-43455	#	p 277	A90-45207	#	p 293
A90-43456	#	p 277	A90-45208	#	p 293
A90-43457	#	p 267	A90-45209	#	p 294
A90-43458	#	p 267	A90-45210	#	p 294
A90-43459	#	p 267	A90-45211	#	p 294
A90-43467	*	p 291	A90-45212	#	p 294
A90-43469	#	p 291	A90-45213	#	p 294
A90-43470	#	p 291	A90-45214	#	p 294
A90-43480	#	p 267	A90-45215	#	p 294
A90-43481	#	p 267	A90-45216	#	p 295
A90-44151	#	p 291	A90-45217	#	p 295
A90-44250	#	p 267	A90-45218	#	p 295
A90-44274	*	p 268	A90-45219	#	p 295
A90-44275	#	p 277	A90-45220	#	p 295
A90-44553	#	p 291	A90-45222	#	p 295
A90-44577	#	p 268	A90-45240	#	p 296
A90-44582	#	p 277	A90-45242	#	p 296
A90-44626	*	p 277	A90-45243	#	p 296
A90-44627	#	p 278	A90-45741	#	p 281
A90-44628	#	p 278	A90-45781	#	p 281
A90-44629	#	p 288			
A90-44630	#	p 278			
A90-44631	*	p 278	N90-25453	* #	p 268
A90-44632	#	p 278	N90-25454	#	p 268
A90-44633	*	p 278	N90-25455	* #	p 268
A90-44634	*	p 279	N90-25456	* #	p 269
A90-44635	#	p 279	N90-25457	*	p 269
A90-44636	#	p 279	N90-25458	* #	p 269
A90-44637	#	p 279	N90-25459	#	p 281
A90-44638	#	p 279	N90-25460	#	p 281
A90-44639	#	p 279	N90-25461	#	p 281
A90-44641	*	p 292	N90-25462	#	p 282
A90-44642	#	p 288	N90-25463	#	p 282
A90-44651	#	p 292	N90-25464	#	p 282
A90-44652	#	p 280	N90-25465	#	p 282
A90-44653	#	p 280	N90-25466	#	p 282
A90-44654	#	p 280	N90-25467	#	p 283
A90-44655	#	p 280	N90-25468	#	p 283
A90-44657	#	p 280	N90-25469	#	p 283
A90-44660	#	p 280	N90-25470	#	p 283
A90-44661	#	p 280	N90-25471	#	p 284
A90-44776	#	p 268	N90-25472	#	p 284
A90-44777	#	p 280	N90-25473	#	p 284
			N90-25474	#	p 284

AVAILABILITY OF CITED PUBLICATIONS

IAA ENTRIES (A90-10000 Series)

Publications announced in *IAA* are available from the AIAA Technical Information Service as follows: Paper copies of accessions are available at \$10.00 per document (up to 50 pages), additional pages \$0.25 each. Microfiche⁽¹⁾ of documents announced in *IAA* are available at the rate of \$4.00 per microfiche on demand. Standing order microfiche are available at the rate of \$1.45 per microfiche for *IAA* source documents and \$1.75 per microfiche for AIAA meeting papers.

Minimum air-mail postage to foreign countries is \$2.50. All foreign orders are shipped on payment of pro-forma invoices.

All inquiries and requests should be addressed to: Technical Information Service, American Institute of Aeronautics and Astronautics, 555 West 57th Street, New York, NY 10019. Please refer to the accession number when requesting publications.

STAR ENTRIES (N90-10000 Series)

One or more sources from which a document announced in *STAR* is available to the public is ordinarily given on the last line of the citation. The most commonly indicated sources and their acronyms or abbreviations are listed below. If the publication is available from a source other than those listed, the publisher and his address will be displayed on the availability line or in combination with the corporate source line.

Avail: NTIS. Sold by the National Technical Information Service. Prices for hard copy (HC) and microfiche (MF) are indicated by a price code preceded by the letters HC or MF in the *STAR* citation. Current values for the price codes are given in the tables on NTIS PRICE SCHEDULES.

Documents on microfiche are designated by a pound sign (#) following the accession number. The pound sign is used without regard to the source or quality of the microfiche.

Initially distributed microfiche under the NTIS SRIM (Selected Research in Microfiche) is available at greatly reduced unit prices. For this service and for information concerning subscription to NASA printed reports, consult the NTIS Subscription Section, Springfield, VA 22161.

NOTE ON ORDERING DOCUMENTS: When ordering NASA publications (those followed by the * symbol), use the N accession number. NASA patent applications (only the specifications are offered) should be ordered by the US-Patent-Appl-SN number. Non-NASA publications (no asterisk) should be ordered by the AD, PB, or other *report number* shown on the last line of the citation, not by the N accession number. It is also advisable to cite the title and other bibliographic identification.

Avail: SOD (or GPO). Sold by the Superintendent of Documents, U.S. Government Printing Office, in hard copy. The current price and order number are given following the availability line. (NTIS will fill microfiche requests, as indicated above, for those documents identified by a # symbol.)

(1) A microfiche is a transparent sheet of film, 105 by 148 mm in size containing as many as 60 to 98 pages of information reduced to micro images (not to exceed 26.1 reduction).

- Avail: BLL (formerly NLL): British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England. Photocopies available from this organization at the price shown. (If none is given, inquiry should be addressed to the BLL.)
- Avail: DOE Depository Libraries. Organizations in U.S. cities and abroad that maintain collections of Department of Energy reports, usually in microfiche form, are listed in *Energy Research Abstracts*. Services available from the DOE and its depositories are described in a booklet, *DOE Technical Information Center - Its Functions and Services* (TID-4660), which may be obtained without charge from the DOE Technical Information Center.
- Avail: ESDU. Pricing information on specific data, computer programs, and details on Engineering Sciences Data Unit (ESDU) topic categories can be obtained from ESDU International Ltd. Requesters in North America should use the Virginia address while all other requesters should use the London address, both of which are on the page titled ADDRESSES OF ORGANIZATIONS.
- Avail: Fachinformationszentrum, Karlsruhe. Sold by the Fachinformationszentrum Energie, Physik, Mathematik GMBH, Eggenstein Leopoldshafen, Federal Republic of Germany, at the price shown in deutschmarks (DM).
- Avail: HMSO. Publications of Her Majesty's Stationery Office are sold in the U.S. by Pendragon House, Inc. (PHI), Redwood City, CA. The U.S. price (including a service and mailing charge) is given, or a conversion table may be obtained from PHI.
- Avail: NASA Public Document Rooms. Documents so indicated may be examined at or purchased from the National Aeronautics and Space Administration, Public Documents Room (Room 126), 600 Independence Ave., S.W., Washington, DC 20546, or public document rooms located at each of the NASA research centers, the NASA Space Technology Laboratories, and the NASA Pasadena Office at the Jet Propulsion Laboratory.
- Avail: Univ. Microfilms. Documents so indicated are dissertations selected from *Dissertation Abstracts* and are sold by University Microfilms as xerographic copy (HC) and microfilm. All requests should cite the author and the Order Number as they appear in the citation.
- Avail: US Patent and Trademark Office. Sold by Commissioner of Patents and Trademarks, U.S. Patent and Trademark Office, at the standard price of \$1.50 each, postage free.
- Avail: (US Sales Only). These foreign documents are available to users within the United States from the National Technical Information Service (NTIS). They are available to users outside the United States through the International Nuclear Information Service (INIS) representative in their country, or by applying directly to the issuing organization.
- Avail: USGS. Originals of many reports from the U.S. Geological Survey, which may contain color illustrations, or otherwise may not have the quality of illustrations preserved in the microfiche or facsimile reproduction, may be examined by the public at the libraries of the USGS field offices whose addresses are listed in this Introduction. The libraries may be queried concerning the availability of specific documents and the possible utilization of local copying services, such as color reproduction.
- Avail: Issuing Activity, or Corporate Author, or no indication of availability. Inquiries as to the availability of these documents should be addressed to the organization shown in the citation as the corporate author of the document.

PUBLIC COLLECTIONS OF NASA DOCUMENTS

DOMESTIC: NASA and NASA-sponsored documents and a large number of aerospace publications are available to the public for reference purposes at the library maintained by the American Institute of Aeronautics and Astronautics, Technical Information Service, 555 West 57th Street, 12th Floor, New York, NY 10019.

EUROPEAN: An extensive collection of NASA and NASA-sponsored publications is maintained by the British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England for public access. The British Library Lending Division also has available many of the non-NASA publications cited in *STAR*. European requesters may purchase facsimile copy or microfiche of NASA and NASA-sponsored documents, those identified by both the symbols # and * from ESA – Information Retrieval Service European Space Agency, 8-10 rue Mario-Nikis, 75738 CEDEX 15, France.

FEDERAL DEPOSITORY LIBRARY PROGRAM

In order to provide the general public with greater access to U.S. Government publications, Congress established the Federal Depository Library Program under the Government Printing Office (GPO), with 51 regional depositories responsible for permanent retention of material, inter-library loan, and reference services. At least one copy of nearly every NASA and NASA-sponsored publication, either in printed or microfiche format, is received and retained by the 51 regional depositories. A list of the regional GPO libraries, arranged alphabetically by state, appears on the inside back cover. These libraries are *not* sales outlets. A local library can contact a Regional Depository to help locate specific reports, or direct contact may be made by an individual.

STANDING ORDER SUBSCRIPTIONS

NASA SP-7011 and its supplements are available from the National Technical Information Service (NTIS) on standing order subscription as PB90-912300 at the price of \$11.50 domestic and \$23.00 foreign, and at \$19.50 domestic and \$39.00 foreign for the annual index. Standing order subscriptions do not terminate at the end of a year, as do regular subscriptions, but continue indefinitely unless specifically terminated by the subscriber. Questions on the availability of the predecessor publications, *Aerospace Medicine and Biology* (Volumes I-XI), should be directed to NTIS.

ADDRESSES OF ORGANIZATIONS

American Institute of Aeronautics and Astronautics
Technical Information Service
555 West 57th Street, 12th Floor
New York, New York 10019

British Library Lending Division,
Boston Spa, Wetherby, Yorkshire,
England

Commissioner of Patents and Trademarks
U.S. Patent and Trademark Office
Washington, DC 20231

Department of Energy
Technical Information Center
P.O. Box 62
Oak Ridge, Tennessee 37830

European Space Agency-Information Retrieval Service
ESRIN
Via Galileo Galilei
00044 Frascati (Rome) Italy

Engineering Sciences Data Unit International
P.O. Box 1633
Manassas, Virginia 22110

Engineering Sciences Data Unit International, Ltd.
251-259 Regent Street
London, W1R 7AD, England

Fachinformationszentrum Energie, Physik, Mathematik
GMBH
7514 Eggenstein Leopoldshafen
Federal Republic of Germany

Her Majesty's Stationery Office
P.O. Box 569, S.E. 1
London, England

NASA Scientific and Technical Information Facility
P.O. Box 8757
BWI Airport, Maryland 21240

National Aeronautics and Space Administration
Scientific and Technical Information Division (NTT)
Washington, DC 20546

National Technical Information Service
5285 Port Royal Road
Springfield, Virginia 22161

Pendragon House, Inc.
899 Broadway Avenue
Redwood City, California 94063

Superintendent of Documents
U.S. Government Printing Office
Washington, DC 20402

University Microfilms
A Xerox Company
300 North Zeeb Road
Ann Arbor, Michigan 48106

University Microfilms, Ltd.
Tylers Green
London, England

U.S. Geological Survey Library National Center
MS 950
12201 Sunrise Valley Drive
Reston, Virginia 22092

U.S. Geological Survey Library
2255 North Gemini Drive
Flagstaff, Arizona 86001

U.S. Geological Survey
345 Middlefield Road,
Menlo Park, California 94025

U.S. Geological Survey Library
Box 25046
Denver Federal Center, MS914
Denver, Colorado 80225

NTIS PRICE SCHEDULES

(Effective January 1, 1990)

Schedule A STANDARD PRICE DOCUMENTS AND MICROFICHE

PRICE CODE	NORTH AMERICAN PRICE	FOREIGN PRICE
A01	\$ 8.00	\$ 16.00
A02	11.00	22.00
A03	15.00	30.00
A04-A05	17.00	34.00
A06-A09	23.00	46.00
A10-A13	31.00	62.00
A14-A17	39.00	78.00
A18-A21	45.00	90.00
A22-A25	53.00	106.00
A99	*	*
N01	60.00	120.00
N02	59.00	118.00
N03	20.00	40.00

Schedule E EXCEPTION PRICE DOCUMENTS AND MICROFICHE

PRICE CODE	NORTH AMERICAN PRICE	FOREIGN PRICE
E01	\$10.00	\$ 20.00
E02	12.00	24.00
E03	14.00	28.00
E04	16.50	33.00
E05	18.50	37.00
E06	21.50	43.00
E07	24.00	48.00
E08	27.00	54.00
E09	29.50	59.00
E10	32.50	65.00
E11	35.00	70.00
E12	38.50	77.00
E13	41.00	82.00
E14	45.00	90.00
E15	48.50	97.00
E16	53.00	106.00
E17	57.50	115.00
E18	62.00	124.00
E19	69.00	138.00
E20	80.00	160.00
E99	*	*

* Contact NTIS for price quote.

IMPORTANT NOTICE

NTIS Shipping and Handling Charges

U.S., Canada, Mexico — ADD \$3.00 per TOTAL ORDER

All Other Countries — ADD \$4.00 per TOTAL ORDER

Exceptions — Does NOT apply to:

ORDERS REQUESTING NTIS RUSH HANDLING
ORDERS FOR SUBSCRIPTION OR STANDING ORDER PRODUCTS ONLY

NOTE: Each additional delivery address on an order
requires a separate shipping and handling charge.

1. Report No. NASA SP-7011(342)		2. Government Accession No.		3. Recipient's Catalog No.	
4. Title and Subtitle Aerospace Medicine and Biology A Continuing Bibliography (Supplement 342)				5. Report Date November 1990	
				6. Performing Organization Code NTT	
7. Author(s)				8. Performing Organization Report No.	
				10. Work Unit No.	
9. Performing Organization Name and Address NASA Scientific and Technical Information Division				11. Contract or Grant No.	
				13. Type of Report and Period Covered Special Publication	
12. Sponsoring Agency Name and Address National Aeronautics and Space Administration Washington, DC 20546				14. Sponsoring Agency Code	
15. Supplementary Notes					
16. Abstract This bibliography lists 208 reports, articles and other documents introduced into the NASA scientific and technical information system in October 1990.					
17. Key Words (Suggested by Authors(s)) Aerospace Medicine Bibliographies Biological Effects			18. Distribution Statement Unclassified - Unlimited Subject Category - 52		
19. Security Classif. (of this report) Unclassified		20. Security Classif. (of this page) Unclassified		21. No. of Pages 84	
				22. Price * A05/HC	

*For sale by the National Technical Information Service, Springfield, Virginia 22161

FEDERAL REGIONAL DEPOSITORY LIBRARIES

ALABAMA

AUBURN UNIV. AT MONTGOMERY LIBRARY

Documents Department
Montgomery, AL 36193
(205) 279-9110 ext.253

UNIV. OF ALABAMA LIBRARY

Reference Department/Documents
Box S
Tuscaloosa, AL 35486
(205) 348-6046

ARIZONA

DEPT. OF LIBRARY, ARCHIVES, AND PUBLIC RECORDS

Third Floor State Capitol
1700 West Washington
Phoenix, AZ 85007
(602) 255-4121

ARKANSAS

ARKANSAS STATE LIBRARY

Documents Service Section
One Capitol Mall
Little Rock, AR 72201
(501) 371-2090

CALIFORNIA

CALIFORNIA STATE LIBRARY

Govt. Publications Section
914 Capitol Mall
Sacramento, CA 95814
(916) 322-4572

COLORADO

UNIV. OF COLORADO

Norlin Library
Government Publications Division
Campus Box 184
Boulder, CO 80309
(303) 492-8834

DENVER PUBLIC LIBRARY

Govt. Pub. Department
1357 Broadway
Denver, CO 80203
(303) 571-2346

CONNECTICUT

CONNECTICUT STATE LIBRARY

231 Capitol Avenue
Hartford, CT 06106
(203) 566-4971

FLORIDA

UNIV. OF FLORIDA LIBRARIES

Documents Department
Library West
Gainesville, FL 32611
(904) 392-0367

GEORGIA

UNIV. OF GEORGIA LIBRARIES

Government Documents Dept.
Athens, GA 30602
(404) 542-8949

HAWAII

UNIV. OF HAWAII

Hamilton Library
Government Documents Collection
2550 The Mall
Honolulu, HI 96822
(808) 948-8230

IDAHO

UNIV. OF IDAHO LIBRARY

Documents Section
Moscow, ID 83843
(208) 885-6344

ILLINOIS

ILLINOIS STATE LIBRARY

Federal Documents
Centennial Building
Springfield, IL 62756
(217) 782-5012

INDIANA

INDIANA STATE LIBRARY

Serials Section
140 North Senate Avenue
Indianapolis, IN 46204
(317) 232-3686

IOWA

UNIV. OF IOWA LIBRARIES

Government Publications Dept.
Iowa City, IA 52242
(319) 335-5926

KANSAS

UNIVERSITY OF KANSAS

Spencer Research Library
Government Documents
Lawrence, KS 66045
(913) 864-4662

KENTUCKY

UNIV. OF KENTUCKY LIBRARIES

Government Publications/Maps Dept.
Lexington, KY 40506
(606) 257-8400

LOUISIANA

LOUISIANA STATE UNIVERSITY

Middleton Library
Government Documents Dept.
Baton Rouge, LA 70803
(504) 388-2570

LOUISIANA TECHNICAL UNIV.

Prescott Memorial Library
Government Documents Dept.
Ruston, LA 71272
(318) 257-4962

MAINE

UNIVERSITY OF MAINE

Raymond H. Fogler Library
Govt. Documents & Microforms Dept.
Orono, ME 04469
(207) 581-1680

MARYLAND

UNIVERSITY OF MARYLAND

McKeldin Library
Documents/Maps Room
College Park, MD 20742
(301) 454-3034

MASSACHUSETTS

BOSTON PUBLIC LIBRARY

Government Documents Dept.
666 Boylston Street
Boston, MA 02117
(617) 536-5400 ext.226

MICHIGAN

DETROIT PUBLIC LIBRARY

5201 Woodward Avenue
Detroit, MI 48202
(313) 833-1409

LIBRARY OF MICHIGAN

Government Documents
P.O. Box 30007
735 E. Michigan Avenue
Lansing, MI 48909
(517) 373-1593

MINNESOTA

UNIVERSITY OF MINNESOTA

Wilson Library
Government Publications
309 Nineteenth Avenue South
Minneapolis, MN 55455
(612) 373-7813

MISSISSIPPI

UNIV. OF MISSISSIPPI LIB.

Government Documents Dept.
106 Old Gym Bldg.
University, MS 38677
(601) 232-5857

MISSOURI

University of Missouri at

Columbia Library
Government Documents
Columbia, MO 65201
(314) 882-6733

MONTANA

UNIV. OF MONTANA

Mansfield Library
Documents Division
Missoula, MT 59812
(406) 243-6700

NEBRASKA

UNIVERSITY OF NEBRASKA - LINCOLN

Love Memorial Library
Documents Department
Lincoln, NE 68588
(402) 472-2562

NEVADA

UNIV. OF NEVADA-RENO LIB.

Govt. Pub. Department
Reno, NV 89557
(702) 784-6579

NEW JERSEY

NEWARK PUBLIC LIBRARY

U.S. Documents Division
5 Washington Street
P.O. Box 630
Newark, NJ 07101
(201) 733-7812

NEW MEXICO

UNIVERSITY OF NEW MEXICO

General Library
Government Publications/Maps Dept.
Albuquerque, NM 87131
(505) 277-5441

NEW MEXICO STATE LIBRARY

325 Don Gaspar Avenue
Santa Fe, NM 87501
(505) 827-3826

NEW YORK

NEW YORK STATE LIBRARY

Documents Sect. Cultural Educ. Ctr.
Empire State Plaza
Albany, NY 12230
(518) 474-5563

NORTH CAROLINA

UNIVERSITY OF NORTH CAROLINA

AT CHAPEL HILL
Davis Library 080A
BA/SS Department Documents
Chapel Hill, NC 27514
(919) 962-1151

NORTH DAKOTA

NORTH DAKOTA STATE

UNIVERSITY LIBRARY

Government Documents Dept.
Fargo, ND 58105
(701) 237-8352
In cooperation with Univ. of North
Dakota, Chester Fritz Library
Grand Forks

OHIO

STATE LIBRARY OF OHIO

Documents Section
65 South Front Street
Columbus, OH 43266
(614) 644-7051

OKLAHOMA

OKLAHOMA DEPT. OF LIBRARIES

Government Documents
200 NE 18th Street
Oklahoma City, OK 73105
(405) 521-2502, ext. 252

OKLAHOMA STATE UNIV. LIB.

Documents Department
Stillwater, OK 74078
(405) 624-0489

OREGON

PORTLAND STATE UNIV.

Millar Library
934 SW Harrison - P.O. Box 1151
Portland, OR 97207
(503) 229-3673

PENNSYLVANIA

STATE LIBRARY OF PENN.

Government Publications Section
Box 1601
Walnut St. & Commonwealth Ave.
Harrisburg, PA 17105
(717) 787-3752

SOUTH CAROLINA

CLEMSON UNIV. COOPER LIB.

Documents Department
Clemson, SC 29634
(803) 656-5174
In cooperation with Univ. of South
Carolina, Thomas Cooper Library,
Columbia

TEXAS

TEXAS STATE LIBRARY

Public Services Department
P.O. Box 12927 - 1201 Brazos
Austin, TX 78711
(512) 463-5455

TEXAS TECH. UNIV. LIBRARY

Documents Department
Lubbock, TX 79409
(806) 742-2268

UTAH

UTAH STATE UNIVERSITY

Merrill Library & Learning Resources
Center, UMC-30
Documents Department
Logan, UT 84322
(801) 750-2682

VIRGINIA

UNIVERSITY OF VIRGINIA

Alderman Library
Government Documents
Charlottesville, VA 22903
(804) 924-3133

WASHINGTON

WASHINGTON STATE LIBRARY

Document Section
Olympia, WA 98504
(206) 753-4027

WEST VIRGINIA

WEST VIRGINIA UNIV. LIB.

Government Documents Section
P.O. Box 6069
Morgantown, WV 26506
(304) 293-3640

WISCONSIN

ST. HIST. SOC. OF WISCONSIN LIB.

Government Pub. Section
816 State Street
Madison, WI 53706
(608) 262-2781
In cooperation with Univ. of Wisconsin-
Madison, Memorial Library

MILWAUKEE PUBLIC LIBRARY

Documents Division
814 West Wisconsin Avenue
Milwaukee, WI 53233
(414) 278-3065

WYOMING

WYOMING STATE LIBRARY

Supreme Court & Library Bldg.
Cheyenne, WY 82002
(307) 777-5919

**National Aeronautics and
Space Administration
Code NTT-4**

**Washington, D.C.
20546-0001**

Official Business
Penalty for Private Use, \$300

**BULK RATE
POSTAGE & FEES PAID
NASA
Permit No. G-27**



**POSTMASTER: If Undeliverable (Section 158
Postal Manual) Do Not Return**
